
	GILES CHEMICAL ~ PREMIER MAGNESIA Lot Production Record															
	Title: Digester Specific Gravity												Number: P12-FM-100-006a			
	Owner: Jason Bumgarner												Revision: 03			
	Effective Date: 12/11/14												Page: 1 of 1			

	8:00	10:00	12:00	14:00	16:00	18:00	20:00	22:00	0:00	2:00	4:00	6:00
--	------	-------	-------	-------	-------	-------	-------	-------	------	------	------	------

#1 Specific Gravity

1.410														
1.404	-----													
1.398														
1.391														
1.385														
1.378														
1.372														
1.366	-----													
1.359														
Results -	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>													

#2 Specific Gravity

1.410														
1.404	-----													
1.398														
1.391														
1.385														
1.378														
1.372														
1.366	-----													
1.359														
Results -	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>													

#3 Specific Gravity

1.410														
1.404	-----													
1.398														
1.391														
1.385														
1.378														
1.372														
1.366	-----													
1.359														
Results -	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>													

Time	Action taken when out of limits	Time	Action taken when out of limits
:-		:-	
:-		:-	
:-		:-	

Day Hopper <i>full - x/✓</i>												
ML Sp.Gr. <i>1.27-1.32</i>												
Mud Temp <i>60-80C</i>												
Mud Sp.Gr. <i>1.38-1.41</i>												
Brine Sp.Gr. <i>1.37-1.40</i>												
Initials												

DATE:		Lead's Initials		Manager's Initials		QA's Initials	
-------	--	--------------------	--	-----------------------	--	------------------	--

Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.