

**GILES CHEMICAL ~ PREMIER MAGNESIA****Company Procedure**Title: **San Francisco Bath 20#**Number: **R14-CO-100-145**Owner: **Monte Plott**Revision: **02**Effective Date: **04/27/15**Page: **1 of 1**

Date: _____

Operator: _____

Line: _____

Product: *San Francisco Bath 20# Pouch*

Check each block below as the line is prepared for the run. Lead Operator, Supervisor and/or Quality are the only authorized signature. By signing; you are taking full responsibility for the product. Form should be turned into the Production Supervisor at the end of the shift or end of the product run.

Line Clearance:

- ☐ Pouches or Cartons Removed ☐ Corrugated Materials Removed ☐ Labels Removed
☐ Pack and Stack Area Cleared ☐ All Paperwork Turned In

Pouch Specifications:

- ☐ Pouch is aqua green, light purple, and clear.
☐ Pouch is marked with EPSOAK and has the barcode (X000ESWGG5).
☐ Dimensions of pouch: 13.0" wide 17.5" High and 5.0" Gusset

Case Specification:

- ☐ Case is brown corrugated with black print
☐ Case dimensions: 6"H x 18"W x 12"D

Packing Specification:

- ☐ 2 ct. pouches / case, packed side by side into case. DO NOT STACK ON TOP OF EACH OTHER
☐ Quantity of Pallets: _____
☐ Date Code on Pouch: _____ YYJJ EXP MMY
☐ Date Code on Box: _____ YYJJ EXP MMY **SFB20**

Pallet Configuration:

- ☐ 7 cases per layer, column stacked 5 high = 35 cases per pallet

Carton and Pouch Waste:

- ☐ Starting Inventory Balance: _____
☐ Total Used in Production: _____
☐ Pallet Markers: _____
☐ Ending Inventory Balance: _____
☐ Number of cases not making up a full pallet: _____
☐ Number of containers not making a full case: _____

Operator Signature: _____ Date: _____

Supervisor Signature: _____ Date: _____

Quality Signature: _____ Date: _____

Scale Information Breakdown:

Reject: _____

Over: _____

Average: _____

Std. Dev.: _____

Max: _____

Min: _____

Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for accuracy of the document.