










	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
Effective Date: 07/16/2018		Page: 1 of 1	



	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
Effective Date: 07/16/2018		Page: 1 of 1	



	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
Effective Date: 07/16/2018		Page: 1 of 1	


	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
	Effective Date: 07/16/2018	Page: 1 of 1	

	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
	Effective Date: 07/16/2018	Page: 1 of 1	

	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
	Effective Date: 07/16/2018	Page: 1 of 1	

	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
	Effective Date: 07/16/2018	Page: 1 of 1	

	GILES CHEMICAL ~ PREMIER MAGNESIA		
	Company Form		
	Title: Analysis of Filter Press Cake	Number: L15-PR-100-F032	
	Owner: Brent Lance	Revision: 01	
	Effective Date: 07/16/2018	Page: 1 of 1	

[illegible]

Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.