

**GILES CHEMICAL ~ PREMIER MAGNESIA****Company Form**Title: **Final Product Liquid – Daily Quality Control Report**Number: **L12-FM-100-006**Owner: **Ashley Williams**Revision: **0**Effective Date: **08/16/12**Page: **1 of 1****PREMIER**  
MAGNESIA, LLC

BOL \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Operator \_\_\_\_\_ Appearance \_\_\_\_\_

As Shipped - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_Laboratory - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_**Performed by:** \_\_\_\_\_ **Reviewed by:** \_\_\_\_\_

BOL \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Operator \_\_\_\_\_ Appearance \_\_\_\_\_

As Shipped - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_Laboratory - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_**Performed by:** \_\_\_\_\_ **Reviewed by:** \_\_\_\_\_

BOL \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Operator \_\_\_\_\_ Appearance \_\_\_\_\_

As Shipped - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_Laboratory - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_**Performed by:** \_\_\_\_\_ **Reviewed by:** \_\_\_\_\_

BOL \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Operator \_\_\_\_\_ Appearance \_\_\_\_\_

As Shipped - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_Laboratory - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_**Performed by:** \_\_\_\_\_ **Reviewed by:** \_\_\_\_\_

BOL \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Operator \_\_\_\_\_ Appearance \_\_\_\_\_

As Shipped - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_Laboratory - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_**Performed by:** \_\_\_\_\_ **Reviewed by:** \_\_\_\_\_

BOL \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Operator \_\_\_\_\_ Appearance \_\_\_\_\_

As Shipped - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_Laboratory - % MgSO<sub>4</sub> \_\_\_\_\_ Sp Gr. \_\_\_\_\_ Temp C \_\_\_\_\_ pH \_\_\_\_\_**Performed by:** \_\_\_\_\_ **Reviewed by:** \_\_\_\_\_**Controlled Document**