
	GILES CHEMICAL ~ PREMIER MAGNESIA Lot Production Record															
	Title: Crystallizer Temperatures												Number: P12-FM-100-007			
	Owner: Jason Bumgarner												Revision: 04			
	Effective Date: 12/11/14												Page: 1 of 1			

	7:00	9:00	11:00	13:00	15:00	17:00	19:00	21:00	23:00	1:00	3:00	5:00	
1 Crystallizer Temp	32.88												
	32.16												
	31.44												
	30.72												
	30.00												
	29.28												
	28.56												
	27.84												
	27.12												
	Results-												
2 Crystallizer Temp	32.88												
	32.16												
	31.44												
	30.72												
	30.00												
	29.28												
	28.56												
	27.84												
	27.12												
	Results-												
3 Crystallizer Temp	32.88												
	32.16												
	31.44												
	30.72												
	30.00												
	29.28												
	28.56												
	27.84												
	27.12												
	Results-												
4 Crystallizer Temp	32.88												
	32.16												
	31.44												
	30.72												
	30.00												
	29.28												
	28.56												
	27.84												
	27.12												
	Results-												
5 Crystallizer Temp	32.88												
	32.16												
	31.44												
	30.72												
	30.00												
	29.28												
	28.56												
	27.84												
	27.12												
	Results-												
Time	<i>Action taken when out of limits</i>					Time	<i>Action taken when out of limits</i>						
:						_:_							
:						_:_							
:						_:_							
Initials						Initials							
DATE:					Lead's Initials		Manager's Initials		QA's Initials				

Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.