

**GILES CHEMICAL ~ PREMIER MAGNESIA****Company Procedure**Title: **White Mountain 4#**Number: **R12-CO-100-008**Owner: **Lee Cagle**Revision: **05**Effective Date: **08/01/2014**Page: **1 of 1**

Date: \_\_\_\_\_

Operator: \_\_\_\_\_

Line: \_\_\_\_\_

**Product: White Mountain 4# Pouch [KMART (YES or NO)]**

Check each block below as the line is prepared for the run. Lead Operator also Supervisor and/or Quality are the only authorized signature. By signing; you are taking full responsibility for the product. Form should be turned into the Production Supervisor at the end of the shift or end of the product run.

**Line Clearance:**

- ☐ Pouches or Cartons Removed    ☐ Corrugated Materials Removed    ☐ Labels Removed  
☐ Pack and Stack Area Cleared    ☐ All Paperwork Turned In

**Pouch Specifications:**

- ☐ Pouch is blue, white, green and black  
☐ CPU#: **0 76275 09100 5**  
☐ Dimensions of pouch: 11"H x 7 1/4"W x 3" Bottom Gusset

**Case Specification:**

- ☐ Case is brown corrugated with black print  
☐ Case has MAGNESIUM SULFATE U.S.P.; EPSOM SALT  
☐ Case dimensions: 5 5/8"H x 16 3/4"W x 11 1/8"D  
☐ \*Kmart orders require a light blue label with White Mountain EPSOM SALT 4lb; 4lb Pouch; 6pk; Barcode 20076275091009

**Packing Specification:**

- ☐ 6 ct. pouches / case, packed horizontally into case  
☐ Quantity of Pallets: \_\_\_\_\_  
☐ Date Code on Pouch: \_\_\_\_\_ YYJJ EXP MMY  
☐ Date Code on Box: \_\_\_\_\_ YYJJ EXP MMY WM 4LB

**Pallet Configuration:**

- ☐ 9 cases per layer, column stacked 7 high = 63 cases per pallet  
☐ \*Kmart orders require a 8 1/2" x 11 sign stating KMART WHITE MOUNTAIN 4# POUCH

**Carton and Pouch Waste:**

- ☐ Starting Inventory Balance: \_\_\_\_\_  
☐ Total Used in Production: \_\_\_\_\_  
☐ Pallet Markers: \_\_\_\_\_  
☐ Ending Inventory Balance: \_\_\_\_\_  
☐ Number of cases not making up a full pallet: \_\_\_\_\_  
☐ Number of containers not making a full case: \_\_\_\_\_

Operator Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Supervisor Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Quality Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Scale Information Breakdown:**

Reject: \_\_\_\_\_

Over: \_\_\_\_\_

Average: \_\_\_\_\_

Std. Dev.: \_\_\_\_\_

Max: \_\_\_\_\_

Min: \_\_\_\_\_

**Controlled Document**

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for accuracy of the document.