
	<b>GILES CHEMICAL ~ PREMIER MAGNESIA</b>		
	<b>Company Form</b>		
	Title: <b>Training Log – QA Certified Manufacturing QC Tech</b>	Number: <b>P14-QA-100-F092</b>	
	Owner: <b>Lee Cagle</b>	Revision: <b>0</b>	
	Effective Date: <b>03/25/2014</b>	Page: <b>1 of 1</b>	

*The following training is to be completed for certification as a Manufacturing QC Tech.*

Employee: \_\_\_\_\_ Position: \_\_\_\_\_ Date Position Entered: \_\_\_\_\_

Section	Description	Initials	Date
Quality	• ARCH Testing - Manufacturing - #P13-QA-100-070	_____	_____
	• ARCH Testing Log – Manufacturing - #P13-QA-100-F070	_____	_____
	• Determination of Bulk Density for Crystalline Salt - #L12-PR-100-023	_____	_____
	• Bulk Density for Crystalline Salt Form - #L12-PR-100-F023	_____	_____
	• Liquid Load Color Check - #P13-QA-100-086	_____	_____
	• Liquid Load Color Check Results - #P13-QA-100-F086	_____	_____
	• Operating the Liquid Load pH Meter - #P12-PR-100-019	_____	_____

Quality Assurance: \_\_\_\_\_ Date: \_\_\_\_\_

### Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for accuracy of the document