

**GILES CHEMICAL ~ PREMIER MAGNESIA****Company Form**Title: **Repackaging Emergency Light Checks** Number: **M13-FM-200-005**Owner: **Lee Cagle**Revision: **0**Effective Date: **09/18/13**Page: **1 of 1**

#	LOCATION	OK	NOT OK	ACTION TAKEN
1	Above door to A-B dock			
2	On wall behind A-2 on the left side of fan			
3	Above door in Production leading to Front Office			
4	At double doors in Lobby			
5	Between the Offices on 2 nd Level			
6	Above door in Production leading to Time Clock Room			
7	Above door In Time Clock Room (Exiting to Walkway)			
8	To left of door in Production leading to carton packing area			
9	Back wall of Production Area (Salt Hanging Station – Carton)			
10	Above door in Production leading to Break Room			
11	Break Room (Exiting to Outside Break Area)			
12	Outside Break Area			
13	Carton Packing Area			
14	QA Lab			
15	Above door at C dock			
16	Maintenance Shop Area			
17	Beside door from Maintenance to new warehouse			
18	At side entrance door in new warehouse			
19	Above door at D-E dock			

Signature: _____**Date:** _____**Controlled Document**

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for accuracy of the document