GILES CHEMICAL CORPORATION							
COMPANY PROCEDURE							
Standard Operating Procedure	Page	•	1 of 3	Revision	:		
Standard Operating Procedure		•	1 01 3	Date	:	02/12/07	
Author: Maintenance Title: Lock	Title: Lock Out Tag Out #2 Carton Machine						

**Safety:** Before beginning work, notify all affected employees that the equipment is being locked out. Also all safety glasses and appropriate safety apparel is to be worn at all times.

**Purpose or Objective:** The purpose of this procedure is to define the process required to lock out the #2 carton machine located in our Repack facility at 396 Shelton Street.

**Procedure:** The proper process to lockout the carton machine is as follows:

- 1. Use padlock and multi-lockout tool and id tag to secure machine disconnect
- 2. ID tag with name and date/time machine will be locked out
- 3. Lock out hydraulic unit in same manner as item #2 above.
- 4. Turn valves on hydraulic unit off and lock out in same manner as item #2 above with valve lock device.
- 5. Test machine to see if it will start after locking out.

Proper procedure to return equipment to operation:

- 1. Make sure all work is complete and all tools and maintenance equipment has been removed from the machine.
- 2. Notify all affected employees that equipment is about to be put back into service.
- 3. Remove ID tag with name, date and time from hydraulic unit
- 4. Remove multi-lockout device with padlock from hydraulic unit
- 5. Remove multi lockout device with padlock from disconnect
- 6. Turn disconnect to the on position
- 7. Ensure that equipment is operational and available to be returned to production

GILES CHEMICAL CORPORATION							
COMPANY PROCEDURE							
Standard Operating Procedure	Page		2 of 3	Revision	:		
Standard Operating Procedure		•	2 01 3	Date	:	02/12/07	
Author: Maintenance Title: Lock	Title: Lock Out Tag Out #2 Carton Machine						

## TRAINING DOCUMENTATION

	EMPLOYEE	TITLE	SIGNATURE	DATE
1				линининини подата
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15	_	_		
16				
17				

GILES CHEMICAL CORPORATION							
COMPANY PROCEDURE							
Standard Operating Procedure	Page	:	3 of 3	Revision Date	:	02/12/07	
Author: Maintenance Title: Lock Out Tag Out #2 Carton Machine							

H 1 Q		
10		
	=	