
	<b>GILES CHEMICAL ~ PREMIER MAGNESIA</b> Lot Production Record															
	Title: <b>Crystallizers 4-6 Temperatures</b>												Number: <b>P12-FM-100-007b</b>			
	Owner: <b>Jason Bumgarner</b>												Revision: <b>00</b>			
	Effective Date: <b>01/17/2017</b>												Page: <b>1 of 1</b>			

	7:00	9:00	11:00	13:00	15:00	17:00	19:00	21:00	23:00	1:00	3:00	5:00
--	------	------	-------	-------	-------	-------	-------	-------	-------	------	------	------

#4 Crystallizer Temp

35.00	
34.00	-----
33.00	
32.00	
31.00	
30.00	
29.00	
28.00	-----
27.00	

Results-												
----------	--	--	--	--	--	--	--	--	--	--	--	--

#5 Crystallizer Temp

35.00	
34.00	-----
33.00	
32.00	
31.00	
30.00	
29.00	
28.00	-----
27.00	

Results-												
----------	--	--	--	--	--	--	--	--	--	--	--	--

#6 Crystallizer Temp

35.00	
34.00	-----
33.00	
32.00	
31.00	
30.00	
29.00	
28.00	-----
27.00	

Results-												
----------	--	--	--	--	--	--	--	--	--	--	--	--

	7:00	11:00	15:00	19:00	23:00	3:00
Fine Salt						
C4						
C5						
C6						

	7:00	11:00	15:00	19:00	23:00	3:00
Solids						
C4						
C5						
C6						

Time	Action taken when out of limits	Time	Action taken when out of limits
—:—	_____	—:—	_____
—:—	_____	—:—	_____
—:—	_____	—:—	_____

Initials												
----------	--	--	--	--	--	--	--	--	--	--	--	--

DATE:		Production's Initials		QA's Initials	
-------	--	-----------------------	--	---------------	--

**Controlled Document**

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.