

**GILES CHEMICAL ~ PREMIER MAGNESIA****Company Procedure**Title: **Walgreen 1#**Number: **R12-CO-100-075**Owner: **Lee Cagle**Revision: **03**Effective Date: **08/01/2014**Page: **1 of 1**

Date: \_\_\_\_\_

Operator: \_\_\_\_\_

Line: \_\_\_\_\_

**Product: Walgreen 1# Carton**

Check each block below as the line is prepared for the run. Lead Operator also Supervisor and/or Quality are the only authorized signature. By signing; you are taking full responsibility for the product. Form should be turned into the Production Supervisor at the end of the shift or end of the product run.

**Line Clearance:**

- ☐ Pouches or Cartons Removed    ☐ Corrugated Materials Removed    ☐ Labels Removed  
☐ Pack and Stack Area Cleared    ☐ All Paperwork Turned In

**Carton Specifications:**

- ☐ Carton is blue, white and red  
☐ CPU#: **3 11917 14390 3 Above Barcode Item# 157829**  
☐ Dimensions of carton: 5 1/4"H x 2 3/4"W x 2 3/4"D

**Case Specification:**

- ☐ Case is brown corrugated with blue print  
☐ Case has 24 EACH; W EPSOM SALT 1lb; WIC# 157829; Barcode 1 03 11917 14390 0  
☐ Case dimensions: 8 3/4"H x 11 1/2"W x 10 1/2"D  
☐ \*A 4x2 label with ITEM# 157829 and barcode 10311917143900 needs to be put on the case, covering old numbers until new cases are ordered.

**Packing Specification:**

- ☐ 24 ct. cartons / case, packed horizontally into case  
☐ Quantity of Pallets: \_\_\_\_\_  
☐ Date Code on Carton: \_\_\_\_\_ YYJJ EXP MMY  
☐ Date Code on Box: \_\_\_\_\_ YYJJ EXP MMY WG 1LB

**Pallet Configuration:**

- ☐ 15 cases per layer, column stacked 5 high = 75 cases per pallet

**Carton and Pouch Waste:**

- ☐ Starting Inventory Balance: \_\_\_\_\_  
☐ Total Used in Production: \_\_\_\_\_  
☐ Pallet Markers: \_\_\_\_\_  
☐ Ending Inventory Balance: \_\_\_\_\_  
☐ Number of cases not making up a full pallet: \_\_\_\_\_  
☐ Number of containers not making a full case: \_\_\_\_\_

Operator Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Supervisor Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Quality Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Controlled Document**

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for accuracy of the document.