GILES CHEMICAL CORPORATION									
COMPANY PROCEDURE									
Standard Operating Procedure			Page	:	1 of 3	Revision Date		12-15-06 11-14-05	
Author:	Selwyn Scoggin	Title: (00) Palletizer Procedure							

Manuf-Dryer-03

Personnel responsible:

Lead operator, assistant operator.

Safety:

Steel toed shoes and safety glasses

Summary:

The palletizer and associated conveyors receive the filled bags from the bagger, convey them to the palletizer where they are arranged into layers and stacked on a pallet. The full pallet is discharged from the palletizer and conveyed to the stretch wrapper, where it is wrapped and sent to the pick up area.

Procedure:

A. Starting Palletizer

- 1. Inspect palletizer for loose and/or damaged components.
- 2. Clean up loose bags and salt from conveyors and palletizer (do not use water).
- 3. Clean all photo eyes with a damp rag.
- 4. Reset safety chord.
- 5. Insure doors on electrical panels for conveyor and palletizer are closed.
- 6. Press start button on palletizer.
- 7. Select number of bags per layer and number of layers per pallet.
- 8. Insert adequate number of slip sheets into placer.
- 9. Place no more than 12 pallets into dispenser.
- 10. Reset and start the safety switch at the bagger.
- 11. Press start button on conveyor panel.
- 12. System is now ready to receive bags.

B. Operating Palletizer

- 1. The operator will make rounds as required by the log sheet to observe for proper operation and potential problems.
- 2. Make corrective interventions as required.

C. Stopping Palletizer

- 1. Stop the bagger from sending bags to the palletizer. Hopefully, the right number of bags to finish a pallet.
- 2. If it is necessary to stop with an uncompleted pallet, press the clear button, and the palletizer will empty itself.
- 3. Press stop button on palletizer.
- 4. Insure that all bags, broken and unbroken are removed from conveyors, catwalks, palletizer, and floor.
- 5. Clean up any residual salt that may have spilled.
- 6. Press stop button on conveyor control panel.

GILES CHEMICAL CORPORATION									
COMPANY PROCEDURE									
Standard Operating Procedure			Page	:	2 of 3	Revision Date		12-15-06 11-14-05	
Author:	Selwyn Scoggin	Title: (00) Palletizer Procedure							

Manuf-Dryer-03

REVISION HISTORY

Revision Date	Revision Number	Revision Description
11/14/05	00	New Document
12/15/06	01	Update from Operator training

GILES CHEMICAL CORPORATION									
COMPANY PROCEDURE									
Standard Operating Procedure			Page	:	3 of 3	Revision Date		12-15-06 11-14-05	
Author:	Selwyn Scoggin	Title: (00) Palletizer Procedure							

Manuf-Dryer-03

TRAINING DOCUMENTATION

EMPLO	YEE T	ITLE	SIGNAT	URE	DATE
1	***************************************				
2					
3					
4					
5	rinnania de la constanta de la				
6	vinitation in the control of the con				
7	***************************************				
8	***************************************				
9					
10					
11					
12	***************************************				
13					
14	***************************************				
15					
16					
17					
18	***************************************				
19					
20					