



## GILES CHEMICAL ~ PREMIER MAGNESIA

## Company Form

Title: **USS-SO**Number: **P13-SCR-100-420**Owner: **Lisa Hefner**Revision: **01**Effective Date: **7/27/17**Page: **1 of 1**

#420

Product Description:		Product Film Type:
Product Generic ID#:	USS-SO	Super Sack- 2000lb
Product Grade:	USP	
Product Screen:	Overs	
Packaging Weight:	2000lbs	
Pallet Configuration:	Centered on pallet	
Other:	Barcode Label	
<b>Quality:</b>		
<input type="checkbox"/> - Samples to be taken      Retained for: _____		
<input type="checkbox"/> - Testing Required      Testing for: _____		
<input type="checkbox"/> - Quality Release      Criteria Needed: _____		
<b>Production/Packaging:</b>		
<input type="checkbox"/> - Shrink Wrap <input checked="" type="checkbox"/> - Liners Required <input type="checkbox"/> - Heat Treated Pallets <input type="checkbox"/> - Stickers Required		
<input checked="" type="checkbox"/> - Extra Placard or Tag Required:      Description: <u>Overs Placard</u>		
<input type="checkbox"/> - Other Requirements:      Description: _____		
<b>Shipping:</b>		
<input checked="" type="checkbox"/> - General <input type="checkbox"/> - Air Bags <input type="checkbox"/> - Double Wrap <input type="checkbox"/> - Corner Boards <input type="checkbox"/> - Block & Brace		
<input type="checkbox"/> - Must have Quality Approval signature before loading:      Reason: _____		
_____ Signature: _____ Date: _____		
<input type="checkbox"/> - Must have Management Approval signature before loading:      Reason: _____		
_____ Signature: _____ Date: _____		
<input checked="" type="checkbox"/> - Other: <b>**Only for SFSC loads going to CA: Line container with cardboard skirting before loading</b>		
<b>Change Information:</b> <u>Updated to new form, removed sack tag, added cardboard skirting.</u>		

## Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.