
	<b>GILES CHEMICAL ~ PREMIER MAGNESIA</b>		
	<b>Company Form</b>		
	Title: <b>Label Discrepancy Form</b>	Number: <b>Q15-FM-100-013</b>	
	Owner: <b>Jason Bumgarner</b>	Revision: <b>0</b>	
	Effective Date: <b>07/17/15</b>	Page: <b>1 of 1</b>	

**Date:** \_\_\_\_\_ **Type of Discrepancy:** \_\_\_\_\_  
**Discrepancy #:** \_\_\_\_\_ **Pre-Printed Film** \_\_\_\_\_  
**Initiated By:** \_\_\_\_\_ **Bar Code Labels** \_\_\_\_\_  
**Area:** \_\_\_\_\_ **Other (list)** \_\_\_\_\_

	XA Count	Physical Count	Variance +/-
1			
2			
3			
4			
5			

<b>Reason for Variance :</b>

Investigation required?                      Yes \_\_\_\_\_ No \_\_\_\_\_

Approval Signatures/Dates: ( all applicable parties )				
	Name	Title	Signature	Date
Inventory				
Quality				
Production				
Operations				

### Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Giles' Quality Unit assumes no responsibility for accuracy of the document.