

**GILES CHEMICAL ~ PREMIER MAGNESIA****Company Procedure**Title: **Laura Lynn 4#**Number: **R12-CO-100-097**Owner: **Monte Plott**Revision: **04**Effective Date: **09/07/2016**Page: **1 of 1**

Date: _____

Operator: _____

Line: _____

Product: Laura Lynn 4# Carton

Check each block below as the line is prepared for the run. Lead Operator also Supervisor and/or Quality are the only authorized signature. By signing; you are taking full responsibility for the product. Form should be turned into the Production Supervisor at the end of the shift or end of the product run.

Line Clearance:

- ☐ Pouches or Cartons Removed ☐ Corrugated Materials Removed ☐ Labels Removed
☐ Pack and Stack Area Cleared ☐ All Paperwork Turned In

Carton Specifications:

- ☐ Carton is red, navy and white
☐ CPU#: **0 86854 01613 8 Above Barcode LL-01613C**
☐ Dimensions of carton: 9"H x 3 3/4"W x 3 3/4"D

Case Specification:

- ☐ Case is brown corrugated with black print
☐ Case has 6-1/2 DOZ; EPSOM SALT
☐ Case dimensions: 10"H x 12"W x 8"D

Packing Specification:

- ☐ 6 ct. cartons / case, packed vertically into case ; 600 cartons per full pallet
☐ Quantity of Pallets: _____
☐ Date Code on Carton: _____ **YYJJ EXP MMY**
☐ Date Code on Box: _____ **YYJJ EXP MMY LL 4LB**

Pallet Configuration:

- ☐ 20 cases per layer, column stacked 5 high = 100 cases per pallet

Carton and Pouch Waste:

- ☐ Starting Inventory Balance: _____
☐ Total Used in Production: _____
☐ Pallet Markers: _____
☐ Ending Inventory Balance: _____
☐ Number of cases not making up a full pallet: _____
☐ Number of containers not making a full case: _____

Operator Signature: _____ Date: _____

Supervisor Signature: _____ Date: _____

Quality Signature: _____ Date: _____

Scale Information Breakdown:**Line #1:**

Reject: _____
Over: _____
Average: _____
Std. Dev.: _____
Min: _____
Max: _____

Line #2:

Reject: _____
Over: _____
Average: _____
Std. Dev.: _____
Min: _____
Max: _____

Controlled Document

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for accuracy of the document.