
	<b>GILES CHEMICAL ~ PREMIER MAGNESIA</b> Lot Production Record											
	Title: <b>Crystallizer Temperatures</b>								Number: <b>P12-FM-100-007</b>			
	Owner: <b>Jason Bumgarner</b>								Revision: <b>05</b>			
	Effective Date: <b>07/07/2016</b>								Page: <b>1 of 1</b>			

	7:00	9:00	11:00	13:00	15:00	17:00	19:00	21:00	23:00	1:00	3:00	5:00
1 Crystallizer Temp	32.88											
	32.16											
	31.44											
	30.72											
	30.00											
	29.28											
	28.56											
	27.84											
	27.12											
	Results-											
2 Crystallizer Temp	32.88											
	32.16											
	31.44											
	30.72											
	30.00											
	29.28											
	28.56											
	27.84											
	27.12											
	Results-											
3 Crystallizer Temp	32.88											
	32.16											
	31.44											
	30.72											
	30.00											
	29.28											
	28.56											
	27.84											
	27.12											
	Results-											
4 Crystallizer Temp	32.88											
	32.16											
	31.44											
	30.72											
	30.00											
	29.28											
	28.56											
	27.84											
	27.12											
	Results-											
5 Crystallizer Temp	32.88											
	32.16											
	31.44											
	30.72											
	30.00											
	29.28											
	28.56											
	27.84											
	27.12											
	Results-											
Time	<i>Action taken when out of limits</i>					Time	<i>Action taken when out of limits</i>					
—:—						—:—						
—:—						—:—						
—:—						—:—						
Initials												
DATE:					Production's Initials				QA's Initials			

**Controlled Document**

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.