Started on Thursday, 26 November 2020, 10:59 AM
State Finished
Completed on Thursday, 26 November 2020, 11:41 AM
Time taken 41 mins 40 secs
Grade **12.00** out of 10.00 (**120**%)
For CBM, the grade above is shown relative to the maximum for all correct at C=1. ❓

Results for the whole quiz (7 questions)

Average CBM mark 1.20
Accuracy 80.0%
CBM bonus 0.0%
Accuracy + Bonus 80.0%

Break-down by certainty

C=3 Responses: 7. Accuracy: **80%**. (Optimal range 80% to 100%). You were **OK** using this certainty level.
C=2 No responses
C=1 No responses

Question 1
Incorrect
CBM mark -6.00
Weight 1.00

The name of an array is actually the address of the first element of the array.

Select one:
- ○ True
- ◉ False ✘

Certainty ❓ : ○C=1 (Unsure: <67%) ○C=2 (Mid: >67%) ◉C=3 (Quite sure: >80%)

The correct answer is 'True'.

Question 2
Correct
CBM mark 12.00
Weight 4.00

Given the definition:

        int b[2][2] = {{1}, {3, 4}};

what would each element of the array be set to?

b[1][0] is set to | 3 | ✔
b[0][0] is set to | 1 | ✔
b[0][1] is set to | 0 | ✔
b[1][1] is set to | 4 | ✔

Certainty ❓ : ○C=1 (Unsure: <67%) ○C=2 (Mid: >67%) ◉C=3 (Quite sure: >80%)

Your answer is correct.

The correct answer is: b[1][0] is set to → 3, b[0][0] is set to → 1, b[0][1] is set to → 0, b[1][1] is set to → 4

Question 3
Correct
CBM mark 3.00
Weight 1.00

Function **strlen** determines the length of a string including the null character.

Select one:
- ○ True
- ◉ False ✔

Certainty ❓ : ○C=1 (Unsure: <67%) ○C=2 (Mid: >67%) ◉C=3 (Quite sure: >80%)

The correct answer is 'False'.

Question 4

Correct

CBM mark 3.00

Weight 1.00

The number **6** in the expression **rand() % 6** is called a scaling factor.

Select one:

- ⦿ True ✔
- ○ False

Certainty ❓ : ○C=1 (Unsure: <67%) ○C=2 (Mid: >67%) ⦿C=3 (Quite sure: >80%)

The correct answer is 'True'.

Question 5

Incorrect

CBM mark

-6.00

Weight 1.00

The letters of each typedef name must be capitalized.

Select one:

- ⦿ True ✘
- ○ False

Certainty ❓ : ○C=1 (Unsure: <67%) ○C=2 (Mid: >67%) ⦿C=3 (Quite sure: >80%)

The correct answer is 'False'.

Question 6

Correct

CBM mark 3.00

Weight 1.00

In a structured program, control statements can only be stacked or sequenced.

Select one:

- ○ True
- ⦿ False ✔

Certainty ❓ : ○C=1 (Unsure: <67%) ○C=2 (Mid: >67%) ⦿C=3 (Quite sure: >80%)

The correct answer is 'False'.

Question 7

Correct

CBM mark 3.00

Weight 1.00

Pseudocode helps you "think out" a program before attempting to write it in a programming language such as C.

Select one:

- ⦿ True ✔
- ○ False

Certainty ❓ : ○C=1 (Unsure: <67%) ○C=2 (Mid: >67%) ⦿C=3 (Quite sure: >80%)

The correct answer is 'True'.

Jump to...