








Title: AutoFlat.PrjPcb			 Deutsches Zentrum für Luft- und Raumfahrt Institut für Materialphysik im Weltraum
Size: A4	Number:	Revision:	
Date: 29.04.2026	Time: 15:22:10	Sheet 1 of 1	
File: Sheet1.SchDoc			



Line #	Name	Description	Designator	Revision ID	Revision State	Revision Status	Quantity	Manufacturer 1	Manufacturer Part Number 1	Manufacturer Lifecycle 1	Supplier 1	Supplier Part Number 1	Supplier Unit Price 1	Supplier Subtotal 1
	100n		C1, C3		Not managed		2							
	470p		C2		Not managed		1							
	10k		R1, R2, R3, R8, R9, R11		Not managed		6							
	0R		R4		Not managed		1							
	220R		R5, R6		Not managed		2							
	18k		R7		Not managed		1							
	2k		R10		Not managed		1							
	10R		R12, R13		Not managed		2							
	251-8092	3 Pin Stiftleiste Raster 2,54 mm Würth Elektronik WR-PHD Series, Series Number 6130, 2.54mm Pitch 7 Way 1 Row Straight PCB Header, Solder Termination RSNr.: 61300711121	J4		Not managed		1							
	896-7620	7 Pin Stiftleiste Raster 2,54 mm 2.54mm Pitch 7 Way 1 Row Straight PCB Header, Solder Termination RSNr.: 896-7620	J2, J3		Not managed		2							
	DA060501ZDGS1	Integrated Circuit	IC1		Not managed		1							
	DMG6601LVT-7	MOSFET N/P-CH 30V 26TSOT	Q1, Q2	OMP-2000-06173-2	New From Design	Up to date	2	Diodes Inc.	DMG6601LVT-7	Volume Production	Mouser	621-DMG6601LVT-7	0,42	0,84
	Arduino Nano	Nano Every Development Brd, 8Bit Avr Mcu Rbhs Compliant: Yes	U1		Not managed		1	Arduino	ABX00028	Unknown	DigiKey	1050-ABX00028-ND	12,84	12,84
	TSR3-2450N	or TSR3-2450N	PS1		Not managed		1							
	LTC1050CS8#TR	Single Channel, Precision, Zero- Drift Operational Amplifier with Internal Capacitors, 2.5 MHz Typical GBW, 4 V/us Typical SR, 4.75 to 18 V, 8-Pin SOIC(S8-8), Commercial, Reel	U2	OMP-0359-03069-2	Released	Up to date	1	Analog Devices	LTC1050CS8#TR	Unknown				
	PM_5.08_3_90_3.5_SW_-176052000	间距5.08mm 2pin 10A 300V可拼接 螺钉式直插 配线24- 14AWG(0.2- 2.5)mm²	J1, J5		Not managed		2				RSComponents	8045095		