

VIETNAM NATIONAL UNIVERSITY HO CHI MINH CITY
HO CHI MINH CITY UNIVERSITY OF TECHNOLOGY
FACULTY OF COMPUTER SCIENCE AND ENGINEERING



Course name h

Report type h

Report title h

Advisor:	Advisor h	
Student	Student 1	ID 1
	Student 2	ID 2
	Student 3	ID 3

Ho Chi Minh City, September 2026

24 September, 2026



Table of Contents

1 Normal section	6
2 Label prefixes	6

List of Figures

List of Tables

List of Listings

1 Normal section

This is how you normally work with Typst, but you can also split a project into smaller files for easier management. To import other files, you can use `#include "filename.typ"`.

Unlike LaTeX's `\input/\include` distinction (where `\include` adds page breaks and allows selective compilation via `\includeonly`), Typst's `#include` simply inlines the target file's content — you insert `#pagebreak()` yourself where you want one.

2 Label prefixes

There are no definite rules for label prefixes, but you can use the following as a guideline. In Typst, labels are written as `<name>` right after the element, e.g. `= Section title <sec:intro>`.

- **chap:** for chapters
- **sec:** for sections
- **subsec:** for subsections
- **eq:** for equations
- **fig:** for figures
- **tab:** for tables
- **enum:** for enumerators and items
- **fn:** for footnotes
- **lst:** for listings
- **alg:** for algorithms
- **app:** for appendices

In Typst, a figure's caption and its counter are set together by the `figure()` function itself, and the label is attached directly to the `figure` call — e.g. `#figure(image("x.png"), caption: [...]) <fig:x>` — so the “label before caption” ordering bug that exists in LaTeX (`\caption` before `\label`) cannot happen here: there is no separate `\label` command to misplace.

That said, conventions are just conventions, and you can use whatever you want as long as you are consistent.

