

Smart Lighting 2D

Updated: 2021 / 04 / 16

Current Asset Version: [2021.4.0](#)

Latest Documentation: [Link](#)


Roadmap: [Link](#)

Forum Discussion: [Link](#)

Mail: simonas@kuzmickas.lt


Discord Support: [Link](#) 

User Manual Sections



How to Start?

A basic sample of how to set up a lighting system for a new scene.



What is Light Masking?

Explanation and Samples on how masking can be used to achieve certain results



Custom Physics Shape

What is Sprite's Custom Physics Shape?
How can we use it?




How to use Day Lighting?

A few steps to set up lighting system for a new scene




Super Tilemap Editor Support

Having issues with Super Tilemap Support?




Sorting Layer

Having issues with sorting layer & order?




Internal Normal Maps

How to normal maps with 2D Lighting




Scene View

How to setup use of 2D Lighting in Scene View



How to use Event Handling?


How to setup basic events



Lighting Profile (Basics)


Settings asset object.

Fog of War (Simple)



Fog of War (Simple) - Part 1

Project & scene setup



Fog of War (Simple) - Part 2

Applying the setup to the game objects


If there are any questions/feature requests or need help, feel free to contact!

I will answer the questions before you decide to use the asset.

Ask or find more information in [Discord!](#)

Documentation is the development, there will be updates!

Material System



Material Basics

Lightmaps can be used by materials



Fog of War Material

Using lightmaps with FOW material

Shadow Effects



Sprite Projection

W.I.P



Soft Shadows

W.I.P

Misc

► # <input checked="" type="checkbox"/> Light 2D (Script)	?	≠	:
► # <input checked="" type="checkbox"/> Light Sprite 2D (Script)	?	≠	:
► # <input checked="" type="checkbox"/> Light Collider 2D (Script)	?	≠	:
► # <input checked="" type="checkbox"/> Light Particle System 2D (Script)	?	≠	:
► # <input checked="" type="checkbox"/> Light Tilemap Collider 2D (Script)	?	≠	:

FAQ Common Issues (WIP)

Component Reference

A complete description of each component of the 2D Lighting System.

If there are any questions/feature requests or need help, feel free to contact!
I will answer the questions before you decide to use the asset.
Ask or find more information in [Discord!](#)
Documentation is the development, there will be updates!

How to Start?

Instructions		
Step 1	<i>Creating a new Scene</i>	<i>Create a new scene</i>
Step 2	<i>Camera Setup</i>	<i>Make sure to have orthographic mode set for the camera. Set the scene background to be quite bright. If you'll have black background, your default setup lights & shadows won't be visible.</i>
Step 3	<i>Creating a Light</i>	<i>Create a light in the tab “GameObject/2D Light/Light”.</i>
Step 4	<i>Creating Light Manager</i>	<i>After creating the light, the Lighting Manager should be generated automatically. At this step, you should not do anything, except to check if Lighting Manager 2D is in the root of the hierarchy. If not, try to start/stop the scene.</i>
Step 5	<i>Creating Light Collider</i>	<i>Create a collider in tab “GameObject/2D Light/Light Collider” Now you should be able to see shadows casted from the collider. Set the “Mask Lit” option to “Unlit”. The collider object should appear black. For making collider visuals visible read more in “What is Masking”.</i>

Step 1	Step 2	Step 3	Step 4
Visual Explanation			
Game View			

What is Masking?

Introduction

Masking feature allows your objects to appear above the shadows.

Instructions

Step 1	Setting Up Scene & Camera	<p><i>Create and Setup a new scene for this sample. Do not forget to use an orthographic camera and white background for the scene.</i></p>
Step 2	Creating a Light	<p><i>Create a light in the tab “GameObject/2D Light/Light Source”.</i></p>
Step 3	Creating a Sprite	<p><i>Creating a new “GameObject” and attaching a “Sprite Renderer” component to it.</i></p>
Step 4	Attach Light Collider To Sprite	<p><i>Attaching “LightCollider2D” component to the already existing “GameObject” with sprite.</i></p>
Step 5	Setup Light Collider	<p><i>Make sure Mask Type is “Sprite”. So the shape of the “SpriteRenderer” sprite will be masked and visible for the light source.</i></p> <p><i>Also make sure Collider Type is “Sprite Physics Shape”. In that case you don't need to attach any collider components for the object to cast shadows.</i></p>




Step 1

Step 2



Step 3

Step 4 & 5

Visual Explanation



Game View



Custom Physics Shape

Introduction

The Sprite Editor's Custom Physics Shape allows you to edit a Sprite's Physics Shape. You can use this specific information from the sprite to cast shadows instead of using the Collider component attached.

Unity Documentation: [Link](#)


Instructions

Step 1	Setting Up Scene & Camera	Create and Setup a new scene for this sample. Do not forget to use an orthographic camera and white background for the scene.
Step 2	Creating a Light Source	Create a light in the tab “GameObject/2D Light/Light Source”.
Step 3	Creating a Sprite	Creating a new “GameObject” and attaching a “Sprite Renderer” component to it.
Step 4	Attach Light Collider	Attaching “LightCollider2D” component to the already existing “GameObject” with sprite. Make sure the Mask Type is “Sprite”, so the shape of the “SpriteRenderer” sprite will be masked and visible for the light source. Also make sure you are using Collider Type “Sprite Physics Shape”.
Step 5	Setup Custom Physics Shape	Go to the Sprite Import Inspector and press “Sprite Editor” button. Then switch to Custom Physics Shape mode. There you can add and edit vertices of shadow casting collider. Do not forget to press “Apply” after finishing to edit the shape.


Step 1 & 2 & 3 & 4

Step 5

Visual Explanation



Game View




Super Tilemap Editor Support

Introduction

Super Tilemap Editor is a powerful and easy to use tile editor with everything you need to create any game based on tiles. Use it not only to create tilemaps but also as a powerful level editor placing prefabs as if they were tiles.

[Asset Store Link](#)

How To Enable Support?

Step 1	<i>Open Player Settings</i>	
Step 2	<i>In category “Other Settings” Make sure Scripting Define Symbols include “SUPER_TILEMAP_EDITOR”</i>	
Step 3	<i>Enjoy SuperTilemap Support</i>	:)

Sorting Layer

Introduction

Sorting Layers and Order in Layer are used to determine the render order of the lighting buffer in a scene.

Unity Documentation: [Link](#)

Instructions

Step 1	Setting Up Scene & Camera	Create and Setup a new scene for this sample. Do not forget to use an orthographic camera and white background for the scene.
Step 2	Creating a Light Source	Create a light in the tab “GameObject/2D Light/Light/Light2D”.
Step 3	Creating a Sprite	Creating a new “GameObject” and attaching a “Sprite Renderer” component to it.
Step 4	Create Sorting Layers	Create a new sorting layer in the tab “Edit/Project Settings/Tags and Layers”. Call the first layer “My Sprites” Call the second layer “My Lighting”
Step 5	Assign Sorting Layer To Sprite	Go to the object with Sprite Renderer, apply the “My Sprite” layer in “Sorting Layer” dropdown menu.
Step 6	Assign Sorting Layer To Lighting	Go to “Tools/2D Light” window that you can find in toolbar Set Sorting Layer Name to “My Lighting”


Step 1 & 2 & 3

Step 4


Step 5

Step 6

Visual Explanation



Game View



Normal Maps

Introduction

Lighting 2D has integrated and optimized 2D normal map support.

Instructions




Step 1	2D Sprite	Add a 2D sprite to the scene.
Step 2	Light Collider 2D	Attach Light Collider 2D Component to the sprite.
Step 3	Light Collider 2D Setup	Mask Type: Bumped Sprite Drag normal map texture into “ Mask Bump Map ” field.
Step 4	Light Source 2D	Add Light Source 2D to the scene.

Step 1

Step 2 & 3

Step 4

Visual Explanation



Game View



Scene View

Introduction

Specific editor setup must be used to have proper scene view of 2D Lighting.

Instructions

Step 1	Scene with Lighting Manager 2D	<i>Create or Load a scene that is using 2D Lighting.</i>
Step 2	Creating Unity Layers	<i>Create new layers in “Edit/Project Settings/Tags and Layers”, layer section. Add “Lighting Internal (Game)” Add “Lighting Internal (Scene)”</i>
Step 3	Disable Unity Layer	<i>In the top-right of the editor, set the “Lighting Internal (Game)” layer invisible for the editor.</i>
Step 4	Set the layer for Lighting Manager 2D	<i>Tools/Light2D/Project Tab/Editor View Set “Game Layer” to “Lighting Internal (Game)” Set “Scene Layer” to “Lighting Internal (Scene)”</i>
Step 5	Scene Camera	<i>Set camera count “2” for the Lighting Manager 2D. Set the second “Camera Type” to “Scene View”. Make sure Scene View “2D” and “Lighting Icon” are enabled.</i>
Step 6	Camera Settings	<i>In your game camera “culling mask” list: disable “Lighting Internal (Scene)”</i>

Step 2

Step 3

Step 4

Step 5

Step 6

Visual Explanation

Game View			



How to use Event Handling

Introduction

Light 2D - invoking events. Light Collider 2D is a receiver.

In this example we will use the “Light Event Listener” component to receive “visibility” of the “Light Collider 2D” object.

Instructions

Step 1	Basic Scene with 2D Light	<i>Let's start with the scene that already includes light 2D</i>
Step 2	Light Event Preset	<i>Event Handling logic is set up in “Light Event Presets”. These settings can be found in the Tools/Light2D window. Let's set the name of the first preset “Basic Events”. The preset can be used in Light 2D components.</i>
Step 3	Adding Receiver Collider	<i>Add Light collider 2D to your event receiver object.</i>
Step 4	Adding Events Listener	<i>Add “Light Event Listener” to the receiver object. This script would store the public “visibility” variable. Add “Light Event Listener GUI” script to the object. This script displays visibility value in game view and used only for convenience/debug.</i>
Step 5	Adding Shadow Collider	<i>Create an “Light Collider 2D” object with default settings.</i>





Step 2

Step 3





Step 4

Step 5

Visual Explanation



Game View



How to use Day Lighting

Introduction

Day Lighting is a separate system to work with specific lighting effects to generate shadows created by directional light.

Instructions

Step 1	Setting Up Scene & Camera	Create and Setup a new scene for this sample. Do not forget to use an orthographic camera and white background for the scene.
Step 2	Setting Up Darkness Color	Open Tools/2D Lighting window, Set darkness color to white or it's alpha to 0.
Step 3	Adding a Sprite	Add 2D Object/Sprite into the scene. Apply a sprite image to it.
Step 4	Adding Day Light Collider to Sprite	Add the " DayLight Collider 2D " component to the sprite game object.
Step 5	Setting Up Day Light Collider	Collision type: Sprite Custom Physics Shape Mask Type : Sprite


Step 1

Step 2

Step 3

Step 4 & 5

Visual Explanation



Game View



If there are any questions/feature requests or need help, feel free to contact!

I will answer the questions before you decide to use the asset.

Ask or find more information in [Discord!](#)

Documentation is the development, there will be updates!


Fog Of War (Simple) Part 1

Step 1 Scene		<p><i>Scene includes</i></p> <p><i>Orthographic Camera</i> <i>Floor (Sprite Renderer)</i> <i>Boxes (Sprite Renderer)</i></p>
Step 2 Night Layers		<p><i>Search for “Night Layers” In Tools/Light 2D, Layer section.</i></p> <p><i>For this setup you will need two different Night layers.</i></p> <p>1 - Regular Lights (behind the fog of war)</p> <p>2 - Fog of War Lights</p> <p><i>Before adding the names, increase the layer count.</i></p>
Step 3 Buffer Presets		<p><i>Search for the “Buffer Presets” section In Tools/Light 2D.</i></p> <p><i>We need to initialize 2 buffer presets.</i></p> <p>1 - Regular Light System for the Regular Lights Night Layer.</p> <p>2 - Fog Of War System for the Fog Of War Lights Night Layer.</p> <p><i>Preferably set “Day Layers” count to 0 for both of the presets.</i></p>

Fog Of War (Simple) Part 2

Step 4

Regular Lights & Colliders



Attach "Light Collider 2D" components for the boxes.

Light Collide 2D:

Shadow Type = Sprite Physics Shape
Mask Type = Sprite

Create a few "Light 2D" game objects in the scene. Make sure "Layer (Night) is set to **Regular Lights**.

Step 5

Lighting Manager



In step 3 we did set up **Buffer Presets**.


Buffer Presets are used in **Lighting Manager** to output Lighting into camera with light logics you have included in the Presets.

Beforehand, set camera count to 2. Camera 1 should use **Regular Light System** Preset. Camera 2 - **Fog Of War System**.

After this step is complete, the game view should be **black** because there is **no fog of war light** in the scene yet.

Step 6

Fog of War Lights



To create a Fog of War light source, you will need to create two separate lights.

1 - Light up a **Regular Lights System**

2 - Light up **Fog of War System**


You can set these layers in the Light 2D component "Layer (Night)" field.

Use "**gfx_fogofwar**" sprite for the texture of the light.



Ideally, the light should be white.

Both presets are mixed with Multiply blends.

Material Basics

Step 1		<p>Scene includes</p> <p><i>Orthographic Camera Building (Sprite Renderer) Light 2D gameobject</i></p>
Step 2		<p><i>Create a new material with “Light 2D/Sprites/Lit” shader.</i></p>
Step 3		<p><i>In Lighting Manager 2D:</i></p> <p><i>set “Render Mode” to “Hidden”</i></p> <p><i>Add Sprite Lit material to the materials list in Lighting Manager 2D.</i></p>
Step 4		<p><i>Attach Sprite Lit material to the building Sprite Renderer in the scene.</i></p>


Fog of War Material

Step 1	Scene		<p><i>Scene includes</i></p> <p><i>Orthographic Camera</i> <i>Floor (Sprite Renderer)</i> <i>Building (Sprite Renderer)</i> <i>Light 2D gameobject</i></p>
Step 2	Sprite Material		<p><i>Create a new material with “Light 2D/Sprites/FogOfWar” shader.</i></p>
Step 3	Manager		<p><i>In Lighting Manager 2D:</i></p> <p><i>set “Render Mode” to “Hidden”</i></p> <p><i>Add Sprite FOW material to the materials list in Lighting Manager 2D.</i></p>
Step 4	SpriteRenderer with Material		<p><i>Attach Sprite FOW material to the building Sprite Renderer in the scene.</i></p>

Lighting Profile (Basics)

Step 1

Create Profile




Create a *Lighting Profile* asset file

Assets/Create/Light 2D/Profile

Step 2


Select Profile



Drag new *Lighting Profile* into *Lighting Manager* in the scene.

Step 3

Use Profile



Under the "Tools" tab you can open the *Lighting 2D* setting window.

All properties are modified within the **Lighting Profile** that is assigned in the **Lighting Manager**.

Note:

Changes applied in runtime won't be saved.

Unity Lighting 2D Components

Components

LightingManager2D	<p><i>Previously used for lighting settings, now all settings are moved to “Tools/Lighting 2D” via Settings Profile (scriptable object). Now used as root for all generated Lighting 2D effects</i></p>
Light2D	<p><i>Versatile light emitting source, this component emits light. Can use custom texture to set up a unique light emitting look.</i></p>
LightCollider2D	<p><i>Versatile light collider component. Can be used to set up shadow casting for sprites & solo collider components.</i></p>
LightTilemapCollider2D	<p><i>Tilemap Light Collider component can be used to set up shadow casting for standard unity Tilemap component and Super Tilemap Editor system.</i></p>
DayLightCollider2D	
DayLightTilemapCollider2D	
LightSprite2D	<p><i>The Lightning Sprite Renderer component can draw images with different blending modes straight into the light buffer to light up objects, particles and other scene entities. This component is very efficient to make lights without shadow casting. (Very Mobile Friendly)</i></p>
LightTexture2D	
LightParticleSystem2D	
LightRoom2D	<p><i>This component can be used to darken the area in the daylight. For example you might need to have a dark room in brightly lit scenes with day light shadows.</i></p>
LightTilemapRoom2D	<p><i>This component can be used to darken the area in the daylight. Can be used to mask tilemap to be affected by lights.</i></p>
LightOcclusion2D	
LightTilemapOcclusion2D	
FogOfWarSprite	
FogOfWarTilemap	

Bonus Components


ColliderLineRenderer2D	<i>Creates an outline for Collider components with selected color</i>
Mesh2D	<i>Creates a mesh from Collider components and attach it to the mesh renderer. Mostly used to display basic demo scenes without any images.</i>

Component Reference

LightingManager2D			
appearance	 The screenshot shows the Unity Editor's Inspector window for a 'Lighting Manager 2D (Script)' component. It includes a dropdown for 'Profile' set to 'Basic Profile (Profile)', a slider for 'Camera Count' set to 2, and two sections for cameras: 'Camera 1' and 'Camera 2'. Camera 1 uses 'Main Camera' as its type, with 'Main' preset and 'Draw' render mode, and 'Multiply HDR' shader. Camera 2 uses 'Scene View' as its type, with 'Main' preset and 'Disabled' render mode. A 'version 1.2.2' label and a 'Re-Initialize' button are also present.		
description	<p><i>Only one Lighting Manager 2D is allowed per scene. This component is automatically generated on the first 2D lighting API call.</i></p>		
information	Profile		
	Cameras		

Light2D

appearance



description

This component emits light. Can use custom texture to set up a unique light look.

information


Layer Count	Int [0 - 31]	<i>Layer count that will be included in light calculations. The more layers, the less optimized light calculation will be. 3 layers should be enough for making quite complicated or tricky lighting scenes.</i>
Layers	Layer Object List	<i>The list of layer objects. For each layer select it's Id that is used in every light collider. Type gives an option to draw colliders or masks only. Order allows you to sort the shadows and masks according to specific statement (<i>Distance To Light, Y Axis</i>)</i>
Color	24 Bit Color	<i>The color of light. The darker the color, the less visible it will appear. Black color is not visible at all.</i>
Alpha	Float [0 - 1]	<i>Transparency of light. The higher alpha value, the more visible light appears to be.</i>
Size	Int [0 - Unidentified]	<i>The size of light, keep in mind that increasing the size of light does not automatically increase it's "buffer size", very large lights require larger buffer size, otherwise pixelated artifacts appear.</i>
Buffer Size	Enumerator	<i>The resolution of the light buffer. Larger buffer leads to more crispy shadow details, however it costs more performance.</i>
Light Sprite	Default	<i>Default texture which is being applied for the light.</i>
	Custom	<i>Enables custom sprite texture to use for the light.</i>
Sprite	Sprite	<i>After enabling LightSprite/Custom, you are able to</i>

		<i>select your custom sprite texture for the light.</i>
Apply Rotation	Boolean	<i>Enable object transform rotation for the light</i>
Apply Light Inside Collider	Boolean	<i>By default, once light appears in the collider, no collisions are generated with that particular object. Once this option is enabled, you can put light inside the objects and light will still collide with their walls.</i>


LightCollider2D

appearance	<p>Light Collider 2D (Script)</p> <ul style="list-style-type: none"> Shadow Type: Sprite Custom Physics Shape Shadow Layer (Light): Default Shadow Effect Layer (Light): Default Shadow Distance (infinite): 0 Shadow Translucency: 0 Mask Type: Sprite Mask Layer (Light): Default Mask Effect: Lit Apply to Children: <input checked="" type="checkbox"/> <p>Update</p>		
description	<p><i>Versatile light collider component. Can be used to set up shadow casting for sprites & solo collider components.</i></p>		
information	Collision Type	None	<i>Disables all shadow casting for this object.</i>
		Collider	<i>Use 2D collider for geometry of shadow casting. (Box2D, Circle2D, CapsuleCollider2D, Polygon2D, Edge2D)</i>
		Sprite Custom Physics Shape	<i>Use Sprite's custom physics shape which can be accessed with Unity Sprite Editor.</i>
		Mesh	<i>Uses Mesh Filter Mesh to cast shadows.</i>
	Collision Layer	Int [0 - 31]	<i>Lighting layer of the object, this layer should be included in the lighting source layer list.</i>
	Mask Type	None	<i>Disables all masking for this object.</i>
		Sprite	<i>Uses sprite from sprite renderer of this object for the mask.</i>
		Collider	<i>Uses 2D Collider geometry for the mask.</i>
		Sprite Custom Physics Shape	<i>Use Sprite Custom Physics Shape geometry to mask the object.</i>
	Mask Layer	Int [0 - 31]	<i>Lighting layer of the object, this layer should be included in the lighting source layer list.</i>
	Update	Editor Button	<i>Press this object to re-initialize geometry of the collider. This is workaround for performance reasons because geometry is not updated in real time. For example this should be triggered after changing polygon collider geometry (editor run time). Keep in mind that after going into play mode everything is applied automatically.;</i>

LightTilemapCollider2D

appearance		
description	<p><i>Tilemap Light Collider component can be used to setup shadow casting for standard unity Tilemap component and Super Tilemap Editor system.</i></p>	
information	Tilemap Type	<p>Unity Engine Tilemap</p> <p>Use standard tilemap for shadow casting. No additional collider components are needed for this. Lighting system will take sprites used in the tileset and apply their selected properties for collisions.</p>
	Super Tilemap Editor	<p>Use Super Tilemap Editor for the shadow casting.</p>
	Collision Type	<p>None</p> <p>Disable shadow casting for this tilemap object.</p>
		<p>Rectangle</p> <p>All tiles are treated like rectangles</p>
		<p>Sprite Custom Physics Shape</p> <p>Try using sprite's custom physics shape for shadow casting.</p>
	Collision Layer	<p>Layer Enumerator [0 - 31]</p> <p>Lighting layer of the object, this layer should be included in the lighting source layer list.</p>
	Mask Type	<p>None</p> <p>Disable masking for this object.</p>
		<p>Sprite</p> <p>Uses tile sprites for masking.</p>
		<p>Rectangle</p> <p>Use rectangle shape for masking for mask this tilemap.</p>
		<p>Sprite Custom Physics Shape</p> <p>Use tile sprite custom physics shape.</p>
	Mask Layer	<p>Layer Enumerator [0 - 31]</p> <p>Lighting layer of the object, this layer should be included in the lighting source layer list.</p>
	Day Height & Size	<p>Enumerator Float [0 - Undenified]</p> <p>Enable sun's shadow casting in the daylighting system.</p>
	Batch Sprite Masking	<p>Boolean</p> <p>This is optimization. Enable this option when whole tile palette consist of same texture file. This should improve batch calls from lighting system.</p>
	Update Collisions	<p>Editor Button</p> <p>Press this object to re-initialize geometry of the collider. This is workaround for performance reasons because geometry is not updated in real time. For example this should be triggered after changing polygon collider geometry (editor run time). Keep in mind that after going into play mode everything is applied automatically.;</p>


LightSprite2D

appearance																																											
description	<p><i>Light Sprite 2D component can draw images with different blending modes straight into the light buffer to light up objects, particles and other scene entities. This component is very efficient to make lights without shadow casting. (Very Mobile Friendly)</i></p>																																										
information	<table border="1"> <thead> <tr> <th data-bbox="462 1046 653 1080"></th><th data-bbox="701 1046 860 1080">Particle</th><th data-bbox="876 1046 1464 1080"><i>Additive shader effect for this component.</i></th></tr> </thead> <tbody> <tr> <td data-bbox="462 1091 653 1192" style="text-align: center;">Type</td><td data-bbox="701 1091 860 1192" style="text-align: center;">White Mask</td><td data-bbox="876 1091 1464 1226"><i>Applies white mask for this object, the object is always fully visible and over the lighting buffer. However, this can be also achieved using sorting order which is higher than lighting buffer sorting order.</i></td></tr> <tr> <td data-bbox="462 1203 653 1304" style="text-align: center;">Sprite Mode</td><td data-bbox="701 1203 860 1304" style="text-align: center;">Black Mask</td><td data-bbox="876 1203 1464 1304"><i>Applies black mask for the object, object and everything underneath is completely not visible.</i></td></tr> <tr> <td data-bbox="462 1316 653 1417" style="text-align: center;"></td><td data-bbox="701 1316 860 1417" style="text-align: center;">Custom</td><td data-bbox="876 1316 1464 1349"><i>Select your own sprite for this component.</i></td></tr> <tr> <td data-bbox="462 1428 653 1484" style="text-align: center;"></td><td data-bbox="701 1428 860 1484" style="text-align: center;">Sprite Renderer</td><td data-bbox="876 1428 1464 1484"><i>Synchronize sprite variable with Sprite Renderer component attached to the same game object.</i></td></tr> <tr> <td data-bbox="462 1495 653 1596" style="text-align: center;">Color</td><td data-bbox="701 1495 860 1596" style="text-align: center;">24 Bit Color</td><td data-bbox="876 1495 1464 1596"><i>Color of the effect. This is not taking any effect when using white mask or black mask.</i></td></tr> <tr> <td data-bbox="462 1608 653 1709" style="text-align: center;">Alpha</td><td data-bbox="701 1608 860 1709" style="text-align: center;">Float [0 - 1]</td><td data-bbox="876 1608 1464 1709"><i>Transparency of this effect. This is not taking any effect when using white mask or black mask.</i></td></tr> <tr> <td data-bbox="462 1720 653 1776" style="text-align: center;">Flip X</td><td data-bbox="701 1720 860 1776" style="text-align: center;">Boolean</td><td data-bbox="876 1720 1464 1754"><i>Flips the sprite on the X axis.</i></td></tr> <tr> <td data-bbox="462 1787 653 1843" style="text-align: center;">Flip Y</td><td data-bbox="701 1787 860 1843" style="text-align: center;">Boolean</td><td data-bbox="876 1787 1464 1821"><i>Flips the sprite on the Y axis.</i></td></tr> <tr> <td data-bbox="462 1855 653 1911" style="text-align: center;">Offset Position</td><td data-bbox="701 1855 860 1911" style="text-align: center;">Vector 2</td><td data-bbox="876 1855 1464 1888"><i>Offset sprite's position.</i></td></tr> <tr> <td data-bbox="462 1922 653 1978" style="text-align: center;">Offset Scale</td><td data-bbox="701 1922 860 1978" style="text-align: center;">Vector 2</td><td data-bbox="876 1922 1464 1956"><i>Additional scale offset for the sprite.</i></td></tr> <tr> <td data-bbox="462 1989 653 2046" style="text-align: center;">Offset Rotation</td><td data-bbox="701 1989 860 2046" style="text-align: center;">Degrees</td><td data-bbox="876 1989 1464 2023"><i>Additional rotational offset for the sprite.</i></td></tr> <tr> <td data-bbox="462 2057 653 2113" style="text-align: center;">Blur Size</td><td data-bbox="701 2057 860 2113" style="text-align: center;">Int [1 - 10]</td><td data-bbox="876 2057 1464 2091"><i>When blur is enabled, you may choose it's strength.</i></td></tr> <tr> <td data-bbox="462 2124 653 2180" style="text-align: center;">Blur Iterations</td><td data-bbox="701 2124 860 2180" style="text-align: center;">Int [1 - 10]</td><td data-bbox="876 2124 1464 2158"><i>The times blur algorithm is being applied.</i></td></tr> </tbody> </table>		Particle	<i>Additive shader effect for this component.</i>	Type	White Mask	<i>Applies white mask for this object, the object is always fully visible and over the lighting buffer. However, this can be also achieved using sorting order which is higher than lighting buffer sorting order.</i>	Sprite Mode	Black Mask	<i>Applies black mask for the object, object and everything underneath is completely not visible.</i>		Custom	<i>Select your own sprite for this component.</i>		Sprite Renderer	<i>Synchronize sprite variable with Sprite Renderer component attached to the same game object.</i>	Color	24 Bit Color	<i>Color of the effect. This is not taking any effect when using white mask or black mask.</i>	Alpha	Float [0 - 1]	<i>Transparency of this effect. This is not taking any effect when using white mask or black mask.</i>	Flip X	Boolean	<i>Flips the sprite on the X axis.</i>	Flip Y	Boolean	<i>Flips the sprite on the Y axis.</i>	Offset Position	Vector 2	<i>Offset sprite's position.</i>	Offset Scale	Vector 2	<i>Additional scale offset for the sprite.</i>	Offset Rotation	Degrees	<i>Additional rotational offset for the sprite.</i>	Blur Size	Int [1 - 10]	<i>When blur is enabled, you may choose it's strength.</i>	Blur Iterations	Int [1 - 10]	<i>The times blur algorithm is being applied.</i>
	Particle	<i>Additive shader effect for this component.</i>																																									
Type	White Mask	<i>Applies white mask for this object, the object is always fully visible and over the lighting buffer. However, this can be also achieved using sorting order which is higher than lighting buffer sorting order.</i>																																									
Sprite Mode	Black Mask	<i>Applies black mask for the object, object and everything underneath is completely not visible.</i>																																									
	Custom	<i>Select your own sprite for this component.</i>																																									
	Sprite Renderer	<i>Synchronize sprite variable with Sprite Renderer component attached to the same game object.</i>																																									
Color	24 Bit Color	<i>Color of the effect. This is not taking any effect when using white mask or black mask.</i>																																									
Alpha	Float [0 - 1]	<i>Transparency of this effect. This is not taking any effect when using white mask or black mask.</i>																																									
Flip X	Boolean	<i>Flips the sprite on the X axis.</i>																																									
Flip Y	Boolean	<i>Flips the sprite on the Y axis.</i>																																									
Offset Position	Vector 2	<i>Offset sprite's position.</i>																																									
Offset Scale	Vector 2	<i>Additional scale offset for the sprite.</i>																																									
Offset Rotation	Degrees	<i>Additional rotational offset for the sprite.</i>																																									
Blur Size	Int [1 - 10]	<i>When blur is enabled, you may choose it's strength.</i>																																									
Blur Iterations	Int [1 - 10]	<i>The times blur algorithm is being applied.</i>																																									

	<i>Apply Blur</i>	Boolean	<i>For this option to be used, you need to enable sprite write/read setting.</i>
	<i>Apply Additive</i>	Boolean	<i>Apply additive shader for the lighting sprite renderer.</i>
	<i>Apply Transform Rotation</i>	Boolean	<i>Enable transform offset for the sprite.</i>

LightRoom2D			
appearance			
description	<p><i>This component can be used to darken the area in the daylight. For example you might need to have a dark room in brightly lit scene with daylighting shadows.</i></p>		
information	Color	24 Bit Color	<i>The color of the room</i>

Bonus Component Reference

Mesh2D		
appearance		
description	<i>Creates a mesh from already attached Collider2D</i>	
information	Triangulation	<i>Triangulation method to be used when generating 2D mesh.</i>
	Material	<i>The material of the object.</i>

Tools/Light2D

appearance			
description	<p><i>Only one Lighting Manager 2D is allowed per scene.</i> <i>This component is automatically generated on first 2D lighting API call.</i></p>		
information	Rendering Mode	On Render	<i>Additional Sorting Order option will appear for this setting. You can set specific sorting order for lighting buffer.</i>
		Pre Render	<i>Game objects with sorting order will appear above the lighting buffer. Game objects with lower sorting order ID will appear below the lighting buffer.</i>
		Post Render	<i>Not recommended to use. Lighting buffer is drawn on post process rendering loop. It seems to have many issues if you want to use post-processing effects.</i>
	Darkness Color	24 Bit Color	<i>The darker color, the darker scene will be drawn. For day lighting effects you should set up darkness color very bright.</i> <i>Can be used to get "tint" which could represent dusk or dawn.</i>
	Shadow Darkness	Float [0 - 1]	<i>The darkness of day lighting shadows.</i> <i>0 - not visible, 1 - opaque.</i>
	Sun Rotation	Radians	<i>Sun rotation will affect all lighting colliders with day shadows. This variable can be manipulated in real time to achieve day & night cycle.</i>
	Draw Additive Lights	Boolean	<i>Enable additive lights drawing. When disabled, it will skip all checks for additive lights drawing. If you are not using this feature in any of the lights, it is suggested to disable this.</i>
	Draw Rooms	Boolean	<i>Enable rooms feature, mostly used for scenes with day lighting effects.</i>
	Draw Occlusion	Boolean	<i>Enable occlusion drawing, currently not recommended to use, this feature is going to be improved in 1.0.6 and 1.0.7 together with day lighting.</i>
	Draw Day Shadows	Boolean	<i>Enable day shadow casting for lighting colliders. It is recommended to disable this if you are not using day lighting effects.</i>
	Draw Main Buffer	Boolean	<i>When disabled, it hides lighting buffer from main camera. This setting is similar to "Disable Engine" except all lighting calculations will be still performed, but not drawn.</i>
	Draw Scene Buffer	Boolean	<i>When enabled, lighting sources can be seen in scene view.</i>
	Lighting Resolution	Float [0.125 - 1]	<i>The resolution of Lighting buffer. The higher resolution is, the more detail lighting is, however it also impacts the performance. For very high resolution, it's recommended to reduce lighting resolution because additional crispy details are not very noticeable in higher resolutions than 720x1280. It is recommended to set this setting 0.5 for mobile device build.</i>
	Fixed Light Buffer & Size	Boolean Enumerator	<i>This option enables better poll system for light source system. Improves performance and is recommended for mobile build. When enabled, custom light buffer size is not available, all lights will be having same texture size.</i>
	Batch Collider Mask	Bool	<i>When enabled, lighting will use same texture as a source for sprite masks. It won't work unless all sprites are included in the same texture. Use this to improve performance.</i>

	Debug	Bool	<p><i>When enabled, additional lighting information will be displayed in game view. This helps to benchmark lighting performance. Mostly used by Smart Lighting 2D Developer.</i></p>
	Disable Engine	Bool	<p><i>This option disables all lighting features, no lighting calculations will be applied.</i></p>