Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

3.

1 of 9 11/06/2021, 12:59

warning Section lacks heading. Consider using h2 h6 elements to add

identifying headings to all sections.

From line 238, column 5; to line 238, column 51

```
div>→→ <section class="ms-4 ms-md-5 comment-children">→

4. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections.

From line 287, column 13; to line 287, column 49

<section id="polls" class="row mt-3">→

5. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections.

From line 302, column 13; to line 302, column 63

<section id="files" class="d-flex flex-wrap gap-2">→

6. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections.

From line 302, column 13; to line 302, column 63

<section id="files" class="d-flex flex-wrap gap-2">→

6. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections.

From line 302, column 13; to line 302, column 63
```

Document checking completed.

Source

```
1. <!DOCTYPE html>↔
2. <html lang="en"><head>←
3.
       <meta charset="utf-8">↔
4.
       <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
5.
       <meta name="viewport" content="width=device-width, initial-
   scale=1">↔
6. ←
       <!— CSRF Token →↔
7.
8.
       <meta name="csrf-token"</pre>
   content="k1WZ8baZ4DjhqzVuIqdbGVK3Pe84iORn35pH2pdz">↔
9. ~
10.
       <title>Eventure</title>↔
11. ↔
12.
       <!— Styles →
13.
       /css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
   BmbxuPwQa2lc/FVzBcNJ7UAyJxM6wuqIj61tLrc4wSX0szH/Ev+nYRRuWlolflfl"
   crossorigin="anonymous">↔
       <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-</pre>
14.
   awesome/4.4.0/css/font-awesome.min.css">↔
15.
       <link href="http://localhost:8000/css/app.css" rel="stylesheet">←
       <script>↩
16.
17.
         // Fix for Firefox autofocus CSS bug↩
         // See: http://stackoverflow.com/questions/18943276/html-
18.
   5-autofocus-messes-up-css-loading/18945951#18945951↔
19.
       </script>↔
20.
       <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist
   /js/bootstrap.bundle.min.js" integrity="sha384-
   b5kHyXqcpbZJO/tY9Ul7kGkf1SOCWuKcCD38l8YkeH8z80jE0GmW1qYU5S9F0nJ0"
   crossorigin="anonymous" defer=""></script>↔
21.
       <script src="http://localhost:8000/js/app.js" defer="">↔
22. </script>↔
23.
     </head>↔
24.
     <body class="d-flex flex-column min-vh-100">←
25.
       <header>←
```

```
26.
         <nav class="navbar navbar-expand-md navbar-dark bg-dark px-2">←
            <div class="container-fluid">↩
27.
28.
              <a class="navbar-brand fs-3"
   href="http://localhost:8000">EVENTURE</a>↔
29.
              <button class="navbar-toggler" type="button" data-bs-
   toggle="collapse" data-bs-target="#navbarContent" aria-
   controls="navbarContent" aria-expanded="false" aria-label="Toggle
   navigation">↩
30.
                <span class="navbar-toggler-icon"></span>↩
31.
              </button>↔
32.
              <div class="collapse navbar-collapse mt-3 mt-md-0"</pre>
   id="navbarContent">↩
33.
                <div class="col d-flex flex-column flex-md-row align-items-
   stretch align-items-md-center justify-content-end gap-2 gap-md-3">↔
34.
                  <form method="GET" action="http://localhost:8000/events">←
35.
                    <div class="input-group">↩
36.
                      <input type="search" class="form-control"</pre>
   placeholder="Search events..." aria-label="Search" name="query" value=""
   required="">↔
37.
                      <button type="submit" class="btn btn-outline-light"><i
   class="fa fa-search"></i></button>↔
38.
                    </div>↔
39.
                  </form>←
                                   <a href="http://localhost:8000/events/new"
40.
   role="button" class="btn btn-primary d-flex gap-2 justify-content-center
   align-items-center">Create event <i class="fa fa-plus"></i></a>↔
                                     <div class="dropdown">↩
41.
42.
                      <a href="#" id="dropdownUser" data-bs-toggle="dropdown"
   aria-expanded="false">↔
43.
                        <img class="rounded-circle avatar-small"</pre>
   src="http://localhost:8000/img/profile_default.png" alt="Profile
   picture">↔
44.
                      </a>←
                      45.
   dropdown-menu-end ps-0 gap-2" aria-labelledby="dropdownUser">↔
                        <a href="http://localhost:8000/users/cballard"
46.
   class="dropdown-item d-block">My Profile</a>↔
                        <a href="http://localhost:8000/users/cballard">href="http://localhost:8000/users/cballard">http://localhost:8000/users/cballard</a>
47.
   /edit" class="dropdown-item d-block">Edit Profile</a>↔
                        <a href="http://localhost:8000/users/cballard/my-
48.
   events" class="dropdown-item d-block">My Events</a>
                        <a href="http://localhost:8000/users/cballard"
49.
   /invitations" class="dropdown-item d-block">My Invitations</a>↔
50.
                          <form method="POST" action="http://localhost:8000</pre>
51.
   /sign-out" class="d-flex flex-column align-items-stretch">↔
52.
                            <input type="hidden" name="_token"</pre>
   value="k1WZ8baZ4DjhqzVuIgdbGVK3Pe84iORn35pH2pdz">
   <button type="submit" class="dropdown-item d-block">Sign out</button>↔
53.
                          </form>←
54.
                        ↩
                      55.
                    </div>↔
56.
57.
                              </div>↔
              </div>↔
58.
59.
            </div>↔
60.
          </nav>↔
61.
        </header>↔
62. ~
63.
        <main>↔
64.
          <section id="content">↔
65.
            <div class="container py-3">↔
        <nav style="--bs-breadcrumb-divider: '>';" aria-label="breadcrumb">↔
66.
```

```
    class="breadcrumb">↔

 67.
                 <a class="text-primary"
 68.
    href="http://localhost:8000">Home</a>→
                 2021
 69.
    FIFA Club Tournament→
 70.
            </nav>↔
 71.
 72. \rightarrow
        <h1 class="text-center mb-3">↔
 73.
            <i class="text-danger " title="Event Cancelled" aria-label="Event</pre>
 74.
    Cancelled"></i>↔
 75.
            2021 FIFA Club Tournament↔
            <i class="fa fa-lock" title="Private Event" aria-</pre>
 76.
    label="Private"></i>↔
 77.
        </h1>↔
 78. ↩
 79.
        <div class="row mb-3">↔
 80.
            <div class="col-md-5 d-flex align-items-center justify-content-</pre>
                 <img src="http://localhost:8000/img/event_default.png"</pre>
 81.
    class="img-fluid rounded" alt="Event image">↔
 82.
            </div>↔
            <div class="col-md-7 p-3">↔
 83.
 84. \rightarrow
 85.
                <div class="d-flex justify-content-between">←
                    <div class="d-flex gap-2 align-items-center">←
 86.
                         <a href="http://localhost:8000/events/1/matches"</pre>
 87.
    role="button" class="btn btn-primary">Results <i class="fa fa-trophy">
    </i></a>↔
 88.
                                             <a href="http://localhost:8000</pre>
    /events/1/invitations" role="button" class="btn btn-primary">Invitations
    <i class="fa fa-envelope"></i></a>↔
 89.
                         <a href="http://localhost:8000/events/1/participants"</pre>
    role="button" class="btn btn-primary">Participants <i class="fa fa-
    users"></i></a>↔
 90.
                                         </div>↔
 91.
                    <div class="d-flex align-items-center gap-2">←
 92.
                                             <button class="btn btn-danger"</pre>
    type="button" data-bs-toggle="modal" data-bs-
    target="#deleteEventModaĺ">↔
 93.
                        Delete event <i class="fa fa-remove"></i>↔
 94.
                         </button>↔
 95. ~
                         <div class="modal fade" id="deleteEventModal"
 96.
    tabindex="-1" aria-labelledby="deleteEventLabel" aria-hidden="true">↔
 97.
                             <div class="modal-dialog">↔
 98.
                                 <div class="modal-content">↔
 99.
                                     <div class="modal-header">↔
                                         <h5 class="modal-title"
100.
    id="deleteEventLabel">Delete event</h5>↔
101.
                                         <button type="button" class="btn-</pre>
    close" data-bs-dismiss="modal" aria-label="Close"></button>↔
102.
                                     </div>↔
                                     <div class="modal-body">↔
103.
104.
                                         <b>Warning:</b> deleting an event
    is an irreversible action. All comments, polls, uploaded files and
    matches ↔
105.
                                         will be permanently deleted.↔
106.
107.
                                         If you are sure that you wish to
    delete this event, click the button below.
↔
108.
109.
                                         <form method="POST"</pre>
```

```
action="http://localhost:8000/events/1/delete">↔
110.
                                               <input type="hidden"</pre>
    name="_token" value="k1WZ8baZ4DjhqzVuIgdbGVK3Pe84iORn35pH2pdz">
    <div class="modal-footer">↔
111.
                                                   <input type="submit"</pre>
    class="btn btn-danger" value="Delete">↩
                                               </div>↔
112.
113.
                                           </form>←
114.
                                      </div>↔
115.
                                  </div>↔
116.
                              </div>↔
                          </div>↔
117.
118.
                                                                    <a class="btn
    btn-secondary" href="http://localhost:8000/events/1/edit"><i class="fa
    fa-pencil">√i>√a>↔
119.
                                               <div id="requestToJoin" class="d-
    flex gap-2 align-items-center">↔
120.
                                                   </div>↔
                     </div>↔
121.
                 </div>↔
122.
123. ↔
124.
                 <hr>→
125.
                 ↩
126.
                              <ې
127.
                     FIFA Tournament with big prizes. Chance to win an
    official club jersey, a laptop or other merchandise. ↔
128.
                 ←
129. ↔
130.
                 <div class="row">↔
                     <div class="col-md-6">↔
131.
132.
                          <div class="mb-2">↔
133.
                              <h5>Start date</h5>↔
134.
                              <div class="border border-2 rounded px-3 py-2">←
                                  <i class="fa fa-calendar"></i> 10 Jun, 2021
135.
    20:00 ↔
136.
                              </div>↔
                          </div>↔
137.
138.
                          <div class="mb-2">↔
139.
                              <h5>Type</h5>↔
140.
                              <div class="border border-2 rounded px-3 py-2">←
141.
                                                                Virtual↩
142.
                              </div>↔
                         </div>↔
143.
                          <div class="mb-2">↔
144.
145.
                              <h5>Category</h5>↔
146.
                              <div class="border border-2 rounded px-3 py-2">↔
147.
                                  Video Games↔
148.
                              </div>↔
                          </div>↔
149.
                     </div>↔
150.
151. ↔
152.
                     <div class="col-md-6">↔
153.
                          <div class="mb-2">↔
154.
                              <h5>End date</h5>↔
                              <div class="border border-2 rounded px-3 py-2">↔
155.
                                  <i class="fa fa-calendar"></i> 13 Jun, 2021
156.
    20:00€
157.
                              </div>↔
                         </div>↔
158.
                          <div class="mb-2">↔
159.
160.
                              <h5>Location</h5>↔
161.
                              <div class="border border-2 rounded px-3 py-2">↔
```

```
<i class="fa fa-map-marker"></i> Not
162.
    defined↔
163.
                            </div>↔
                        </div>↔
164.
165.
                        <div class="mb-2">↔
                            <h5>Participants</h5>↔
166.
167.
                            <div class="border border-2 rounded px-3 py-2">←
168.
169.
                            </div>↔
170.
                        </div>↔
171.
                    </div>↔
                </div>↔
172.
173.
            </div>↔
174.
        </div>↔
175. ↔
        <nav>←
176.
177.
            ←
                class="nav-item" role="presentation">↔
178.
179.
                    <button class="nav-link active" id="commentsLabel" data-</pre>
    bs-toggle="tab" data-bs-target="#commentsTab" type="button" role="tab"
    aria-controls="commentsTab" aria-selected="true">→
180.
                        Comments←
                    </button>↔
181.
                ↔
182.
183.
                class="nav-item" role="presentation">↔
                    <button class="nav-link" id="pollsLabel" data-bs-</pre>
184.
    toggle="tab" data-bs-target="#pollsTab" type="button" role="tab" aria-
    controls="pollsTab" aria-selected="false">↔
185.
                        Polls↔
                    </button>←
186.
187.
                ↔
188.
                ←
189.
                    <button class="nav-link" id="filesLabel" data-bs-</pre>
    toggle="tab" data-bs-target="#filesTab" type="button" role="tab" aria-
    controls="filesTab" aria-selected="false">€
190.
                        Files↔
191.
                    </button>↔
192.
                ↔
193.
            194.
        </nav>↔
195. ↔
        <div class="tab-content" id="tabContent">↔
196.
            <div class="tab-pane fade show active p-3" id="commentsTab"
197.
    role="tabpanel" aria-labelledby="commentsLabel">←
198.
                            <div class="mb-3">↔
199.
                    ←
200.
                    <h5>Write a comment</h5>↔
                    <form method="POST" action="http://localhost:8000</pre>
201.
    /api/events/1/comments" class="form-comment-post">↔
202.
                        <input type="hidden" name="_token"</pre>
    value="k1WZ8baZ4DjhqzVuIgdbGVK3Pe84i0Rn35pH2pdz">
    <textarea class="form-control mb-2" name="text" placeholder="You can use
    comments to ask questions or make suggestions..." maxlength="2000"
    required=""></textarea>↔
203.
                        <input type="submit" class="btn btn-primary"</pre>
    value="Post">↔
204.
                    </form>←
205.
                </div>↔
206.
                ↩
207.
                <section id="comments">←
                    <h4><span id="commentCount">1</span> comments</h4>↔
208.
                    <div class="mt-3">↔
209.
210.
```

```
<article data-id="2" class="border-start border-2">←
        <div class="comment">↔
211.
212.
        <header class="bg-light px-2 py-1 d-flex align-items-center justify-</pre>
    content-between">↔
            <div>↔
213.
214.
                 <h5 class="m-0">↔
                             Cooper Ballard (<a class="text-primary"
215.
    href="http://localhost:8000/users/cballard">@cballard</a>)↔
216.
                             </h5>↩
                 <span>11 Jun, 2021 10:30:36</span>↔
217.
218.
             </div>↔
219.
            <div class="d-flex gap-1 comment-text">←
220.
                             <button type="button" class="btn btn-primary</pre>
    button-comment-reply" aria-label="Reply"><i class="fa fa-reply">
    </i></button>↔
221.
                                         <button type="button" class="btn btn-</pre>
    secondary button-comment-edit" aria-label="Edit"><i class="fa fa-pencil">
    </i></button>↔
222.
                                         <form method="POST"</pre>
    action="http://localhost:8000/api/events/1/comments/2">↔
                 <input type="hidden" name="_token"</pre>
223.
    value="k1WZ8baZ4DjhqzVuIqdbGVK3Pe84iORn35pH2pdz">
                                                                   <input
    type="hidden" name="_method" value="delete">
                                                              <button
    type="submit" class="btn btn-danger button-comment-delete" aria-
    label="Delete"><i class="fa fa-remove"></i></button>↔
224.
                 </form>←
225.
                         </div>↔
226.
        </header>↔
227.
        <div class="mt-2 mb-3 mx-3">↔
228.
             Expect to see some
    great games.↩
229. ب
230.
                     <form method="POST" action="http://localhost:8000</pre>
    /api/events/1/comments" class="form-comment-post" hidden="">↔
        <input type="hidden" name="_token"</pre>
231.
    value="k1WZ8baZ4DjhqzVuIgdbGVK3Pe84iORn35pH2pdz">
                                                           <input type="hidden"</pre>
    name="idParent" value="2">↔
        <textarea class="form-control mb-2" name="text" maxlength="2000"</pre>
232.
    required=""></textarea>↔
        <input type="submit" class="btn btn-primary" value="Reply">←
233.
234. </form>↔
235.
                 </div>↔
236. ⟨div>↔
237. ↔
238.
        <section class="ms-4 ms-md-5 comment-children">←
             </section>↔
239.
240. </article>
    </div>↔
241.
                 </section>↔
242.
             </div>↩
            <div class="tab-pane fade p-3" id="pollsTab" role="tabpanel"
243.
    aria-labelledby="pollsLabel">↩
                             <button class="btn btn-success" type="button"</pre>
244.
    data-bs-toggle="modal" data-bs-target="#createPollModal"
    id="createPollModalClose">Create poll</button>↔
245. ↔
                 <div class="modal fade" id="createPollModal" tabindex="-1"
246.
    aria-labelledby="createPollLabel" aria-hidden="true">↔
247.
                     <div class="modal-dialog">↔
248.
                         <div class="modal-content">↔
                             <div class="modal-header">↔
249.
250.
                                 <h4 class="modal-title"
    id="createPollLabel">Create poll</h4>↔
```

```
<button type="button" class="btn-close" data-</pre>
251.
    bs-dismiss="modal" aria-label="Close"></button>↔
252.
                           </div>↔
253.
                           <div class="modal-body">↔
254.
                               <form id="createPollForm" method="POST"</pre>
    action="http://localhost:8000/api/events/1/polls">↔
255.
                                   <input type="hidden" name="_token"</pre>
    value="k1WZ8baZ4DjhqzVuIgdbGVK3Pe84iORn35pH2pdz">↔
256.
                                   <div class="mb-3">↔
257.
                                       <label for="createPollQuestion"</pre>
    class="h5 form-label">Title <span class="text-danger">*</span></label>↔
258.
                                       <input type="text" class="form-</pre>
    control" id="createPollQuestion" name="question" required="">↔
                                   </div>↔
259.
260. ↩
                                   <h5>Options <span class="text-danger">*
261.
    </span></h5>↔
                                   262.
    unstyled d-flex flex-column gap-1">↔
                                       ↔
263.
                                           <input type="text" class="form-</pre>
264.
    control" required="">↩
265.
                                       ←
266.
                                       class="input-group">↔
                                           <input type="text" class="form-</pre>
267.
    control" required="">↔
                                       ↔
268.
269.
                                   270. ↩
                                   <div class="input-group mb-3">↔
271.
                                       <input type="text" class="form-</pre>
272.
    control" id="newPollOption" placeholder="New option" aria-label="Name">↔
273.
                                       <button type="button" class="btn btn-</pre>
    success" id="addPollOption" aria-label="Add option"><i class="fa fa-
    plus"></i></button>←
274.
                                   </div>↔
275. ↔
276.
                                   id="createPollError">↔
277. ↔
278.
                                   <div class="modal-footer px-0">↔
279.
                                       <input type="submit" class="btn btn-</pre>
    primary" value="Create">↔
280.
                                   </div>↔
281.
                               </form>↔
                           </div>↔
282.
283.
                       </div>↔
                    </div>↔
284.
285.
                </div>↔
286.
               ₽
287.
                <section id="polls" class="row mt-3">←
288.
                    class="text-danger" id="pollError">←

289.
290.
                               </section>←
291.
            </div>↔
292.
            <div class="tab-pane fade p-3" id="filesTab" role="tabpanel"</pre>
    aria-labelledby="filesLabel">↩
293.
                294.
295.
                           <form enctype="multipart/form-data" method="POST"</pre>
    action="http://localhost:8000/events/1/files" class="mb-3"
    id="uploadFileForm">↔
296.
                   <input type="hidden" name="_token"</pre>
```

```
value="k1WZ8baZ4DjhqzVuIqdbGVK3Pe84iORn35pH2pdz">
                                                                        <div
     class="input-group">↔
                         <input type="file" class="form-control" name="file"</pre>
297.
     required="">↔
                         <input type="submit" class="btn btn-primary"</pre>
298.
     value="Upload file">↩
299.
                     </div>↔
                 </form>↔
300.
301.
302.
                 <section id="files" class="d-flex flex-wrap gap-2">↔
303.
                                  </section>←
             </div>↔
304.
305.
         </div>↔
306. </div>↔
307.
           </section>←
308.
         </main>↔
309. ↩
310.
         <footer class="mt-auto bg-light">↔
           <div class="container p-3">↔
311.
312.
             <div class="row">↔
313.
               <div class="col-md mb-2">↔
314.
                 <span>© Copyright 2021 Eventure<√span>↔
315.
               </div>↔
316.
               <div class="col-md mb-2">←
                 <h5 class="text-uppercase">Help</h5>↔
317.
318.
                 ←
                   <a class="text-primary" href="http://localhost:8000"
319.
     /about">About</a>↔
                   <a class="text-primary" href="http://localhost:8000"
320.
     /contacts">Contacts</a>↩
321.
                   <a class="text-primary" href="http://localhost:8000"
     /faq">FAQ</a>↔
322.
                 323.
               </div>↔
324.
                        </div>↔
           </div>↔
325.
326.
         </footer>↔
327.
328. ←
329. </body></html>
Used the HTML parser.
Total execution time 31 milliseconds.
```

About this checker • Report an issue • Version: 21.6.9