Bài 1: Phan Minh Đức CNTT3: 1350080063

```
abstract class xemay {
    abstract void brake();
}

class xemaythethao extends xemay {
@ override
public void brake() {
    System.out.println("xemaythethao brake");
}
}
```

```
class xemayleonui extends xemay {
    @ override
    public void blake () {
        System.out.println ("xemay leonui blake");
    }
}

class main {
    public static void maid (String [] args) {

        xemay xe1 = new xemay thuthao ();
        xemay xe2 = new xemay leonui ();
        xe 1 . blake ();
        xe 2 . blake ();
    }
}
```

BT2:

```
abstract class Shape {
    ~~abstract void getcolor {~~
    private String color;
    abstract void draw();
    public String getcolor () {
        Return color;
    }
}

class Rectangle extends Shape { @override
    public void draw () {
        System.out.println ("Vethinh Chu Nhat") + getcolor();
```

```
    }
}
class Circle extends Shape { override
    public void draw ()
        System.out.print ("Vẽ Hình tròn") ~~get color()~~;
    }
}
class ShapeApp {
    public static void main (String [] args) {
        Shape S1 = new Rectangle ();
        Shape S2 = new circle ();
            S1.draw ();
            S2.draw ();
    }
}
```

Bài 3:

```
abstract class HinhHoc {
    ~~private~~ public float Pi = 3.14;
    ~~private~~ public String ten;
    public float chuvi;
```

```
public float dientich;
public float thetich;
public HinhHoc () {
}
public void xuatten () {
    System.out.print ("ten :");
}
Public void inchuvi () {
    System.out.print ("chuvi");
public void inDienTich () {
    System.out.print ("DienTich");
}
public void inThetich () {
    System.out.print ("Thetich");
}
abstract void chuvi ();
abstract void TinhDienTich ();
abstract void TinhThetich ();
}
class HinhTron extends HinhHoc {
    ~~public HinhTron~~
```

```
public float banKinh;
public HinhTron () {
}
public void nhapBanKinh (float banKinh) {
    this.banKinh = banKinh;
}
@Override
public void TinhChuVi () {
    System.out.print (" Tinh Chu Vi:" + banKinh
* 2 Pi );
}
@Override
public void TinhDienTich () {
    System.out.print (" Dien Tich la ": + PI *
banKinh * banKinh ");
}
}
class HinhChuNhat extends HinhHoc {
    public float dai;
    public float rong;
    public HinhChuNhat () {
```

```
    }
    public void nhapchieudai (float dai) {
        This.dai = dai;
    }
    public void nhapchieurong (float rong) {
        This.rong = rong;
    }
    @ override
    public void TinhChuVi () {
        System.out.print (" chu vi la: " + (dai + rong) * 2");
    }
    @ override
    public void TinhDienTich () {
        System.out.print ("DienTich la: " + dai * rong ");
    }
}
class HinhVuong extends HinhChuNhat {
    public float chieuCao;
    public HinhVuong () {
    }
    public void nhapchieucao () {
```

```
        This.chieucao = chieucao;
    }
    @Override
    public void TinhTheTich () {
        System.out.print("TheTich la:" + bankinh *
bankinh * Pi * chieucao");
    }
}
class Hinhvuong extends HinhChuNhat {
    public float canh;
    public Hinhvuong () {
    }
    public void nhapcanh (float canh)
        This.long = canh;
        This.dai = canh;
    }
class main {
    public static void main (String [] args) {
    HinhHoc h1 = new HinhTron ();
    HinhHoc h2 = new HinhChuNhat ();
    HinhHoc h3 = new HinhTam ();
```

```
HinhHoc h4 = new Hinhvuong ();
h4.TinhChuVi ();
h4.TinhDienTich ();
h2.TinhChuVi ();
h2.TinhDienTich ();
h3.TinhTheTich ();
}
```

4)

```
abstract class person {
    private String name;
    private String address;
    public person (String name ; String address) {
        This. name = name;
        This name = address;
    }
    public void Setname (String name) {
        This.name = name ;
    }
    public String getName () {
        Return this. name ;
    }
```

```
    public void Set Address (String address) {
        This. address = address ;
    }
    public String get address () {
        Return This. address ;
    }
}
class Employee extends person {
    private int Salary ;
    public Employee (String Name, String address,
int Salary) ;
    {
        This. name = name ;
        This address = address ;
        This Salary = salary ;
    }
    @ override
    ~~public~~
    public void display () {
        System. out. print (" Employee name : " + This. name +
" address : " + This. address + " Salary " + This. Salary ");
```

```
    }
}
class customer extends person ()
    private int balance ;
    public customer (String name , String address,
    int balance) {
    This . name = name ;
    This . address = address ;
    This . balance = balance ;
}
@ Override
public void display () {
    System . out . print ( " customer name ;
+ This name + " address : " + This . address +
" Salary : " + This Salary ;
    }
}
```