

מיני פרויקט בבסיסי נתונים

אגף מבצעים באיחוד הצלה

מגישות: מוריה חדד

לאה ג'ייקוב



תוכן עיניינים :

4.....	שלב 1 :
4.....	תיאור הארגון
5.....	תרשים ERD :
6.....	תיאור הישויות והקשרים בדיאגרמה
9.....	תרשים DSD - :
11.....	יצירת הטבלאות בשאילתת SQL - :
14.....	יצירת DROP - :
15.....	קובץ insert - :
16.....	פקודות DESC - :
19.....	הכנסת הנתונים ב3 שיטות
19.....	הכנסה באמצעות txt
25.....	הכנסת הנתונים באמצעות אתר mockaroo
29.....	הכנסה באמצעות Data Generator
33.....	גיבוי ושחזור שלב א' :
35.....	שלב 2 - שאילתות :
35.....	SELECT
39.....	UPDATE
41.....	DELETE
43.....	שאילתות עם פרמטרים
45.....	אילוצים
47.....	ROLLBACK&COMMIT
48.....	שלב ג – תכנות :
48.....	תכנות א :
48.....	פונקציה א' -
50.....	פרוצדורה א' -
52.....	תוכנית ראשית א' -
54.....	תכנות ב :
54.....	פונקציה ב' -
56.....	פרוצדורה ב' -
59.....	תוכנית ב' -
61.....	שלב ד' - אינטגרציה
61.....	צילומי מסך של תרשימי DSD ו ERD



- 65.....תיאור קבלת ההחלטות בשלב האינטגרציה
- 66.....פקודות שינוי טבלאות-
- 69.....מבטים
- 69.....מבט ראשון, מהאגף שלנו-
- 72.....מבט שני, מנקודת המבט של האגף שקיבלנו-



שלב 1 :

תיאור הארגון

איחוד הצלה הוא ארגון מתנדבים מוביל בישראל, אשר מאגד כ-6,500 חובשים, פרמדיקים ורופאים מרחבי המדינה. תפקידו העיקרי הוא לספק עזרה ראשונה ורפואית במצבי חירום וקריאות חירום. אגף המבצעים של האיחוד אחראי על מספר משימות מרכזיות:

1. תוכניות והפעלה ארגונית- האגף מפתח תוכניות ותהליכי פעולה למקרי חירום ומשבצת אותם בצורה ארגונית ויעילה. זה כולל תכנון והפעלת ציוד, תקשורת, ואיכות השירות.

2. הכשרות- האגף מתעסק בהכשרת חובשים ופרמדיקים, ובהכנתם לפעילות חירום. זה כולל הדרכות מעשיות ותיאורטיות, ואימונים על תקשורת וציוד מיוחד.


3. הכנה לחירום ולמלחמה- האגף משקיע מאמץ בהכנה והתאמה של הארגון לסצנת חירום או מצבי מלחמה. זה כולל תוכניות תקשורת, ציוד ותוכניות פעולה משותפות עם גופים אחרים כמו משטרה, כבאות והצלה, ורח"ל.

4. תחקירים מבצעיים- לאחר אירועים גדולים, האגף מבצע תחקירים מעמיקים ומפורטים על האירוע ועל תגובתו של הארגון. תוצאות התחקירים משמשות לשיפור והתייעצות בעתיד.

אגף המבצעים פועל בשיתוף פעולה עם גופים רלוונטיים נוספים ומקיים קשרים מבצעיים עם המשטרה, כבאות והצלה, רח"ל וגופים אחרים, כדי לאפשר פעילות משותפת בזמן אמת ותגובה מהירה ויעילה במצבי חירום.



תרשים ERD:



תיאור הישויות והקשרים בדיאגרמה

ישויות

Team (צוות)

- תכונות:

- TeId (מזהה ייחודי של הצוות)

- TeName (שם הצוות)

- TeAddress (כתובת הצוות)

- TePhone (טלפון הצוות)

- TeEmail (אימייל הצוות)

- **קשרים:** מורשת לישות Worker.

Worker (עובד)

- תכונות:

- TeId (מזהה ייחודי של הצוות אליו שייך העובד)

- WoSalary (שכר העובד)

- **קשרים:** ירושה מישות Team.

Roles (תפקידים)

- תכונות:

- RoId (מזהה ייחודי של התפקיד)

- RoName (שם התפקיד)

- RoDescribe (תיאור התפקיד)

- **קשרים:** כל צוות משויך לתפקיד מסוים.

Event (אירועים)

- תכונות:

- EvId (מזהה ייחודי של האירוע)

- EveName (שם האירוע)

- EveDate (תאריך האירוע)



- EveLocation (מיקום האירוע)

- EvResponsibility (אחראי האירוע)

- EveDescribe (תיאור האירוע)

- **קשרים:** מקושר לגופי חירום ולצוותים המשתתפים.

EmergenBodies (גופי חירום)

- **תכונות:**

- BoId (מזהה ייחודי של גוף החירום)

- BoName (שם גוף החירום)

- BoPhone (טלפון של גוף החירום)

- EvId (מזהה ייחודי של האירוע בו גוף החירום משתתף)

- **קשרים:** מקושר לאירועים בהם משתתפים גופי החירום.

EmergencyDrill (תרגילי חירום)

- **תכונות:**

- EmdrId (מזהה ייחודי של תרגיל החירום)

- EmdrDate (תאריך התרגיל)

- EmdrDurationMinutes (משך התרגיל בדקות)

- EmdrEmergencyType (סוג החירום)

- EmdrLocation (מיקום התרגיל)

- EmdrParticipantsCount (מספר המשתתפים בתרגיל)

- EmdrAddress (כתובת התרגיל)

- **קשרים:** מקושר לצוותים המשתתפים בתרגילים.

EvDebriefing (תחקיר אירוע)

- **תכונות:**

- DebId (מזהה ייחודי של התחקיר)

- DeResponsibility (אחראי התחקיר)

- DeStatus (סטטוס התחקיר)



- DeConclusion (מסקנת התחקיר)

- **קשרים:** תחקירים מבוצעים על ידי עובדים ומשויכים לאירועים ספציפיים.

קשרים

BelongTo

- קשר בין הצוות לתפקיד (Roles). כל צוות משויך לתפקיד אחד.

- משתתפים (ActIn)

- קשר בין צוותים לאירועים. כל צוות יכול להשתתף באירועים שונים.

- לוקח חלק (TakingPart)

- קשר בין גופי חירום לתרגילים. כל גוף חירום יכול להשתתף בתרגילים שונים.

Practicing

- קשר בין צוותים לתרגילים. כל צוות יכול להשתתף בתרגילים שונים.


ReoprtEv

- קשר בין עובדים לתחקירים. כל עובד יכול לדווח על תחקירים של אירועים שונים.

המודל הנתון משקף את מבנה הארגון של איחוד הצלה, הכולל צוותים עם תפקידים מוגדרים, משתתפים באירועים ובתרגילי חירום, ומבצעים תחקירים לאחר האירועים לצורך שיפור והתייעלות. הקשרים בין הישויות מתארים את יחסי הגומלין בין הצוותים, האירועים, התרגילים וגופי החירום השונים, ומבטיחים פעילות משותפת ותגובה מהירה ויעילה במצבי חירום.



תרשים DSD-



יצירת הטבלאות בשאילתת SQL-

```

CREATE TABLE Event
(
    EveName VARCHAR(255) NOT NULL,
    EveDate DATE NOT NULL,
    EveLocation VARCHAR(255) NOT NULL,
    EvResponsibility VARCHAR(255) NOT NULL,
    EveDescribe VARCHAR(255) NOT NULL,
    EvId INT NOT NULL,
    PRIMARY KEY (EvId)
);

CREATE TABLE RolesP
(
    RoName VARCHAR(255) NOT NULL,
    RoId INT NOT NULL,
    RoDescribe VARCHAR(255) NOT NULL,
    PRIMARY KEY (RoId)
);

CREATE TABLE EmergencyDrill
(
    EmdrDate DATE NOT NULL,
    EmdrId INT NOT NULL,
    EmdrDurationMinutes INT NOT NULL,
    EmdrEmergencyType VARCHAR(255) NOT NULL,
    EmdrLocation VARCHAR(255) NOT NULL,
    EmdrParticipantsCount INT NOT NULL,
    EmdrAddress VARCHAR(255) NOT NULL,
    PRIMARY KEY (EmdrId)
);

CREATE TABLE EmergenBodies
(
    BoName VARCHAR(255) NOT NULL,
    BoId INT NOT NULL,
    BoPhone VARCHAR(15) NOT NULL,
    EvId INT NOT NULL,
    PRIMARY KEY (BoId),
    FOREIGN KEY (EvId) REFERENCES Event (EvId)
);

```



```

CREATE TABLE EvDebriefing
(
    DebId INT NOT NULL,
    DeResponsibility VARCHAR(255) NOT NULL,
    DeStatus INT NOT NULL,
    DeConclusion VARCHAR(255) NOT NULL,
    PRIMARY KEY (DebId)
);

CREATE TABLE TakingPart
(
    BoId INT NOT NULL,
    EmdrId INT NOT NULL,
    PRIMARY KEY (BoId, EmdrId),
    FOREIGN KEY (BoId) REFERENCES EmergenBodies(BoId),
    FOREIGN KEY (EmdrId) REFERENCES EmergencyDrill(EmdrId)
);

CREATE TABLE TeamP
(
    TeId INT NOT NULL,
    TeAddress VARCHAR(255) NOT NULL,
    TePhone VARCHAR(15) NOT NULL,
    TeName VARCHAR(255) NOT NULL,
    TeEmail VARCHAR(255) NOT NULL,
    RoId INT NOT NULL,
    PRIMARY KEY (TeId),
    FOREIGN KEY (RoId) REFERENCES Roles(RoId)
);

```



```

CREATE TABLE Worker
(
    WoSalary INT NOT NULL,
    TeId INT NOT NULL,
    PRIMARY KEY (TeId),
    FOREIGN KEY (TeId) REFERENCES TeamP (TeId)
);

CREATE TABLE ActIn
(
    TeId INT NOT NULL,
    EvId INT NOT NULL,
    PRIMARY KEY (TeId, EvId),
    FOREIGN KEY (TeId) REFERENCES TeamP (TeId),
    FOREIGN KEY (EvId) REFERENCES Event (EvId)
);

CREATE TABLE ReoprtEv
(
    TeId INT NOT NULL,
    DebId INT NOT NULL,
    PRIMARY KEY (TeId, DebId),
    FOREIGN KEY (TeId) REFERENCES Worker (TeId),
    FOREIGN KEY (DebId) REFERENCES EvDebriefing (DebId)
);

CREATE TABLE Practicing
(
    EmdrId INT NOT NULL,
    TeId INT NOT NULL,
    PRIMARY KEY (EmdrId, TeId),
    FOREIGN KEY (EmdrId) REFERENCES EmergencyDrill (EmdrId),
    FOREIGN KEY (TeId) REFERENCES TeamP (TeId)
);

```



```
CREATE TABLE DEBRIFIED (
    evid INT,
    debid INT,
    PRIMARY KEY (evid, debid),
    FOREIGN KEY (evid) REFERENCES Event (EvId),
    FOREIGN KEY (debid) REFERENCES EvDebriefing (DebId)
);

CREATE TABLE REPORTSIN (
    BOID INT,
    DEBID INT,
    PRIMARY KEY (BOID, DEBID),
    FOREIGN KEY (BOID) REFERENCES EmergenBodies (BoId),
    FOREIGN KEY (DEBID) REFERENCES EvDebriefing (DebId)
);
```

יציאת DROP-

```
DROP TABLE Event CASCADE CONSTRAINTS;
DROP TABLE RolesP CASCADE CONSTRAINTS;
DROP TABLE EmergencyDrill CASCADE CONSTRAINTS;
DROP TABLE EmergenBodies CASCADE CONSTRAINTS;
DROP TABLE EvDebriefing CASCADE CONSTRAINTS;
DROP TABLE TakingPart CASCADE CONSTRAINTS;
DROP TABLE TeamP CASCADE CONSTRAINTS;
DROP TABLE Worker CASCADE CONSTRAINTS;
DROP TABLE ActIn CASCADE CONSTRAINTS;
DROP TABLE Reoprtev CASCADE CONSTRAINTS;
DROP TABLE Practicing CASCADE CONSTRAINTS;
```



קובץ insert-

```
INSERT INTO Event (EvId, EveName, EveDate, EveLocation, EvResponsibility, EveDescribe) VALUES
(1, 'Emergency Drill', TO_DATE('2023-05-01', 'YYYY-MM-DD'), 'Location A', 'John Doe', 'Monthly drill');
INSERT INTO Event (EvId, EveName, EveDate, EveLocation, EvResponsibility, EveDescribe) VALUES
(2, 'Safety Meeting', TO_DATE('2023-06-15', 'YYYY-MM-DD'), 'Location B', 'Jane Smith', 'Quarterly safety meeting');

-- הכנסת נתונים לטבלת RolesP
INSERT INTO RolesP (RoId, RoName, RoDescribe) VALUES
(1, 'Manager', 'Manages team and operations');
INSERT INTO RolesP (RoId, RoName, RoDescribe) VALUES
(2, 'Safety Officer', 'Responsible for safety protocols');

-- הכנסת נתונים לטבלת EmergencyDrill
INSERT INTO EmergencyDrill (EmdrId, EmdrDate, EmdrDurationMinutes, EmdrEmergencyType, EmdrLocation, EmdrParticipantsCount, EmdrAddress) VALUES
(1, TO_DATE('2023-05-01', 'YYYY-MM-DD'), 60, 'Fire Drill', 'Building 1', 30, '123 Main St');
INSERT INTO EmergencyDrill (EmdrId, EmdrDate, EmdrDurationMinutes, EmdrEmergencyType, EmdrLocation, EmdrParticipantsCount, EmdrAddress) VALUES
(2, TO_DATE('2023-06-01', 'YYYY-MM-DD'), 90, 'Earthquake Drill', 'Building 2', 45, '456 Elm St');

-- הכנסת נתונים לטבלת EmergenBodies
INSERT INTO EmergenBodies (BoId, BoName, BoPhone, EvId) VALUES
(1, 'Fire Department', 1234567890, 1);
INSERT INTO EmergenBodies (BoId, BoName, BoPhone, EvId) VALUES
(2, 'Police Department', 0987654321, 2);

-- הכנסת נתונים לטבלת EvDebriefing
INSERT INTO EvDebriefing (DebId, DeResponsibility, DeStatus, DeConclusion) VALUES
(1, 'John Doe', 1, 'Successful');
INSERT INTO EvDebriefing (DebId, DeResponsibility, DeStatus, DeConclusion) VALUES
(2, 'Jane Smith', 0, 'Needs Improvement');

-- הכנסת נתונים לטבלת TakingPart
INSERT INTO TakingPart (BoId, EmdrId) VALUES
(1, 1);
INSERT INTO TakingPart (BoId, EmdrId) VALUES
(2, 2);

-- הכנסת נתונים לטבלת TeamP
INSERT INTO TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) VALUES
(1, '123 Main St', 5551234, 'Alice Johnson', 'alice@example.com', 1);
INSERT INTO TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) VALUES
(2, '456 Elm St', 5555678, 'Bob Brown', 'bob@example.com', 2);

-- הכנסת נתונים לטבלת Worker
INSERT INTO Worker (TeId, WoSalary) VALUES
(1, 50000);
INSERT INTO Worker (TeId, WoSalary) VALUES
(2, 60000);

-- הכנסת נתונים לטבלת Worker
INSERT INTO Worker (TeId, WoSalary) VALUES
(1, 50000);
INSERT INTO Worker (TeId, WoSalary) VALUES
(2, 60000);

-- הכנסת נתונים לטבלת ActIn
INSERT INTO ActIn (TeId, EvId) VALUES
(1, 1);
INSERT INTO ActIn (TeId, EvId) VALUES
(2, 2);

-- הכנסת נתונים לטבלת Reoprt
INSERT INTO Reoprt (TeId, DebId) VALUES
(1, 1);
INSERT INTO Reoprt (TeId, DebId) VALUES
(2, 2);

-- הכנסת נתונים לטבלת Practicing
INSERT INTO Practicing (EmdrId, TeId) VALUES
(1, 1);
INSERT INTO Practicing (EmdrId, TeId) VALUES
(2, 2);

-- הכנסת נתונים לטבלת DEBRIFIED
INSERT INTO DEBRIFIED (evid, debid) VALUES (581, 983);
INSERT INTO DEBRIFIED (evid, debid) VALUES (402, 984);

-- הכנסת נתונים לטבלת REPORTSIN
INSERT INTO REPORTSIN (BOID, DEBID) VALUES (906, 983);
INSERT INTO REPORTSIN (BOID, DEBID) VALUES (907, 984);
```



פקודות DESC

SQL> DESC EVENT

Name	Type	Nullable	Default	Comments
EVENAME	VARCHAR2 (255)			
EVEDATE	DATE			
EVELOCATION	VARCHAR2 (255)			
EVRESPONSIBILLITY	VARCHAR2 (255)			
EVEDESCRIBE	VARCHAR2 (255)			
EVID	INTEGER			

SQL> DESC Rolesp

Name	Type	Nullable	Default	Comments
RONAME	VARCHAR2 (255)			
ROID	INTEGER			
RODESCRIBE	VARCHAR2 (255)			

SQL> DESC Emergencydrill

Name	Type	Nullable	Default	Comments
EMDRDATE	DATE			
EMDRID	INTEGER			
EMDRDURATIONMINUTES	INTEGER			
EMDREMERGENCYTYPE	VARCHAR2 (255)			
EMDRLOCATION	VARCHAR2 (255)			
EMDRPARTICIPANTSCOUNT	INTEGER			
EMDRADDRESS	VARCHAR2 (255)			

SQL> DESC Emergenbodies

Name	Type	Nullable	Default	Comments
BONAME	VARCHAR2 (255)			
BOLID	INTEGER			
BOPHONE	VARCHAR2 (15)			
EVID	INTEGER			

SQL> DESC Practicing

Name	Type	Nullable	Default	Comments
EMDRID	INTEGER			
TEID	INTEGER			



SQL> DESC Evdebriefing

Name	Type	Nullable	Default	Comments
DEBID	INTEGER			
DERESPONSIBILITY	VARCHAR2(255)			
DESTATUS	INTEGER			
DECONCLUSION	VARCHAR2(255)			

SQL> DESC Worker

Name	Type	Nullable	Default	Comments
WOSALARY	INTEGER			
TEID	INTEGER			

SQL> DESC TeamP

Name	Type	Nullable	Default	Comments
TEID	INTEGER			
TEADDRESS	VARCHAR2(255)			
TEPHONE	VARCHAR2(15)			
TENAME	VARCHAR2(255)			
TEEMAIL	VARCHAR2(255)			
ROID	INTEGER			

SQL> DESC Takingpart

Name	Type	Nullable	Default	Comments
BOLD	INTEGER			
EMDRID	INTEGER			

SQL> DESC Actin

Name	Type	Nullable	Default	Comments
TEID	INTEGER			
EVID	INTEGER			

SQL> DESC Reoprtev

Name	Type	Nullable	Default	Comments
TEID	INTEGER			
DEBID	INTEGER			



```
SQL> DESC REPORTSIN
```

Name	Type	Nullable	Default	Comments
BOID	INTEGER			
DEBID	INTEGER			

```
SQL> DESC DEBRIFIED
```

Name	Type	Nullable	Default	Comments
EVID	INTEGER			
DEBID	INTEGER			



הכנסת הנתונים ב3 שיטות

הכנסה באמצעות txt

טבלת EvDebriefing

Data from Textfile Data to Oracle

File Data

590, Nitai Gal,	0, Well Done
591, Nitai Gal,	1, Improvement required
592, Nitai Gal,	0, Medium operation
593, Nitai Gal,	1, Well Done
594, Nitai Gal,	1, Well Done
595, Nitai Gal,	1, Failure
596, Nitai Gal,	0, Failure
597, Nitai Gal,	0, Medium operation
598, Nitai Gal,	0, Medium operation
599, Nitai Gal,	1, Medium operation
600, Nitai Gal,	0, Medium operation
601, Nitai Gal,	1, Medium operation
602, Nitai Gal,	0, Medium operation
603, Nitai Gal,	0, Medium operation
604, Nitai Gal,	0, Failure
605, Nitai Gal,	0, Failure
606, Nitai Gal,	1, Well Done
607, Nitai Gal,	1, Well Done
608, Nitai Gal,	1, Well Done
609, Nitai Gal,	1, Improvement required
610, Nitai Gal,	1, Medium operation
611, Nitai Gal,	1, Improvement required

Configuration

General

Fieldcount: 4

☒ End at line-end

☐ Name in header

☒ Skip empty line:

Quote character: "

Comment line:

Import lines: 1 ..

Field1 (+0 .. ",")
Field2 (+0 .. ",")
Field3 (+0 .. ",")
Field4 (+0 .. ",")

Field Start

☒ Relative position: 0

☐ Absolute position

☐ Character

Field End

☐ Length

☒ Character

Filter

Result Preview

1	2	3	4
590	Nitai Gal	0	Well Done
591	Nitai Gal	1	Improvement required

Import Import to Script Close moriya11 400 records imported in 0.688 seconds

General

Owner: Table: EVDEBRIEFING Clear Table

Commit every...: 0

☒ Overwrite duplicates

☐ Ignore duplicates

Initializing Script

Finalizing Script

Fields

Field1 -> DEBID (NUMBER)

Field2 -> DERESPONSIBILITY (VARCHAR2)

Field3 -> DESTATUS (NUMBER)

Field4 -> DECONCLUSION (VARCHAR2)

Result Preview

1	2	3	4
590	Nitai Gal	0	Well Done
591	Nitai Gal	1	Improvement required

Import Import to Script Close moriya11 400 records imported in 0.688 seconds



Select event		Select rolesp		Select emergencydrill		Select emergenbodies		Select evdebriefing	



טבלת RolesP

Data from Textfile Data to Oracle

File Data

```

561, Head of Operations Department, computerized
562, Head of Training Unit, administrative
563, Head of Operational Doctrine Unit, logistic
564, Head of Operational Investigations, voluntary
565, Operations Coordinator, logistic
566, Operations Liaison with Israel Police, computerized
567, Operations Liaison with Fire and Rescue Services, administrative
568, Operations Liaison with the National Emergency Authority (NEA), logistic
569, Operations Liaison with Magen David Adom (MDA), voluntary
570, Control and Monitoring Center (CMC) Manager, logistic
571, Shift Supervisor at the CMC, logistic
572, Operational Planning Officer, voluntary
573, Regional Operations Officer, voluntary
574, Operational Intelligence Officer, voluntary
575, Emergency Communication Officer, voluntary
576, Operational Logistics Manager, voluntary
577, Operational Communication Specialist, computerized
578, Community Emergency Coordinator, administrative
579, Medical Training Instructor, logistic
580, Emergency Training Instructor, voluntary
581, Volunteer Team Leader, logistic
582, Volunteer Recruitment Coordinator, logistic

```

Configuration

General

Fieldcount: 3

☒ End at line-end

☐ Name in header

☒ Skip empty line:

Quote character: "

Comment line:

Import lines: 1 ..

Field Start

☒ Relative position

☐ Absolute position

☐ Character

Field End

☐ Length

☒ Character

Filter

Result Preview

1	2	3
561	Head of Operations Department	computerized
562	Head of Training Unit	administrative

Import Import to Script Close moriya11 216 records imported in 0.296 seconds

Data from Textfile Data to Oracle

General

Owner: Table: ROLESP Clear Table

Commit every...: 100

☒ Overwrite duplicates

☐ Ignore duplicates

Initializing Script

Finalizing Script

Fields

Field1 -> ROID (NUMBER)

Field2 -> RENAME (VARCHAR2)

Field3 -> RODESCRIBE (VARCHAR2)

Result Preview

1	2	3
561	Head of Operations Department	computerized
562	Head of Training Unit	administrative

Import Import to Script Close moriya11 216 records imported in 0.296 seconds



Select event	Select rolesp	Select emergencydrill	Select emergenbodies	Select evdebriefing	Select takingpart
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					

טבלת EmergencyBodies

Data from TextfileData to Oracle

File Data

890, Police, 100, 614
891, Fire Department, 101, 212
892, Emergency Medical Services (EMS), 102, 451
893, Coast Guard, 103, 181
894, Search and Rescue, 104, 640
895, Disaster Response Teams, 105, 614
896, Ambulance Services, 106, 212
897, Mountain Rescue, 107, 451
898, Water Rescue, 108, 181
899, Civil Defense, 109, 640
900, National Guard, 110, 614
901, Bomb Squad, 111, 212
902, Hazardous Materials (HAZMAT) Teams, 112, 451
903, Air Ambulance, 113, 181
904, Wildlife Rescue, 114, 640

Configuration

General

Fieldcount
4

☒ End at line-end
☐ Name in header
☒ Skip empty line

Quote character
"

Comment line

Import lines
1 ..

Field1 (+0..")
Field2 (+0..")
Field3 (+0..")
Field4 (+0..")

Filter

Result Preview

1	2	3	4
890	Police	100	614
891	Fire Department	101	212
892	Emergency Medical Services (EMS)	102	451
893	Coast Guard	103	181
894	Search and Rescue	104	640
895	Disaster Response Teams	105	614
896	Ambulance Services	106	212
897	Mountain Rescue	107	451
898	Water Rescue	108	181
899	Civil Defense	109	640
900	National Guard	110	614
901	Bomb Squad	111	212

ImportImport to ScriptClose▼ moriya11

Data from TextfileData to Oracle

General

Owner

Table

Clear Table

Commit every...

100

☒ Overwrite duplicates
☐ Ignore duplicates

Initializing Script
Finalizing Script

Fields

Field1 -> BOID (NUMBER)
Field2 -> BONAME (VARCHAR2)
Field3 -> BOPHONE (VARCHAR2)
Field4 -> EVID (NUMBER)

Result Preview

1	2	3	4
890	Police	100	614
891	Fire Department	101	212
892	Emergency Medical Services (EMS)	102	451
893	Coast Guard	103	181
894	Search and Rescue	104	640
895	Disaster Response Teams	105	614
896	Ambulance Services	106	212
897	Mountain Rescue	107	451
898	Water Rescue	108	181
899	Civil Defense	109	640
900	National Guard	110	614
901	Bomb Squad	111	212

ImportImport to ScriptClose▼ moriya11emergencyBodiesData.txt loaded, 1 KB



Select event		Select rolesp	Select emergencydrill	Select emergenbodies	Select ev
					
					
					
					
	BONAME	BOID	BOPHONE	EVID	
1	Police	890	100	614	
2	Fire Department	891	101	212	
3	Emergency Medical Services (EMS)	892	102	451	
4	Coast Guard	893	103	181	
5	Search and Rescue	894	104	640	
6	Disaster Response Teams	895	105	614	
7	Ambulance Services	896	106	212	
8	Mountain Rescue	897	107	451	
9	Water Rescue	898	108	181	
10	Civil Defense	899	109	640	
11	National Guard	900	110	614	
12	Bomb Squad	901	111	212	
13	Hazardous Materials (HAZMAT) Teams	902	112	451	
14	Air Ambulance	903	113	181	
15	Wildlife Rescue	904	114	640	
16	Anti-Terrorism Units	905	115	614	
17	Red Cross	906	116	212	
18	Poison Control	907	117	451	
19	Crisis Intervention Teams	908	118	181	
20	Public Health Emergency Services	909	119	640	



הכנסת הנתונים באמצעות אתר mockaroo

טבלת TeamP

Field Name	Type	Options
TeId	Row Number	blank: 0 % Σ $\times$
TeAddress	Street Address	blank: 0 % Σ $\times$
TePhone	Phone	format: ###-###-#### ∇ blank: 0 % Σ $\times$
TeName	First Name	blank: 0 % Σ $\times$
TeEmail	Email Address	blank: 0 % Σ $\times$
+ ADD ANOTHER FIELD GENERATE FIELDS USING AI...		

Rows: 400 Format: SQL ∇ Table Name: TeamP ☐ include CREATE TABLE

```
SQL Output Statistics
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (1, '44186 Sugar Park', '197-698-5926', 'Berne', 'bsloane0@state.gov', 692);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (2, '75 Cody Avenue', '498-380-2480', 'Wrennie', 'wquarrington1@washington.edu', 639);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (3, '07979 Merry Drive', '667-773-7493', 'Fanya', 'foldland2@aboutads.info', 574);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (4, '501 Holmberg Crossing', '330-848-3920', 'Thomas', 'troy13@amazon.co.jp', 603);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (5, '2802 Gina Crossing', '246-592-4320', 'Kalie', 'kfyland4@sourceforge.net', 598);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (6, '9 Dryden Circle', '821-406-5190', 'Ezmeralda', 'ecovely5@ucla.edu', 590);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (7, '438 Eagan Way', '448-153-7041', 'Pinchas', 'pharbottle6@ning.com', 628);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (8, '2734 Mallard Place', '966-360-6440', 'Jaine', 'joliveti7@cbslocal.com', 600);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (9, '41442 Havey Trail', '946-543-2804', 'Kelwin', 'kspottiswood8@wix.com', 678);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (10, '1 Westridge Drive', '395-572-4603', 'Dukie', 'djirus9@deell.com', 680);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (11, '9 David Place', '691-276-6012', 'Edyth', 'esellersa@soundcloud.com', 609);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (12, '1784 Straubel Way', '725-648-6113', 'Mitchell', 'mfookesb@bluehost.com', 614);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (13, '09 Di Loreto Hill', '887-304-5445', 'Corrie', 'cstago@msu.edu', 583);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (14, '5928 Crowley Junction', '216-441-9280', 'Merci', 'mmabeyd@indiegogo.com', 696);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (15, '45044 Crownhardt Road', '691-716-3924', 'Minette', 'mcoultharde@aol.com', 624);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (16, '5264 Oak Valley Circle', '588-372-1705', 'Jacky', 'jhurrenf@netvibes.com', 615);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (17, '38 Melody Drive', '689-234-3553', 'Clarie', 'cqartlyq@salon.com', 613);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (18, '175 Spaight Center', '490-310-7989', 'Jaymie', 'jdunabieh@free.fr', 641);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (19, '31 6th Center', '647-446-4499', 'Devina', 'dpsicci@adobe.com', 567);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (20, '1 Farwell Park', '643-476-5823', 'Joel', 'jsyrettj@theguardian.com', 568);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (21, '4 Kings Avenue', '735-919-1798', 'Evin', 'ewhiteoakk@trellian.com', 637);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (22, '1 Saint Paul Place', '630-452-2511', 'Kariotta', 'kgyuery1@printfriendly.com', 561);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (23, '73 Arrowood Center', '125-190-7763', 'Ronalda', 'rfortnum@webnode.com', 657);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (24, '089 Luster Pass', '645-148-5870', 'Shina', 'sbromheadn@usgs.gov', 654);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (25, '390 Artisan Drive', '623-559-1116', 'Sheelagh', 'sgoricko@h360.com', 602);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (26, '8420 Lerdahl Hill', '159-174-2973', 'Laryssa', 'lschwartzp@wordpress.org', 657);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (27, '1809 Dovetail Avenue', '114-455-4622', 'Karyn', 'kalltimesq@theatlantic.com', 660);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (28, '0 Holy Cross Lane', '516-372-5514', 'Kylie', 'khaselgrover@seesaa.net', 699);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (29, '52324 Autumn Leaf Way', '656-622-0015', 'Lyle', 'lraywoods@telegraph.co.uk', 610);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (30, '80758 Golf Course Center', '848-473-7222', 'Ashlin', 'ayewdallt@deliciousdays.com', 577);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (31, '888 Crest Line Place', '616-613-3936', 'Dido', 'dkaradzasa@issuu.com', 660);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (32, '95 Westend Way', '584-870-4764', 'Aura', 'aflavellev@google.pl', 613);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (33, '7057 Mallard Pass', '227-941-9324', 'Lusa', 'lcabralw@utexas.edu', 607);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (34, '7303 Glacier Hill', '591-368-6023', 'Kev', 'kvalessax@yellowbook.com', 634);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (35, '8 La Pollette Avenue', '982-354-0804', 'Agathe', 'aduffrey@apache.org', 615);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (36, '86341 Linden Parkway', '949-479-4439', 'Whittaker', 'wshoebottomz@seattletimes.com', 589);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (37, '93 Drewry Way', '351-549-4371', 'Melony', 'msansbury10@wordpress.org', 563);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (38, '2614 Ohio Alley', '236-981-2415', 'Sigismond', 'sloffthead1@timesonline.co.uk', 687);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (39, '68 Everett Avenue', '331-885-8151', 'Shermie', 'spetegrew12@uiuc.edu', 583);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (40, '54439 Anhalt Terrace', '552-665-5260', 'Cordey', 'cbrafield13@wikipedia.org', 648);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (41, '6224 Messerschmidt Street', '550-460-6023', 'Terrence', 'tcretney14@census.gov', 649);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (42, '97273 Memorial Point', '744-901-3116', 'Latashia', 'lcohanil5@freewebs.com', 680);
insert into TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId) values (43, '800 Bultman Terrace', '846-569-1204', 'Margaux', 'mhowen16@census.gov', 575);
```



Select event	Select rolesp	Select emergencydrill	Select emergenbodies	Select evdebriefing	Select takingpart	Select teamp	Select
TEID	TEADDRESS	TEPHONE	TENAME	TEEMAIL	ROID		
1	1 44186 Sugar Park	197-698-5926	Berne	bsloane0@state.gov	692		
2	2 75 Cody Avenue	498-380-2480	Wrennie	wquarrington1@washingon.edu	639		
3	3 07979 Merry Drive	667-773-7493	Fanya	foldland2@aboutads.info	574		
4	4 501 Holmberg Crossing	330-848-3920	Thomas	troy13@amazon.co.jp	603		
5	5 2802 Gina Crossing	246-592-4320	Kalie	kfylan4@sourceforge.net	598		
6	6 9 Dryden Circle	821-406-5190	Ezmeralda	ecovely5@ucla.edu	590		
7	7 438 Eagan Way	448-153-7041	Pinchas	pharbottle6@ning.com	628		
8	8 2734 Mallard Place	966-360-6440	Jaine	jolivet7@cbslocal.com	600		
9	9 41442 Havey Trail	946-543-2804	Kelwin	kspottiswood8@wix.com	678		
10	10 1 Westridge Drive	395-572-4603	Dukie	djirus9@dell.com	680		
11	11 9 David Place	691-276-6012	Edyth	esellersa@soundcloud.com	609		
12	12 1784 Straubel Way	725-648-6113	Mitchell	mfookesb@bluehost.com	614		
13	13 09 Di Loreto Hill	887-304-5445	Corrie	cstagc@msu.edu	583		
14	14 5928 Crowley Junction	216-441-9280	Merci	mmabeyd@indiegogo.com	696		
15	15 45044 Crownhardt Road	691-716-3924	Minette	mcoultharde@aol.com	624		
16	16 5264 Oak Valley Circle	588-372-1705	Jacky	jhurrenf@netvibes.com	615		
17	17 38 Melody Drive	689-234-3553	Clarie	cquartlyg@salon.com	613		
18	18 175 Spaight Center	490-310-7989	Jaymie	jdunabieh@free.fr	641		
19	19 31 6th Center	647-446-4499	Devina	dpiscoi@adobe.com	567		
20	20 1 Farwell Park	643-476-5823	Joel	jsyrettj@theguardian.com	568		
21	21 4 Kings Avenue	735-919-1798	Evin	ewhiteoakk@trellian.com	637		
22	22 1 Saint Paul Place	630-452-2511	Kariotta	kguyerl@printfriendly.com	561		
23	23 73 Arrowood Center	125-190-7763	Ronaldi	rfortunm@webnode.com	657		
24	24 089 Luster Pass	645-148-5870	Shina	sbromheadn@usgs.gov	654		
25	25 390 Artisan Drive	623-559-1116	Sheelagh	sgoricko@hc360.com	602		
26	26 8420 Lerdahl Hill	159-174-2973	Laryssa	lschwartzp@wordpress.org	657		
27	27 1809 Dovetail Avenue	114-455-4622	Karyn	kalltimesq@theatlantic.com	660		



טבלת EmergencyDrill

Field Name	Type	Options
EmdrId	Row Number	blank: 0 % Σ X
EmdrEmergencyType	Custom List	fire drill, earthquake drill, active shooter drill, tornado drill, evacua random blank: 0 % Σ X
EmdrLocation	Street Address	blank: 0 % Σ X
EmdrDate	Datetime	05/26/2023 to 05/26/2024 format: m/d/yyyy blank: 0 % Σ X
EmdrDurationMinutes	Custom List	1 hour, 2 hours, 30 minutes, 45 minutes, 3 hours random blank: 0 % Σ X
EmdrParticipantsCou	Number	min: 1 max: 500 decimals: 0 blank: 0 % Σ X
EmdrAddress	Address Line 2	blank: 0 % Σ X
+ ADD ANOTHER FIELD GENERATE FIELDS USING AI...		

Rows: 400 Format: SQL Table Name: EmergencyDrill ☐ include CREATE TABLE

```
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (201, 'active shooter drill', '5 Coleman St', '2023-05-26 12:00:00', 120, 10, '5 Coleman St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (202, 'active shooter drill', '520 Farwell St', '2023-05-26 12:00:00', 120, 10, '520 Farwell St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (203, 'fire drill', '35369 Dwight Pass', '2023-05-26 12:00:00', 120, 10, '35369 Dwight Pass')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (204, 'tornado drill', '6 Moland Plaza', '2023-05-26 12:00:00', 120, 10, '6 Moland Plaza')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (205, 'tornado drill', '8900 Thompson St', '2023-05-26 12:00:00', 120, 10, '8900 Thompson St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (206, 'evacuation drill', '3916 Bartel St', '2023-05-26 12:00:00', 120, 10, '3916 Bartel St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (207, 'earthquake drill', '52926 Buntin St', '2023-05-26 12:00:00', 120, 10, '52926 Buntin St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (208, 'active shooter drill', '2791 Fennell St', '2023-05-26 12:00:00', 120, 10, '2791 Fennell St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (209, 'tornado drill', '9 Red Cloud Pl', '2023-05-26 12:00:00', 120, 10, '9 Red Cloud Pl')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (210, 'earthquake drill', '551 Hallows St', '2023-05-26 12:00:00', 120, 10, '551 Hallows St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (211, 'active shooter drill', '70207 N 1st St', '2023-05-26 12:00:00', 120, 10, '70207 N 1st St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (212, 'active shooter drill', '0 Fores St', '2023-05-26 12:00:00', 120, 10, '0 Fores St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (213, 'active shooter drill', '66 Duke St', '2023-05-26 12:00:00', 120, 10, '66 Duke St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (214, 'tornado drill', '396 Rowland Dr', '2023-05-26 12:00:00', 120, 10, '396 Rowland Dr')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (215, 'active shooter drill', '41333 C St', '2023-05-26 12:00:00', 120, 10, '41333 C St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (216, 'earthquake drill', '13 Hoard Rd', '2023-05-26 12:00:00', 120, 10, '13 Hoard Rd')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (217, 'evacuation drill', '0 Nobel St', '2023-05-26 12:00:00', 120, 10, '0 Nobel St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (218, 'fire drill', '562 Kinsman Hill', '2023-05-26 12:00:00', 120, 10, '562 Kinsman Hill')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (219, 'earthquake drill', '324 Basil St', '2023-05-26 12:00:00', 120, 10, '324 Basil St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (220, 'earthquake drill', '908 Lyons St', '2023-05-26 12:00:00', 120, 10, '908 Lyons St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (221, 'tornado drill', '0554 Menomonee St', '2023-05-26 12:00:00', 120, 10, '0554 Menomonee St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (222, 'earthquake drill', '906 Victoria St', '2023-05-26 12:00:00', 120, 10, '906 Victoria St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (223, 'active shooter drill', '75794 E St', '2023-05-26 12:00:00', 120, 10, '75794 E St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (224, 'tornado drill', '8060 Dayton Ct', '2023-05-26 12:00:00', 120, 10, '8060 Dayton Ct')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (225, 'fire drill', '143 Bay Terrace', '2023-05-26 12:00:00', 120, 10, '143 Bay Terrace')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (226, 'evacuation drill', '51 Johnson St', '2023-05-26 12:00:00', 120, 10, '51 Johnson St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (227, 'fire drill', '14 Grim Plaza', '2023-05-26 12:00:00', 120, 10, '14 Grim Plaza')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (228, 'fire drill', '7 La Follette Ave', '2023-05-26 12:00:00', 120, 10, '7 La Follette Ave')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (229, 'tornado drill', '5 Ridge Oak Av', '2023-05-26 12:00:00', 120, 10, '5 Ridge Oak Av')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (230, 'evacuation drill', '021 Oneill St', '2023-05-26 12:00:00', 120, 10, '021 Oneill St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (231, 'tornado drill', '72648 Montana St', '2023-05-26 12:00:00', 120, 10, '72648 Montana St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (232, 'tornado drill', '62209 Arapahoe St', '2023-05-26 12:00:00', 120, 10, '62209 Arapahoe St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (233, 'earthquake drill', '58632 Judy St', '2023-05-26 12:00:00', 120, 10, '58632 Judy St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (234, 'tornado drill', '00 Fairview Pl', '2023-05-26 12:00:00', 120, 10, '00 Fairview Pl')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (235, 'earthquake drill', '21185 Coolidge St', '2023-05-26 12:00:00', 120, 10, '21185 Coolidge St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (236, 'evacuation drill', '2490 Texas St', '2023-05-26 12:00:00', 120, 10, '2490 Texas St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (237, 'earthquake drill', '72 Columbus St', '2023-05-26 12:00:00', 120, 10, '72 Columbus St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (238, 'fire drill', '7 Talmadge Street', '2023-05-26 12:00:00', 120, 10, '7 Talmadge Street')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (239, 'fire drill', '6 Mallory Drive', '2023-05-26 12:00:00', 120, 10, '6 Mallory Drive')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (240, 'evacuation drill', '8549 Meadow St', '2023-05-26 12:00:00', 120, 10, '8549 Meadow St')
insert into EmergencyDrill (EmdrId, EmdrEmergencyType, EmdrLocation, EmdrDate, EmdrDurationMinutes, EmdrParticipantsCount, EmdrAddress) values (241, 'active shooter drill', '95089 N St', '2023-05-26 12:00:00', 120, 10, '95089 N St')
```



Select event		Select rolesp		Select emergencydrill		Select emergenbodies		Select evdebriefing		Select takingpart		Select teamp		Select worker		Select actin		Select reoprtev		S	



הכנסה באמצעות Data Generator

טבלת Event

EVENT				
<	Owner	Table	Number of records	
>	SYSTEM	EVENT	10,400	
...				
Name	Type	Size	Data	Me
EVID	NUMBER		Random(30, 999)	...
EVENAME	VARCHAR2	255	[A@@@]-[111]	...
EVEDATE	DATE		Random(01/01/2000, 01/01/2025)	...
EVELOCATION	VARCHAR2	255	List('Acre', 'Afula', 'Arad', 'Ariel', 'Ashdod', 'Ashkelon', 'Baka al-Gharbiyye', 'Bat Yam', 'Beersheba', 'Beit Shean', 'Beit Shemesh', 'Beitar Illit', 'Bnei Brak', 'Dimona', 'Eilat', 'Elad', 'Givatayim', 'Giv'at Shmuel')	...
EVRESPONSIBILITY	VARCHAR2	255	List('Berne', 'Wrennie', 'Fanya')	...
EVEDESCRIBE	VARCHAR2	255	[A@@@aaaa111]	...
*				...

Definition Options Result

▼ moriya11 Generated in 0.125 seconds. 1 table(s) with 329 rows.

EVENT					
EVID	EVENAME	EVEDATE	EVELOCATION	EVRESPONSIBILITY	EVEDESCRIBE
356	OSosV-197	14/08/2017	Ariel	Berne	Sdlzpbqu856
531	DuggM-686	28/07/2023	Kiryat Gat	Wrennie	LjuBUdxwy133
424	DTHZ-799	30/10/2014	Tira	Berne	JPQFEayds158
684	FocPy-361	05/04/2008	Shefa-Amr	Berne	NkJNUgago183
517	RupDN-756	14/09/2022	Hadera	Berne	AHGEWwwkt991
246	YTLyf-131	16/02/2008	Umm al-Fahm	Berne	AdRecrxsa333
768	QtIJD-496	11/10/2017	Ashkelon	Wrennie	AoWfVyzia851
889	ALtky-584	30/10/2006	Netanya	Wrennie	ORgwStupt487
297	EEhgP-977	26/08/2007	Netivot	Wrennie	CIMrKyahs472
411	lwQiH-568	09/08/2006	Ma'alot-Tarshiha	Fanya	MagJBvlqv924
202	MLgfO-843	30/05/2022	Nof HaGalil	Wrennie	KeKNmesdi539
557	XuoDn-618	31/01/2011	Migdal HaEmek	Wrennie	GXxxZbsrf222
706	MVtyd-719	08/06/2022	Tel Aviv	Fanya	OaKfoxmct713
285	OkItS-199	08/02/2008	Kiryat Yam	Fanya	GdiXakboq211
247	QrOMM-157	18/03/2006	Rishon LeZion	Berne	UOuaspzie678
682	BliMi-785	07/07/2002	Ma'alot-Tarshiha	Berne	ZkwKmdydv141
392	TNkIM-565	28/02/2018	Tel Aviv	Fanya	VrRUxhqah141
171	Jmzgt-416	30/12/2023	Ramla	Fanya	AVcnjizm546
74	YfIci-455	05/06/2006	Nazareth	Fanya	FZZNCyfyh559
393	DYntD-757	12/11/2009	Tira	Wrennie	HRacIfji866
505	CbdpE-638	17/09/2005	Kiryat Ono	Berne	EMmeFpjma351
449	VGZLX-941	27/11/2012	Ramla	Fanya	WVeXebcyg344
385	EupVu-274	26/01/2020	Arad	Fanya	SCfAMwghx967
837	ExBXf-998	27/02/2009	Nof HaGalil	Wrennie	EOururzipg174
814	LaKYc-126	24/09/2005	Hod HaSharon	Berne	SPIJczec737
605	KrQry-958	28/09/2005	Giv'at Shmuel	Wrennie	CbNZubahq437
503	XZeAx-932	01/12/2003	Beit Shemesh	Berne	Avijvwjxm644
324	PsLPz-831	04/09/2023	Tirat Carmel	Berne	XDNHynmtz145
681	OzfQj-714	21/08/2023	Beersheba	Berne	KpEijbgav678
201	YrRWZ-283	31/08/2005	Kiryat Shmona	Wrennie	LTPphjwof653
311	SharX-658	06/07/2024	Sakhnin	Wrennie	SGkpGkhru533
150	FtqdC-343	17/12/2023	Ma'alot-Tarshiha	Fanya	DuSMqhwp887
997	FKBOL-739	05/08/2024	Ness Ziona	Wrennie	XhiALpjhz627
814	TAJrk-239	09/02/2013	Beit Shemesh	Fanya	ZLfAujgch871
255	ZDJkj-363	29/02/2008	Acre	Wrennie	FyaSZtgra598
720	EhFLr-876	28/10/2002	Modi'in Illit	Fanya	TduGmdjnk632
304	AqAeZ-559	20/07/2008	Kiryat Ata	Fanya	Xvomysalp223
217	LLQjW-214	05/10/2000	Kiryat Ono	Fanya	ZxQtptytcc298
368	Auape-197	13/12/2015	Lod	Wrennie	TpdsOewgo113



Select event	Select rolesp	Select emergencydrill	Select emergenbodies	Select evdebriefing	Select takingpart	Select t
						
						
						
	EVENAME	EVEDATE	EVELOCATION	EVRESPONSIBILITY	EVEDESCRIBE	EVID
▶	1 Earthquake ...	28/12/2016 ▾	Nazareth ...	Wrennie ...	Health crisis ...	53
	2 Medical Emergency ...	21/12/2014 ▾	Kafr Qasim ...	Wrennie ...	Ground shaking ...	380
	3 ('Fire' ...	16/04/2016 ▾	Or Akiva ...	Berne ...	Ground shaking ...	731
	4 Power Outage ...	20/04/2005 ▾	Ramat Gan ...	Wrennie ...	Health crisis ...	694
	5 ('Fire' ...	04/05/2004 ▾	Modi'in Illit ...	Fanya ...	Severe cyclone ...	472
	6 Medical Emergency ...	16/05/2016 ▾	Kafr Qasim ...	Fanya ...	Ground shaking ...	139
	7 Earthquake ...	03/05/2023 ▾	Beitar Illit ...	Wrennie ...	Water inundation ...	134
	8 Active Shooter ...	06/05/2008 ▾	Yehud-Monosson ...	Wrennie ...	Toxic emission ...	481
	9 Chemical Spill ...	18/03/2006 ▾	Migdal HaEmek ...	Wrennie ...	Ground shaking ...	44
	10 Active Shooter ...	29/11/2003 ▾	Ariel ...	Wrennie ...	Toxic emission ...	410
	11 Tornado ...	23/11/2024 ▾	Givatayim ...	Wrennie ...	Rotating storm ...	333
	12 Tornado ...	11/06/2020 ▾	Nahariya ...	Fanya ...	Electricity failure ...	504
	13 Medical Emergency ...	13/11/2003 ▾	Beitar Illit ...	Wrennie ...	Rotating storm ...	968
	14 Tornado ...	12/06/2006 ▾	Umm al-Fahm ...	Wrennie ...	Rotating storm ...	342
	15 Gas Leak ...	14/12/2002 ▾	Beit Shean ...	Wrennie ...	Armed assailant ...	420
	16 Gas Leak ...	27/07/2007 ▾	Sderot ...	Fanya ...	Health crisis ...	64
	17 Hurricane ...	07/12/2022 ▾	Ashkelon ...	Berne ...	Health crisis ...	499
	18 Chemical Spill ...	21/11/2018 ▾	Ashdod ...	Fanya ...	Hazardous leak ...	423
	19 ('Fire' ...	04/09/2018 ▾	Ramat Gan ...	Wrennie ...	Armed assailant ...	882
	20 Earthquake ...	08/05/2011 ▾	Migdal HaEmek ...	Berne ...	Rotating storm ...	516
	21 Chemical Spill ...	29/10/2010 ▾	Baka al-Gharbiyye ...	Wrennie ...	Severe cyclone ...	72
	22 Medical Emergency ...	18/06/2001 ▾	Ramat Gan ...	Fanya ...	Hazardous leak ...	347
	23 Hurricane ...	04/05/2018 ▾	Rosh HaAyin ...	Wrennie ...	Ground shaking ...	394
	24 Hurricane ...	21/09/2014 ▾	Yehud-Monosson ...	Berne ...	Electricity failure ...	129
	25 Hurricane ...	30/04/2015 ▾	Shefa-Amr ...	Fanya ...	Severe cyclone ...	300
	26 Flood ...	15/04/2024 ▾	Nof HaGalil ...	Fanya ...	Health crisis ...	86
	27 Earthquake ...	15/01/2022 ▾	Netivot ...	Berne ...	Hazardous leak ...	187



טבלת Worker

WORKER		
	WOSALARY	TEID
▶	6621	Kelwin
	2812	Fanya
	18936	Fanya
	1098	Kelwin
	23044	Thomas
	11933	Dukie
	22805	Jaine
	4039	Fanya
	24010	Pinchas
	1882	Jaine
	20892	Pinchas
	17938	Kalie
	19954	Kelwin
	23102	Jaine
	17112	Thomas
	18932	Fanya
	7085	Kalie
	13062	Dukie
	12438	Fanya
	22479	Thomas
	3805	Kelwin
	15820	Fanya
	3709	Ezmeralda
	4766	Ezmeralda
	13689	Fanya
	12694	Jaine
	20568	Kelwin
	20858	Kelwin
	2170	Thomas
	22869	Thomas
	5312	Wrennie
	7150	Kelwin
	8974	Berne
	10317	Jaine
	23689	Kalie

WORKER

Owner

Table

Number of records

SYSTEM

WORKER

10..450

Name	Type	Size	Data
WOSALARY	NUMBER		Random(600, 25000)
TEID	NUMBER		List(select TeName from TeamP)

Definition

Options

Result

▼ moriya11 - Generated in 0.016 seconds. 1 table(s) with 107 rows.



Select event		Select rolesp		Select emergency	
					
					
					
					
		WOSALARY	TEID		
▶	1	2874	328		
	2	11352	265		
	3	20447	229		
	4	10118	2		
	5	23610	239		
	6	17793	16		
	7	1313	213		
	8	17943	336		
	9	9307	92		
	10	14977	237		
	11	1636	360		
	12	6387	341		
	13	24175	76		
	14	23061	298		
	15	11655	19		
	16	17696	10		
	17	8313	143		
	18	21824	84		
	19	3479	279		
	20	22070	57		
	21	19205	291		
	22	12766	287		
	23	19489	12		
	24	4928	266		
	25	21971	173		
	26	21732	219		
	27	18260	47		



גיבוי ושחזור של א':

Export Tables

Name	Type	Compiled
ACTIN	TABLE	26/05/2024 20:52:24
EMERGENBODIES	TABLE	26/05/2024 20:52:23
EMERGENCYDRILL	TABLE	26/05/2024 20:52:23
EVDEBRIEFING	TABLE	26/05/2024 20:52:23
EVENT	TABLE	26/05/2024 20:52:23
PRACTICING	TABLE	26/05/2024 20:52:24
REOPRT	TABLE	26/05/2024 19:49:18
REOPRTEV	TABLE	26/05/2024 20:52:24
ROLESP	TABLE	26/05/2024 20:52:23
TAKINGPART	TABLE	26/05/2024 20:52:24
TEAMMD	TABLE	27/05/2024 11:06:00

Oracle Export SQL Inserts PL/SQL Developer

☐ Drop tables
☒ Create tables
☐ Truncate tables
☒ Delete records
☒ Disable triggers

☒ Disable foreign key constraint:
☒ Include storage
☒ Include privileges

Commit every 100 records (0 = never)

Where clause

☐ Zip

Output file C:\Users\מוריה חדד\Desktop\יקט בבסנת\יקט בבסנת\ Export

moriya11

Import Tables

Oracle Import SQL Inserts PL/SQL Developer

☒ Analyze
☐ Commit
☒ Constraint:
☒ Grants
☒ Ignore
☒ Indexes
☒ Rows
☐ Show

Buffer size (KB) 30

From User

To User

Import Executable C:\oracle\app\oracle\ Import

Import file

C:\Users\מוריה חדד\Desktop\יקט בבסנת\יקט בבסנת\ Import

moriya11



שלב 2 - שאילתות:שאילתות

4 סוגי שאילתות:

SELECT

1. כל התרגילים והאירועים שהתקיימו בשנת 2023, כולל משך הפעילות ומספר המשתתפים

```

SELECT
    'Event' AS Type,
    e.EveName AS Name,
    e.EveDate AS EventDate,
    COALESCE(COUNT(ai.TeId), 0) AS ParticipantsCount,
    NULL AS DurationMinutes
FROM
    Event e
LEFT JOIN
    ActIn ai ON e.EvId = ai.EvId
WHERE
    EXTRACT(YEAR FROM e.EveDate) = 2023
GROUP BY
    e.EveName, e.EveDate

UNION ALL

SELECT
    'Emergency Drill' AS Type,
    ed.EmdrEmergencyType AS Name,
    ed.EmdrDate AS EventDate,
    ed.EmdrParticipantsCount AS ParticipantsCount,
    ed.EmdrDurationMinutes AS DurationMinutes
FROM
    EmergencyDrill ed
WHERE
    EXTRACT(YEAR FROM ed.EmdrDate) = 2023

ORDER BY
    EventDate;

```

	TYPE	NAME	EVENTDATE	PARTICIPANTS	DURATION
1	Event	Medical Emergency	10/02/2023	4	
2	Event	Hurricane	20/02/2023	2	
3	Event	Earthquake	03/05/2023	4	
4	Emergency Drill	active shooter drill	28/05/2023	344	45
5	Emergency Drill	earthquake drill	30/05/2023	52	30
6	Emergency Drill	evacuation drill	31/05/2023	194	45
7	Emergency Drill	earthquake drill	01/06/2023	255	180
8	Emergency Drill	earthquake drill	01/06/2023	465	120
9	Emergency Drill	evacuation drill	03/06/2023	57	45
10	Emergency Drill	fire drill	03/06/2023	153	180
11	Emergency Drill	fire drill	03/06/2023	456	45
12	Emergency Drill	tornado drill	04/06/2023	74	180
13	Emergency Drill	earthquake drill	05/06/2023	278	45
14	Emergency Drill	earthquake drill	06/06/2023	379	180
15	Emergency Drill	earthquake drill	08/06/2023	315	1
16	Emergency Drill	active shooter drill	10/06/2023	100	180
17	Emergency Drill	fire drill	11/06/2023	270	180
18	Emergency Drill	fire drill	11/06/2023	124	180
19	Emergency Drill	tornado drill	11/06/2023	320	180
20	Emergency Drill	evacuation drill	14/06/2023	489	30
21	Emergency Drill	earthquake drill	15/06/2023	457	120
22	Emergency Drill	evacuation drill	16/06/2023	483	180
23	Emergency Drill	earthquake drill	16/06/2023	53	120
24	Emergency Drill	earthquake drill	17/06/2023	311	45
25	Emergency Drill	earthquake drill	17/06/2023	316	30
26	Emergency Drill	tornado drill	17/06/2023	442	1
27	Emergency Drill	earthquake drill	17/06/2023	21	45
28	Emergency Drill	tornado drill	20/06/2023	343	45

2. גופי החירום שהשתתפו בתרגילים מעל 100 משתתפים, כולל שמות התרגילים וכתובות

```

SELECT
    eb.BoName,
    ed.EmdrEmergencyType,
    ed.EmdrDate,
    ed.EmdrLocation,
    ed.EmdrAddress
FROM
    EmergenBodies eb
JOIN
    TakingPart tp ON eb.BoId = tp.BoId
JOIN
    EmergencyDrill ed ON tp.EmdrId = ed.EmdrId
WHERE
    ed.EmdrParticipantsCount > 100
ORDER BY
    ed.EmdrDate DESC, eb.BoName;

```

	BONAME	EMDREMERGENCYTYPE	EMDRDATE	EMDRLOCATION	EMDRADDRESS
1	Crisis Intervention Teams	fire drill	25/05/2024	471 Shoshone Way	Room 1076
2	Disaster Response Teams	fire drill	25/05/2024	471 Shoshone Way	Room 1076
3	Public Health Emergency Services	tornado drill	25/05/2024	6 Dahle Lane	Apt 956
4	Wildlife Rescue	fire drill	25/05/2024	471 Shoshone Way	Room 1076
5	Wildlife Rescue	tornado drill	25/05/2024	6 Dahle Lane	Apt 956
6	Emergency Medical Services (EMS)	tornado drill	24/05/2024	02 Thompson Terrace	PO Box 82261
7	Coast Guard	tornado drill	23/05/2024	557 Namekagon Circle	8th Floor
8	Police	tornado drill	23/05/2024	557 Namekagon Circle	8th Floor
9	Search and Rescue	tornado drill	23/05/2024	557 Namekagon Circle	8th Floor
10	Ambulance Services	active shooter drill	20/05/2024	75206 Knutson Junction	Room 1816
11	Air Ambulance	evacuation drill	18/05/2024	60 Montana Trail	PO Box 22899
12	Ambulance Services	tornado drill	18/05/2024	8 Lakewood Gardens Court	PO Box 70585
13	Bomb Squad	tornado drill	18/05/2024	8 Lakewood Gardens Court	PO Box 70585
14	Civil Defense	tornado drill	18/05/2024	8 Lakewood Gardens Court	PO Box 70585
15	Mountain Rescue	evacuation drill	18/05/2024	60 Montana Trail	PO Box 22899
16	Air Ambulance	evacuation drill	15/05/2024	75549 4th Parkway	PO Box 23204
17	Search and Rescue	evacuation drill	15/05/2024	75549 4th Parkway	PO Box 23204
18	Red Cross	tornado drill	14/05/2024	49703 Welch Avenue	Apt 879
19	Search and Rescue	tornado drill	14/05/2024	49703 Welch Avenue	Apt 879
20	Anti-Terrorism Units	active shooter drill	12/05/2024	84818 Nevada Terrace	Apt 1495
21	Air Ambulance	active shooter drill	04/05/2024	9074 Forest Dale Parkway	Apt 401
22	Crisis Intervention Teams	active shooter drill	04/05/2024	9074 Forest Dale Parkway	Apt 401

14:35 moriya11 333 rows selected in 0.312 seconds



3. השתתפות גופי החירום לפי סוג אירוע החירום בכל שנה, כולל מספר תרגילים וממוצע משתתפים

```
SELECT
    EXTRACT (YEAR FROM ed.EmdrDate) AS Year,
    ed.EmdrEmergencyType,
    COUNT (DISTINCT ed.EmdrId) AS DrillsCount,
    AVG (ed.EmdrParticipantsCount) AS AvgParticipants
FROM
    EmergencyDrill ed
JOIN
    TakingPart tp ON ed.EmdrId = tp.EmdrId
GROUP BY
    EXTRACT (YEAR FROM ed.EmdrDate), ed.EmdrEmergencyType
HAVING
    COUNT (DISTINCT ed.EmdrId) > 1
ORDER BY
    Year DESC, DrillsCount DESC;
```

	YEAR	EMDREMERGENCYTYPE	DRILLSCOUNT	AVGPARTICIPANTS
1	2024	tornado drill	23	252.886363636364
2	2024	active shooter drill	19	262.466666666667
3	2024	evacuation drill	18	269.6
4	2024	fire drill	18	261
5	2024	earthquake drill	14	246.736842105263
6	2023	active shooter drill	40	237.507692307692
7	2023	earthquake drill	36	228.888888888889
8	2023	fire drill	31	260.705882352941
9	2023	tornado drill	29	238.725490196078
10	2023	evacuation drill	21	255.444444444444

16:1 moriya11 10 rows selected in 0.093 seconds



4. אנשי צוות שאינם מקבלים משכורת והשתתפו באירוע בסטטוס 0 (באירוע שהתחקיר שלו הסתיים), והצגת שמם ומספר הצוות.

```

SELECT
    t.TeName AS TeamName,
    t.TeId AS TeamID
FROM
    TeamP t
JOIN
    ActIn a ON t.TeId = a.TeId
JOIN
    EvDebriefing ed ON a.EvId = ed.DeId
WHERE
    NOT EXISTS (
        SELECT 1
        FROM
            Worker w
        WHERE
            w.TeId = t.TeId
            AND w.WoSalary IS NOT NULL
    )
    AND ed.DeStatus = 0
ORDER BY
    t.TeName ASC;

```

	TEAMNAME	TEAMID
1	Annalise	77
2	Barrie	204
3	Barrie	204
4	Birgit	193
5	Brooke	271
6	Corey	144
7	Dalia	163
8	Dalia	163
9	Darrick	182
10	Enrico	367
11	Francisco	335
12	Freeland	186
13	Heloise	303
14	Jeramie	387
15	Kathie	277
16	Kele	374
17	Laurie	145
18	Laurie	145
19	Monroe	364
20	...	...

28 rows selected in 0.14 seconds



UPDATE

1. עדכון המשכורת של מי שהשתתף ביותר מ-3 אירועים וביותר מ-3 תרגילים בתוספת של 2000 ₪

```
UPDATE Worker
SET WoSalary = WoSalary + 2000
WHERE TeId IN (
    SELECT TeId
    FROM (
        SELECT TeId
        FROM ActIn
        GROUP BY TeId
        HAVING COUNT(EvId) > 3
        INTERSECT
        SELECT TeId
        FROM Practicing
        GROUP BY TeId
        HAVING COUNT(EmdrId) > 3
    ) CombinedData
);
```

2:27 moriya11 1 row updated in 0.016 seconds

	WOSALARY	TEID
1	15714	136



2. שאילתת עדכון שתעדכן את הסטטוס של התחקירים של האירועים שהתרחשו לפני שנת 2005 ל: 0

SQL Window - Update2.sql

```

SQL      Output  Statistics
UPDATE EvDebriefing
SET DeStatus = 0
WHERE DebId IN (
    SELECT De.DebId
    FROM EvDebriefing De
    INNER JOIN ReoprtEv R ON De.DebId = R.DebId
    INNER JOIN Worker W ON R.TeId = W.TeId
    INNER JOIN TeamP T ON W.TeId = T.TeId
    INNER JOIN ActIn A ON T.TeId = A.TeId
    INNER JOIN Event E ON A.EvId = E.EvId
    WHERE E.EveDate < TO_DATE('01/01/2005', 'DD/MM/YYYY')
);

```

13:1 moriya11 64 rows updated in 0.016 seconds

	DEBID	DERESPONSIBILITY	DESTATUS	DECONCLUSION
1	964	Nadav Shalem	0	Well Done
2	974	Nadav Shalem	0	Failure
3	979	Nadav Shalem	1	Well Done
4	981	Nadav Shalem	1	Well Done
5	987	Nadav Shalem	0	Medium operation
6	877	Nadav Shalem	0	Failure
7	878	Nadav Shalem	0	Failure
8	889	Nadav Shalem	1	Improvement required
9	894	Nadav Shalem	0	Improvement required
10	895	Nadav Shalem	1	Well Done
11	920	Nitai Gal	0	Failure
12	924	Nitai Gal	1	Well Done
13	925	Nitai Gal	1	Well Done
14	931	Nitai Gal	1	Well Done
15	935	Nitai Gal	1	Medium operation
16	936	Nitai Gal	0	Well Done
17	938	Nitai Gal	0	Failure
18	946	Nadav Shalem	0	Well Done
19	952	Nadav Shalem	0	Improvement required
20	956	Nadav Shalem	1	Failure

13:1 moriya11 64 rows selected in 0.093 seconds



DELETE

1. מחיקת כל העובדים שלא השתתפו בשום אירוע/ תרגיל

SQL	Output	Statistics
<pre> -- מחיקת רשומות בטבלת ReoprtEv DELETE FROM ReoprtEv WHERE TeId IN (SELECT TeId FROM TeamP WHERE TeId NOT IN (SELECT TeId FROM ActIn) AND TeId NOT IN (SELECT TeId FROM Practicing)); -- מחיקת רשומות בטבלת ActIn DELETE FROM ActIn WHERE TeId IN (SELECT TeId FROM TeamP WHERE TeId NOT IN (SELECT TeId FROM Practicing)); -- מחיקת רשומות בטבלת Practicing DELETE FROM Practicing WHERE TeId IN (SELECT TeId FROM TeamP WHERE TeId NOT IN (SELECT TeId FROM ActIn)); -- מחיקת רשומות בטבלת Worker DELETE FROM Worker WHERE TeId IN (SELECT TeId FROM TeamP WHERE TeId NOT IN (SELECT TeId FROM ActIn) AND TeId NOT IN (SELECT TeId FROM Practicing)); -- מחיקת רשומות בטבלת TeamP DELETE FROM TeamP WHERE TeId NOT IN (SELECT TeId FROM ActIn) AND TeId NOT IN (SELECT TeId FROM Practicing); </pre>		
Delete reoprtEv Delete actin Delete practicing Delete worker Delete teamp		
(no result set)		
 & 37:42 moriya11 250 rows deleted in 0.047 seconds		



2. מחיקת כל התרגילים שאירעו במקום מסוים ושארכו פחות מ-60 דקות-

```
-- מחיקת כל התר ילים שארע במיקום מסוים ושמשך הזמן שלהם קטן מ-60 דקות-
DELETE FROM TakingPart
WHERE EmdrId IN (
    SELECT EmdrId
    FROM EmergencyDrill
    WHERE EmdrLocation = '17 Service Alley' AND EmdrDurationMinutes < 60
) AND BoId IN (
    SELECT BoId
    FROM EmergenBodies
    WHERE EvId IN (
        SELECT EvId
        FROM Event
        WHERE EveLocation = '17 Service Alley'
    )
) AND NOT EXISTS (
    SELECT 1
    FROM TakingPart tp
    WHERE tp.EmdrId = TakingPart.EmdrId
    AND tp.BoId != TakingPart.BoId
);
```



שאלות עם פרמטרים

שאלתה למציאת כל האירועים שחבר צוות מסוים משתתף בהם

```
-- שמו ניתן כפרמטר) שאלתו למצאת כי האירועים שחבר צוות מסוים 1.
-- פרמטרים: @TeName (שם חבר הצוות)
SELECT E.EveName, E.EveDate, E.EveLocation, R.RoName
FROM Event E
JOIN ActIn AI ON E.EvId = AI.EvId
JOIN TeamP T ON AI.TeId = T.TeId
JOIN RolesP R ON T.RoId = R.RoId
WHERE T.TeName = '&TeName'
ORDER BY E.EveDate;
```

עבור חבר הצוות Wrennie, נקבל-

SELECT event	SELECT emergencydrill	SELECT evdebriefing	SELECT teamp
EVENAME	EVE DATE	EVELOCATION	RONAME
1 Flood	05/01/2002	Kfar Saba	Disaster Recovery Coordinator
2 Earthquake	08/05/2011	Migdal HaEmek	Disaster Recovery Coordinator

שאלתה למציאת כל אירועי החירום שהתרחשו בשנה מסוימת

```
-- שאלתה לרשימת כל התו גיליון החירום שהתרחשו בשנה מסוימת 2.
-- פרמטרים: @year (שנת תרגילי החירום)
SELECT ED.EmdrDate, ED.EmdrLocation, ED.EmdrEmergencyType, B.BoName, ED.EmdrParticipantsCount
FROM EmergencyDrill ED
JOIN TakingPart TP ON ED.EmdrId = TP.EmdrId
JOIN EmergenBodies B ON TP.BoId = B.BoId
WHERE EXTRACT(YEAR FROM ED.EmdrDate) = &year
ORDER BY ED.EmdrDate;
```

עבור שנת 2023, נקבל-

EMDRDATE	EMDRLOCATION	EMDREMERGENCYTYPE	BONAME	EMDRPARTICIPANTS COUNT
1 30/05/2023	84 Sundown Junction	earthquake drill	National Guard	52
2 03/06/2023	4824 Moulton Crossing	evacuation drill	National Guard	57
3 03/06/2023	56532 Mallard Trail	fire drill	Police	153
4 03/06/2023	56532 Mallard Trail	fire drill	Mountain Rescue	153
5 05/06/2023	34730 Fuller Avenue	earthquake drill	Public Health Emergency Services	278
6 05/06/2023	34730 Fuller Avenue	earthquake drill	Anti-Terrorism Units	278
7 05/06/2023	34730 Fuller Avenue	earthquake drill	Wildlife Rescue	278
8 05/06/2023	34730 Fuller Avenue	earthquake drill	Water Rescue	278
9 06/06/2023	354 Anderson Avenue	earthquake drill	Fire Department	379
10 08/06/2023	59837 Bellgrove Hill	earthquake drill	National Guard	315
11 08/06/2023	59837 Bellgrove Hill	earthquake drill	Fire Department	315
12 08/06/2023	59837 Bellgrove Hill	earthquake drill	Red Cross	315
13 11/06/2023	27 Fairview Terrace	tornado drill	National Guard	320
14 11/06/2023	0242 Grim Plaza	fire drill	Mountain Rescue	124
15 11/06/2023	0242 Grim Plaza	fire drill	Search and Rescue	124
16 15/06/2023	105 Mifflin Place	earthquake drill	Fire Department	457



שאלתה למציאת פרטי התחקירים לפי מסקנת תחקיר וסטטוס

```
-- שאלוה לקבלת פרטי הודיעים על בסיס הסטטוס והמסקנה שלהם.
-- (רמז למסקנת התדריך) @DeConclusion, (סטטוס התדריך) @DeStatus
SELECT D.DeConclusion, D.DeResponsibility, T.TeName, D.DeStatus
FROM EvDebriefing D
JOIN ReoprtEv RE ON D.DebId = RE.DebId
JOIN Worker W ON RE.TeId = W.TeId
JOIN TeamP T ON W.TeId = T.TeId
WHERE D.DeStatus = &DeStatus AND D.DeConclusion LIKE '%' || '&DeConclusion' || '%'
ORDER BY D.DeConclusion;
```

עבור תחקירים "WELL DONE" שבסטטוס 0, נקבל-

	DECONCLUSION	DERESPONSIBILITY	TENAME	DESTATUS
1	Well Done	Nitai Gal	Wrennie	0
2	Well Done	Nitai Gal	Albertina	0
3	Well Done	Nitai Gal	Ezmeralda	0
4	Well Done	Nadav Shalem	Dukie	0
5	Well Done	Nitai Gal	Mitchell	0
6	Well Done	Nadav Shalem	Ronaldi	0
7	Well Done	Nadav Shalem	Ashlin	0
8	Well Done	Nadav Shalem	Agathe	0
9	Well Done	Nadav Shalem	Terrence	0
10	Well Done	Nitai Gal	Terrence	0
11	Well Done	Nadav Shalem	Timothee	0
12	Well Done	Nitai Gal	Gloriane	0
13	Well Done	Nadav Shalem	Adelbert	0
14	Well Done	Nitai Gal	Bibbie	0
15	Well Done	Nadav Shalem	Shaine	0
16	Well Done	Nitai Gal	Hvacantha	0

שאלתה למציאת כל חברי הצוות שהשתתפו באירועים שהתרחשו בטווח תאריכים מסוים

```
-- שאלתו לרשימת כל חברי הצוות שהשתתפו בתרגילי חירום בטווח תאריכים מסוים.
-- (תאריך סיום) @endDate, (תאריך התחלה) @startDate
SELECT T.TeName, R.RoName, ED.EmdrDate, ED.EmdrDurationMinutes
FROM TeamP T
JOIN Practicing P ON T.TeId = P.TeId
JOIN EmergencyDrill ED ON P.EmdrId = ED.EmdrId
JOIN RolesP R ON T.RoId = R.RoId
WHERE ED.EmdrDate BETWEEN TO_DATE('&startDate', 'YYYY-MM-DD') AND TO_DATE('&endDate', 'YYYY-MM-DD')
ORDER BY ED.EmdrDate, T.TeName;
```

עבור השנים 2023-2024 נקבל-

	TENAME	RONAME	EMDRDATE	EMDRDURATIONMINUTES
1	Shelli	Regional Operations Officer	30/05/2023	30
2	Dion	Operational Fire Safety Manager	31/05/2023	45
3	Florinda	Operations Liaison with United Nations Agencies	01/06/2023	120
4	Vania	Operational Cultural Resource Manager	01/06/2023	120
5	Clarie	Operations Liaison with Social Services	03/06/2023	45
6	Haleigh	Operational Systems Upgrade Project Manager	03/06/2023	45
7	Shelli	Regional Operations Officer	03/06/2023	45
8	Jenni	Head of Operational Investigations	08/06/2023	1
9	Silvano	Critical Incident Stress Management Coordinator	08/06/2023	1
10	Florenza	Operational Geospatial Intelligence Analyst	10/06/2023	180
11	Dorrie	Operations Liaison with Occupational Safety and Health Administration	11/06/2023	180
12	Marcel	Medical Liaison with Hospitals	14/06/2023	30
13	Jorrie	Operations Liaison with International Red Crescent	16/06/2023	120
14	Annalise	Critical Incident Stress Management Coordinator	20/06/2023	45



אילוצים

האילוצים הם-

1. משך התרגיל חייב להיות גדול מ0.
2. במידה ולא הוזנה משכורת, ערך ברירת המחדל יהיה 3000
3. בדיקה שהמייל של העובד לא זהה למייל שקיים במערכת


```
--אילוצ משך התרגיל-
ALTER TABLE EmergencyDrill
ADD CONSTRAINT chk_EmdrDurationMinutes CHECK (EmdrDurationMinutes > 0);

--הגדרת ירך ברירת מחדל של משכורת-
ALTER TABLE Worker
MODIFY WoSalary DEFAULT 3000;

--אילוי שי מייל שלא יחזור על עצמו-
ALTER TABLE TeamP
ADD CONSTRAINT unq_TeEmail UNIQUE (TeEmail);
```

נסיון לעקוף את אילוצ 1-

```
INSERT INTO EmergencyDrill (EmdrDate, EmdrId, EmdrDurationMinutes, EmdrEmergencyType, EmdrLocation, EmdrParticipantsCount, EmdrAddress)
VALUES (TO_DATE('2023-01-01', 'YYYY-MM-DD'), 1, -10, 'Fire', 'Location A', 50, 'Address A');
```



אילוצ 2-

```
--INSERT INTO Worker (TeId)
--VALUES (1);
SELECT TeId, WoSalary
FROM Worker
WHERE TeId = 1;
```

TEID	WOSALARY
1	3000

אילוצ 3-



```
INSERT INTO TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId)
VALUES (1, 'Address A', '1234567890', 'John Doe', 'john.doe@example.com', 1);

INSERT INTO TeamP (TeId, TeAddress, TePhone, TeName, TeEmail, RoId)
VALUES (2, 'Address B', '0987654321', 'Jane Doe', 'john.doe@example.com', 2);
```

Error



ORA-00001: unique constraint (MORIYA11.SYS_C008265) violated

OK

Cancel

Help



ROLLBACK&COMMIT

הכנסת נתונים ללא שמירה-

```
COMMIT;  
INSERT INTO EVENT(EVENAME, EVEDATE, EVELOCATION, EVRESPONSIBILITY, EVEDESCRIBE, EVID) VALUES ('Acccident1343', TO_DATE('12-12-2012', 'MM-DD-YY'), 'Tel Aviv', 'Acccident', 'Acccident', 1343);  
ROLLBACK;
```

Commit Insert event Rollback

(no result set)

1:8 moriya11 Done in 0 seconds

הכנסת נתונים עם שמירה ושימוש בCOMMIT -

```
COMMIT;  
INSERT INTO EVENT(EVENAME, EVEDATE, EVELOCATION, EVRESPONSIBILITY, EVEDESCRIBE, EVID) VALUES ('Acccident1343', TO_DATE('12-12-2012', 'MM-DD-YY'), 'Tel Aviv', 'Acccident', 'Acccident', 1343);
```

Commit Insert event

(no result set)

3:1 moriya11 1 row inserted in 0 seconds



שלב ג – תכנות:

תכנות א:

פונקציה א' - הפונקציה CalculateSalary מחשבת את המשכורת של עובד מסוים על סמך מזהה העובד, החודש והשנה שנמסרו לה. הפונקציה מתחילה בקבלת המשכורת הבסיסית של העובד מטבלת Worker. אם אין נתונים בטבלה, היא מגדירה את המשכורת הבסיסית לערך ברירת מחדל של 1000 ש"ח. לאחר מכן, הפונקציה פותחת שני cursors: הראשון לחישוב מספר התרגילים ומשך הזמן הכולל, והשני לחישוב מספר האירועים שהעובד השתתף בהם בחודש הנתון. עבור כל תרגיל, הפונקציה מוסיפה את משך הזמן הכולל למשכורת אם העובד השתתף ביותר משני תרגילים. עבור כל אירוע, היא מוסיפה בonus של 500 ש"ח אם העובד השתתף ביותר משלושה אירועים. לבסוף, הפונקציה מעדכנת את טבלת Worker עם המשכורת הכוללת החדשה ומחזירה את המשכורת הכוללת.

```

1 CREATE OR REPLACE FUNCTION CalculateSalary(te_id INT, report_month INT, report_year INT) RETURN INT IS
2     base_salary INT;
3     total_salary INT;
4     num_exercises INT;
5     total_duration INT;
6     num_events INT;
7     CURSOR exercise_cursor IS
8         SELECT EmdrDurationMinutes, COUNT(*) AS exercise_count
9         FROM Practicing P
10        JOIN EmergencyDrill E ON P.EmdrId = E.EmdrId
11        WHERE P.TeId = te_id
12              AND EXTRACT(MONTH FROM E.EmdrDate) = report_month
13              AND EXTRACT(YEAR FROM E.EmdrDate) = report_year
14        GROUP BY EmdrDurationMinutes;
15     exercise_record exercise_cursor%ROWTYPE;
16     CURSOR event_cursor IS
17         SELECT COUNT(*) AS event_count
18         FROM ActIn A
19        JOIN Event E ON A.EvId = E.EvId
20        WHERE A.TeId = te_id
21              AND EXTRACT(MONTH FROM E.EveDate) = report_month
22              AND EXTRACT(YEAR FROM E.EveDate) = report_year;
23     event_record event_cursor%ROWTYPE;
24 BEGIN
25     -- Get the base salary from the Worker table
26     BEGIN
27         SELECT WoSalary INTO base_salary FROM Worker WHERE TeId = te_id;
28     EXCEPTION
29     WHEN NO_DATA_FOUND THEN
30         base_salary := 1000; -- ערך ברירת מחיל במקרה ואין נתונים בטבלת
31     END;
32
33     -- Initialize total salary with the base salary
34     total_salary := base_salary;
35
36     -- Open the exercise cursor
37     OPEN exercise_cursor;
38     LOOP
39         FETCH exercise_cursor INTO exercise_record;
40         EXIT WHEN exercise_cursor%NOTFOUND;
41
42         -- Calculate total duration and count of exercises
43         total_duration := total_duration + exercise_record.EmdrDurationMinutes;
44         num_exercises := exercise_record.exercise_count;

```



```

45 END LOOP;
46 CLOSE exercise_cursor;
47
48 -- Add exercise bonus if applicable
49 IF num_exercises > 2 THEN
50     total_salary := total_salary + total_duration;
51 END IF;
52
53 -- Open the event cursor
54 OPEN event_cursor;
55 LOOP
56     FETCH event_cursor INTO event_record;
57     EXIT WHEN event_cursor%NOTFOUND;
58
59     -- Calculate number of events
60     num_events := event_record.event_count;
61 END LOOP;
62 CLOSE event_cursor;
63
64 -- Add event bonus if applicable
65 IF num_events > 3 THEN
66     total_salary := total_salary + 500;
67 END IF;
68
69 -- Update the Worker table with the new total salary
70 UPDATE Worker
71 SET WoSalary = total_salary
72 WHERE TeId = te_id;
73
74 RETURN total_salary;
75 EXCEPTION
76 WHEN OTHERS THEN
77     RETURN base_salary; -- במקרה של שגיאה,
78 END CalculateSalary;
79

```

לדוגמה, עבור העובד עם מס' זהות 11, בתאריך 6.2023 נקבל-

Test Window - Script for function CALCULATESALARY

Test script DBMS Output Statistics Profiler Trace

205

```

1 begin
2     -- Call the function
3     :result := calculatesalary(te_id => :te_id,
4                               month => :month,
5                               year => :year);
6 end;

```

Variable	Type	Value
result	Integer	15450
te_id	Integer	11
month	Integer	6
year	Integer	2023

1:1 moriya11 Executed in 0.578 seconds



פרוצדורה א' - הפרוצדורה מייצרת דוח חודשי עבור כל העובדים שהשתתפו באירועים או תרגילים בחודש ושנה נתונים, ומחזירה ref cursor עם פרטי העובדים. הפרוצדורה פותחת cursor בשם employee_cursor שמחזיר רשימה של מזהי העובדים ושמותיהם אשר השתתפו באירועים או תרגילים בחודש ושנה הנתונים. בתוך לולאה, הפרוצדורה מחשבת את המשכורת עבור כל עובד על ידי קריאה לפונקציה CalculateSalary, מחשבת את מספר האירועים והתרגילים ומשך הזמן הכולל בחודש הנתון, ומדפיסה את הדוח באמצעות DBMS_OUTPUT.PUT_LINE. בתוך הלולאה, הפרוצדורה מאחסנת את מזהי העובדים במחרוזת מאוחדת (teid_list). בסיום הלולאה, הפרוצדורה מסירה את הפסיק האחרון מהמחרוזת המאוחדת ופותחת ref cursor שמחזיר את רשימת העובדים עם שמותיהם מתוך טבלת TeamP עבור מזהי העובדים שנמצאים במחרוזת המאוחדת. במקרה של שגיאה, הפרוצדורה מפעילה את בלוק ה-EXCEPTION ומשתמשת בפקודת RAISE_APPLICATION_ERROR כדי להחזיר הודעת שגיאה מותאמת אישית.

```

1 CREATE OR REPLACE PROCEDURE GenerateMonthlyActivityReport(report_month IN NUMBER, report_year IN NUMBER, report_ref_cursor OUT SYS_REFCURSOR) IS
2   CURSOR employee_cursor IS
3     SELECT DISTINCT TeId, TeName
4     FROM TeamP
5     WHERE TeId IN (
6       SELECT TeId
7       FROM ActIn A
8       JOIN Event E ON A.EvId = E.EvId
9       WHERE EXTRACT(MONTH FROM E.EveDate) = report_month
10        AND EXTRACT(YEAR FROM E.EveDate) = report_year
11     UNION
12     SELECT TeId |
13     FROM Practicing P
14     JOIN EmergencyDrill E ON P.EmdrId = E.EmdrId
15     WHERE EXTRACT(MONTH FROM E.EmdrDate) = report_month
16        AND EXTRACT(YEAR FROM E.EmdrDate) = report_year
17   );
18
19   emp_record employee_cursor%ROWTYPE;
20   total_salary INT;
21   event_count INT;
22   exercise_count INT;
23   total_duration INT;
24   teid_list VARCHAR2(4000) := '';
25
26 BEGIN
27   -- Open the cursor for all employees who participated in events or exercises in the given month and year
28   OPEN employee_cursor;
29
30   -- Loop through all employees and calculate monthly salary
31   LOOP
32     FETCH employee_cursor INTO emp_record;
33     EXIT WHEN employee_cursor%NOTFOUND;
34
35     -- Add TeId to the concatenated string
36     teid_list := teid_list || emp_record.TeId || ',';
37
38     -- Calculate salary for each employee
39     total_salary := CalculateSalary(emp_record.TeId, report_month, report_year);
40
41     -- Calculate number of events and exercises in the given month
42     SELECT COUNT(*), NVL(SUM(EmdrDurationMinutes), 0)
43     INTO exercise_count, total_duration
44     FROM Practicing P
45     WHERE EmdrId IN (SELECT EmdrId FROM Practicing WHERE TeId = emp_record.TeId)
46        AND EXTRACT(MONTH FROM EmdrDate) = report_month
47        AND EXTRACT(YEAR FROM EmdrDate) = report_year;
48
49     SELECT COUNT(*)
50     INTO event_count
51     FROM ActIn A
52     WHERE TeId = emp_record.TeId
53        AND EXTRACT(MONTH FROM (SELECT EveDate FROM Event WHERE Event.EvId = ActIn.EvId)) = report_month
54        AND EXTRACT(YEAR FROM (SELECT EveDate FROM Event WHERE Event.EvId = ActIn.EvId)) = report_year;
55
56     -- Print the report
57     DBMS_OUTPUT.PUT_LINE('Employee: ' || emp_record.TeName ||
58       ', Events: ' || event_count ||
59       ', Exercises: ' || exercise_count ||
60       ', Total Duration: ' || total_duration ||
61       ', Salary: ' || total_salary);
62   END LOOP;
63
64   CLOSE employee_cursor;
65
66   -- Remove the last comma from the concatenated string
67   IF LENGTH(teid_list) > 0 THEN
68     teid_list := SUBSTR(teid_list, 1, LENGTH(teid_list) - 1);
69   END IF;
70
71   -- Open ref cursor for the report
72   OPEN report_ref_cursor FOR
73     'SELECT TeId, TeName'
74     FROM TeamP
75     WHERE TeId IN (' || teid_list || ');
76
77 EXCEPTION
78   WHEN OTHERS THEN
79     RAISE_APPLICATION_ERROR(-20002, 'Error generating report');
80 END GenerateMonthlyActivityReport;
81

```

moriyall Compiled successfully



לדוגמה, עבור החודש 6.2023 המנהל יקבל את הדו"ח הבא-

Test script DBMS Output Statistics Profiler Trace

```

1 begin
2 -- Call the procedure
3 generateMonthlyActivityReport(report_month => :report_month,
4                               report_year => :report_year,
5                               report_ref_cursor => :report_ref_cursor);
6 end;
```

Variable	Type	Value
report_month	Float	6
report_year	Float	2023
report_ref_cursor	Cursor	<Cursor>

1:1 moriya11 Executed in 0.609 seconds

```

Employee: Wrennie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 24779
Employee: Pinchas, Events: 0, Exercises: 1, Total Duration: 685, Salary: 1000
Employee: Kelwin, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Merci, Events: 1, Exercises: 0, Total Duration: 0, Salary: 1000
Employee: Dido, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Whittaker, Events: 0, Exercises: 1, Total Duration: 685, Salary: 1000
Employee: Latashia, Events: 0, Exercises: 1, Total Duration: 180, Salary: 16161
Employee: Elbert, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Hettie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 19668
Employee: Ruthann, Events: 0, Exercises: 1, Total Duration: 685, Salary: 19305
Employee: Timothee, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Adelbert, Events: 1, Exercises: 0, Total Duration: 0, Salary: 5102
Employee: Frazee, Events: 0, Exercises: 1, Total Duration: 180, Salary: 14335
Employee: Lotta, Events: 0, Exercises: 1, Total Duration: 180, Salary: 5977
Employee: Devi, Events: 0, Exercises: 1, Total Duration: 180, Salary: 4106
Employee: Zsazsa, Events: 0, Exercises: 1, Total Duration: 180, Salary: 8063
Employee: Zeke, Events: 0, Exercises: 1, Total Duration: 180, Salary: 22796
Employee: Miguella, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21127
Employee: Bennie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 15810
Employee: Brnaba, Events: 0, Exercises: 1, Total Duration: 180, Salary: 3765
Employee: Biron, Events: 0, Exercises: 1, Total Duration: 180, Salary: 819
Employee: Nowell, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21443
Employee: Andy, Events: 1, Exercises: 0, Total Duration: 0, Salary: 1000
Employee: Francesco, Events: 1, Exercises: 1, Total Duration: 452, Salary: 1000
Employee: Patty, Events: 0, Exercises: 1, Total Duration: 180, Salary: 9623
Employee: Yettie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Rik, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21708
Employee: Leslie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Roxine, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Mylo, Events: 0, Exercises: 1, Total Duration: 180, Salary: 10294
Employee: Freeland, Events: 0, Exercises: 1, Total Duration: 180, Salary: 7571
Employee: Roderich, Events: 0, Exercises: 1, Total Duration: 180, Salary: 14724
Employee: Findley, Events: 1, Exercises: 0, Total Duration: 0, Salary: 1000
Employee: Haleigh, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Oren, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Christalle, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Court, Events: 0, Exercises: 1, Total Duration: 180, Salary: 23365
Employee: Ulick, Events: 1, Exercises: 0, Total Duration: 0, Salary: 24638
Employee: Stavro, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Eleni, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Araldo, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21302
Employee: Mariann, Events: 0, Exercises: 1, Total Duration: 180, Salary: 22943
Employee: Phillie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 8063
Employee: Pauline, Events: 1, Exercises: 0, Total Duration: 0, Salary: 12794
```



תוכנית ראשית א'-

התוכנית מתחילה בקבלת קלט מהמשתמש עבור החודש והשנה שבהם יבוצע הדוח. לאחר מכן, היא מפעילה את הפרוצדורה 'GenerateMonthlyActivityReport' עם הפרמטרים של החודש והשנה ומקבלת את ה-ref cursor. בלולאה הראשונה, התוכנית מעבדת את ה-ref cursor ומדפיסה את מזהי העובדים ושמותיהם. לאחר סגירת ה-ref cursor, התוכנית מתחילה לולאה שנייה לחישוב משכורת לעובדים לפי מזהי העובדים שהמשתמש מכניס. עבור כל מזהה עובד, התוכנית מחשבת את המשכורת החודשית באמצעות הפונקציה 'CalculateSalary' ומדפיסה את המשכורת. התוכנית שואלת את המשתמש אם לחשב משכורת לעובד נוסף. אם המשתמש מכניס ערך שונה מ-Y, הלולאה מסתיימת. אם מתרחשת שגיאה במהלך הביצוע, התוכנית תדפיס הודעת שגיאה.

```

DECLARE
    report_month NUMBER;
    report_year NUMBER;
    emp_id NUMBER;
    total_salary INT;
    choice CHAR(1);
    report_ref_cursor SYS_REFCURSOR;
    te_id TeamP.TeId%TYPE;
    te_name TeamP.TeName%TYPE;
BEGIN
    -- קבלת קלי עבור החודש והשנה של הדוח
    DBMS_OUTPUT.PUT_LINE('Enter the month for the report (1-12):');
    report_month := &report_month;

    DBMS_OUTPUT.PUT_LINE('Enter the year for the report (e.g., 2023):');
    report_year := &report_year;

    -- דוג' מודם
    DBMS_OUTPUT.PUT_LINE('Generating Monthly Report...');
    GenerateMonthlyActivityReport(report_month, report_year, report_ref_cursor);

    -- ref cursor עיבוד ה
    LOOP
        FETCH report_ref_cursor INTO te_id, te_name;
        EXIT WHEN report_ref_cursor%NOTFOUND;
        DBMS_OUTPUT.PUT_LINE('Employee ID: ' || te_id || ', Employee Name: ' || te_name);
    END LOOP;

    -- ref cursor סגירת ה
    CLOSE report_ref_cursor;

    -- חישוב משכורת לעובדים במספר מחזוריים
    LOOP
        DBMS_OUTPUT.PUT_LINE('Enter Employee ID for salary calculation:');
        emp_id := &emp_id; -- קבלת ילט עבור מספר העובד

        total_salary := CalculateSalary(emp_id, report_month, report_year);
        DBMS_OUTPUT.PUT_LINE('Total salary for Employee ID ' || emp_id || ' for ' || report_month || '/' || report_year || ' is: ' || total_salary);

        DBMS_OUTPUT.PUT_LINE('Do you want to calculate salary for another employee? (Y/N)');
        choice := '&choice'; -- קבלת קלט עבור בחירת המשך (Y/N)

        choice := UPPER(choice);
        EXIT WHEN choice <> 'Y';
    END LOOP;

    -- ref cursor סגירת ה
    CLOSE report_ref_cursor;

    -- חישוב משכורת לעובדים במספר מחזוריים
    LOOP
        DBMS_OUTPUT.PUT_LINE('Enter Employee ID for salary calculation:');
        emp_id := &emp_id; -- קבלת ילט עבור מספר העובד

        total_salary := CalculateSalary(emp_id, report_month, report_year);
        DBMS_OUTPUT.PUT_LINE('Total salary for Employee ID ' || emp_id || ' for ' || report_month || '/' || report_year || ' is: ' || total_salary);


        DBMS_OUTPUT.PUT_LINE('Do you want to calculate salary for another employee? (Y/N)');
        choice := '&choice'; -- קבלת קלט עבור בחירת המשך (Y/N)

        choice := UPPER(choice);
        EXIT WHEN choice <> 'Y';
    END LOOP;

EXCEPTION
    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE('Error occurred: ' || SQLERRM);
END;
```



למשל, עבור הקלטים-



Name	Value
report_month	
report_year	2023
emp_id	47
choice	N

OK Cancel Clear

נקבל את הפלט-

```
Enter the month for the report (1-12):
Enter the year for the report (e.g., 2023):
Generating Monthly Report...
Employee: Wrennie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 24779
Employee: Finchas, Events: 0, Exercises: 1, Total Duration: 685, Salary: 1000
Employee: Kelwin, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Mercil, Events: 1, Exercises: 0, Total Duration: 0, Salary: 1000
Employee: Dido, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Whittaker, Events: 0, Exercises: 1, Total Duration: 685, Salary: 1000
Employee: Lataashia, Events: 0, Exercises: 1, Total Duration: 180, Salary: 16161
Employee: Elbert, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Hettie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 19668
Employee: Ruthann, Events: 0, Exercises: 1, Total Duration: 685, Salary: 19305
Employee: Timothee, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Adelbert, Events: 1, Exercises: 0, Total Duration: 0, Salary: 5102
Employee: Frazee, Events: 0, Exercises: 1, Total Duration: 180, Salary: 14335
Employee: Lotta, Events: 0, Exercises: 1, Total Duration: 180, Salary: 5977
Employee: Devi, Events: 0, Exercises: 1, Total Duration: 180, Salary: 4106
Employee: Zsazsa, Events: 0, Exercises: 1, Total Duration: 180, Salary: 8063
Employee: Zeke, Events: 0, Exercises: 1, Total Duration: 180, Salary: 22796
Employee: Miguels, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21127
Employee: Bennie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 15810
Employee: Brnaba, Events: 0, Exercises: 1, Total Duration: 180, Salary: 3765
Employee: Bixon, Events: 0, Exercises: 1, Total Duration: 180, Salary: 819
Employee: Nowell, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21443
Employee: Andy, Events: 1, Exercises: 0, Total Duration: 0, Salary: 1000
Employee: Francesco, Events: 1, Exercises: 1, Total Duration: 452, Salary: 1000
Employee: Patty, Events: 0, Exercises: 1, Total Duration: 180, Salary: 9623
Employee: Yettie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Rik, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21708
Employee: Leslie, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Roxine, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Mylo, Events: 0, Exercises: 1, Total Duration: 180, Salary: 10294
Employee: Freeland, Events: 0, Exercises: 1, Total Duration: 180, Salary: 7571
Employee: Roderich, Events: 0, Exercises: 1, Total Duration: 180, Salary: 14724
Employee: Findley, Events: 1, Exercises: 0, Total Duration: 0, Salary: 1000
Employee: Haleigh, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Oren, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Cristalle, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Court, Events: 0, Exercises: 1, Total Duration: 180, Salary: 23365
Employee: Ulick, Events: 1, Exercises: 0, Total Duration: 0, Salary: 24638
Employee: Stavro, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Eleni, Events: 0, Exercises: 1, Total Duration: 180, Salary: 1000
Employee: Araldo, Events: 0, Exercises: 1, Total Duration: 180, Salary: 21302

Employee ID: 186, Employee Name: Freeland
Employee ID: 188, Employee Name: Roderich
Employee ID: 194, Employee Name: Findley
Employee ID: 197, Employee Name: Haleigh
Employee ID: 200, Employee Name: Oren
Employee ID: 201, Employee Name: Christalle
Employee ID: 209, Employee Name: Court
Employee ID: 210, Employee Name: Ulick
Employee ID: 212, Employee Name: Stavro
Employee ID: 218, Employee Name: Eleni
Employee ID: 219, Employee Name: Araldo
Employee ID: 224, Employee Name: Mariann
Employee ID: 228, Employee Name: Phillie
Employee ID: 233, Employee Name: Pauline
Employee ID: 235, Employee Name: Ange
Employee ID: 242, Employee Name: Brannon
Employee ID: 243, Employee Name: Gunther
Employee ID: 248, Employee Name: Odie
Employee ID: 250, Employee Name: Marcel
Employee ID: 252, Employee Name: Harland
Employee ID: 253, Employee Name: Shelli
Employee ID: 258, Employee Name: Sidoney
Employee ID: 263, Employee Name: Liza
Employee ID: 272, Employee Name: Renee
Employee ID: 295, Employee Name: Farrel
Employee ID: 298, Employee Name: Irwin
Employee ID: 301, Employee Name: EreK
Employee ID: 307, Employee Name: Brock
Employee ID: 308, Employee Name: Giacinta
Employee ID: 310, Employee Name: Ellette
Employee ID: 339, Employee Name: Kimberlyn
Employee ID: 362, Employee Name: Susi
Employee ID: 368, Employee Name: Jens
Employee ID: 371, Employee Name: Abraham
Employee ID: 379, Employee Name: Aldridge
Employee ID: 382, Employee Name: Anastassia
Employee ID: 387, Employee Name: Jeramie
Employee ID: 393, Employee Name: Johnath
Employee ID: 394, Employee Name: Jayne
Employee ID: 396, Employee Name: Nara
Enter Employee ID for salary calculation:
Total salary for Employee ID 47 for 6/2023 is: 1000
Do you want to calculate salary for another employee? (Y/N)
.
```



תכנות ב:

פונקציה ב' -

הפונקציה CalcEmergRespEff מחשבת את היעילות של גוף חירום מסוים על פי מספר תרגילים ואירועים שבהם השתתף במהלך שנה נתונה. הפונקציה מתחילה בהגדרת משתנים לאחסון נתוני תרגילים ואירועים, ומגדירה שני cursors: הראשון עבור תרגילים (drill_cur) והשני עבור אירועים (event_cur). כל cursor מחזיר את משך הזמן ומספר המשתתפים של התרגילים או האירועים בהתאמה. הפונקציה פותחת את ה-cursor של התרגילים, עוברת על כל התרגילים ומעדכנת את משתני הספירה הכוללים. לאחר מכן היא פותחת את ה-cursor של האירועים ועוברת על כל האירועים ומעדכנת את משתני הספירה הכוללים. בסיום, הפונקציה מחשבת את היעילות על פי הנוסחה (סה"כ תרגילים + סה"כ אירועים) / סה"כ משך הזמן * 100, ומחזירה את ערך היעילות. במקרה של שגיאה, הפונקציה מחזירה 0.

```

1 CREATE OR REPLACE FUNCTION CalcEmergRespEff(bo_id INT, year INT) RETURN NUMBER IS
2     total_drills INT := 0;
3     total_events INT := 0;
4     total_participants INT := 0;
5     total_duration NUMBER := 0;
6     efficiency NUMBER := 0;
7     CURSOR drill_cur IS
8         SELECT EmDrDurationMinutes, EmDrParticipantsCount
9             FROM EmergencyDrill D
10            JOIN TakingPart T ON D.EmDrId = T.EmDrId
11           WHERE T.BoId = bo_id
12              AND EXTRACT(YEAR FROM D.EmDrDate) = year;
13     CURSOR event_cur IS
14         SELECT 120 AS event_duration, 1 AS event_participants -- Assuming each event is 120 minutes
15             FROM Event E
16            JOIN EmergenBodies EB ON E.EvId = EB.EvId
17           WHERE EB.BoId = bo_id
18              AND EXTRACT(YEAR FROM E.EveDate) = year;
19     drill_rec drill_cur%ROWTYPE;
20     event_rec event_cur%ROWTYPE;
21 BEGIN
22     OPEN drill_cur;
23     LOOP
24         FETCH drill_cur INTO drill_rec;
25         EXIT WHEN drill_cur%NOTFOUND;
26         total_drills := total_drills + 1;
27         total_participants := total_participants + drill_rec.EmDrParticipantsCount;
28         total_duration := total_duration + drill_rec.EmDrDurationMinutes;
29     END LOOP;
30     CLOSE drill_cur;
31
32     OPEN event_cur;
33     LOOP
34         FETCH event_cur INTO event_rec;
35         EXIT WHEN event_cur%NOTFOUND;
36         total_events := total_events + 1;
37         total_participants := total_participants + event_rec.event_participants;
38         total_duration := total_duration + event_rec.event_duration;
39     END LOOP;
40     CLOSE event_cur;
41
42     IF total_drills + total_events > 0 THEN
43         efficiency := (total_participants / (total_drills + total_events)) / total_duration * 100;
44     ELSE
45         efficiency := 0;
46     END IF;
47
48     RETURN efficiency;
49 EXCEPTION
50     WHEN OTHERS THEN
51         RETURN 0; -- במקרה של שגיאה
52 END CalcEmergRespEff;

```

▼ moriya11 Compiled successfully



למשל, עבור גוף החירום 892, בשנת 2023 נקבל-

Test Window - Script for function CALCEMERGRESPEFF

Test script DBMS Output Statistics Profiler Trace

```
1 begin
2   -- Call the function
3   :result := calcemergrespeff(bo_id => :bo_id,
4                               year => :year);
5 end;
```

Variable	Type	Value
result	Float	351.111111111111
bo_id	Integer	892
year	Integer	2023

1:1 moriya11 Executed in 0.672 seconds



פרוצדורה ב'

הפרוצדורה GenerateEfficiencyReport מייצרת דוח יעילות עבור כל גופי החירום בשנה נתונה. הפרוצדורה מתחילה בהגדרת סוג 'ref cursor' ומשתנה 'cur' עבור ה-ref cursor, ולאחר מכן מגדירה משתנים לאחסון מזהה ושם גוף החירום, ואת ערך היעילות המחושב. היא כוללת פרוצדורה פנימית 'PrintHeader' להדפסת כותרות הדוחות.

הפרוצדורה מתחילה בהדפסת הודעה על יצירת הדוח עבור השנה הנתונה, ופותחת את ה-ref cursor כדי לקבל את כל גופי החירום מטבלת 'EmergenBodies'.

בהמשך, היא יוצרת שלושה דוחות שונים :

1. דוח יעילות אפסית- הדוח הראשון מדפיס את גופי החירום עם יעילות של אפס. בתוך לולאה, היא מחשבת את היעילות של כל גוף חירום באמצעות הפונקציה 'CalcEmergRespEff', ומדפיסה את שם הגוף והיעילות אם היעילות היא אפס.

2. דוח יעילות גדולה מ-10- הדוח השני מדפיס את גופי החירום עם יעילות גדולה מ-10. בתוך לולאה חדשה, היא מחשבת שוב את היעילות של כל גוף חירום ומדפיסה את שם הגוף והיעילות אם היעילות גדולה מ-10.

3. דוח יעילות גדולה מ-20- הדוח השלישי מדפיס את גופי החירום עם יעילות גדולה מ-20. בלולאה חדשה נוספת, היא מחשבת את היעילות של כל גוף חירום ומדפיסה את שם הגוף והיעילות אם היעילות גדולה מ-20.

בסיום, הפרוצדורה סוגרת את ה-ref cursor. במקרה של שגיאה, הפרוצדורה מדפיסה הודעת שגיאה ומפעילה את 'RAISE_APPLICATION_ERROR' כדי להחזיר הודעת שגיאה מותאמת אישית.



```

1 CREATE OR REPLACE PROCEDURE GenerateEfficiencyReport(year IN NUMBER) IS
2     TYPE ref_cur IS REF CURSOR;
3     cur ref_cur;
4     bo_id EmergenBodies.BoId%TYPE;
5     bo_name EmergenBodies.BoName%TYPE;
6     efficiency NUMBER := 0;
7
8     PROCEDURE PrintHeader(header IN VARCHAR2) IS
9     BEGIN
10         DBMS_OUTPUT.PUT_LINE('-----');
11         DBMS_OUTPUT.PUT_LINE(header);
12         DBMS_OUTPUT.PUT_LINE('-----');
13     END PrintHeader;
14
15 BEGIN
16     DBMS_OUTPUT.PUT_LINE('Generating Efficiency Report for ' || year);
17
18     OPEN cur FOR
19         SELECT BoId, BoName FROM EmergenBodies;
20
21     -- Print Zero Efficiency Report
22     PrintHeader('Zero Efficiency');
23     LOOP
24         FETCH cur INTO bo_id, bo_name;
25         EXIT WHEN cur%NOTFOUND;
26
27         -- Calculate efficiency using the CalcEmergRespEff function
28         efficiency := CalcEmergRespEff(bo_id, year);
29
30         -- Print if efficiency is 0
31         IF efficiency = 0 THEN
32             DBMS_OUTPUT.PUT_LINE('Emergency Body: ' || bo_name || ', Efficiency: ' || efficiency);
33         END IF;
34     END LOOP;
35
36     -- Print Efficiency > 10 Report
37     PrintHeader('Efficiency Greater Than 10');
38     OPEN cur FOR
39         SELECT BoId, BoName FROM EmergenBodies;
40     LOOP
41         FETCH cur INTO bo_id, bo_name;
42         EXIT WHEN cur%NOTFOUND;
43
44         -- Calculate efficiency using the CalcEmergRespEff function
45         efficiency := CalcEmergRespEff(bo_id, year);
46
47         -- Print if efficiency is greater than 10
48         IF efficiency > 10 THEN
49             DBMS_OUTPUT.PUT_LINE('Emergency Body: ' || bo_name || ', Efficiency: ' || efficiency);
50         END IF;
51     END LOOP;
52
53     -- Print Efficiency > 20 Report
54     PrintHeader('Efficiency Greater Than 20');
55     OPEN cur FOR
56         SELECT BoId, BoName FROM EmergenBodies;
57     LOOP
58         FETCH cur INTO bo_id, bo_name;
59         EXIT WHEN cur%NOTFOUND;
60
61         -- Calculate efficiency using the CalcEmergRespEff function
62         efficiency := CalcEmergRespEff(bo_id, year);
63
64         -- Print if efficiency is greater than 20
65         IF efficiency > 20 THEN
66             DBMS_OUTPUT.PUT_LINE('Emergency Body: ' || bo_name || ', Efficiency: ' || efficiency);
67         END IF;
68     END LOOP;
69
70     CLOSE cur;
71 EXCEPTION
72     WHEN OTHERS THEN
73         DBMS_OUTPUT.PUT_LINE('Error generating efficiency report: ' || SQLERRM);
74         RAISE_APPLICATION_ERROR(-20005, 'Error generating efficiency report');
75 END GenerateEfficiencyReport;
76

```

• moriya11 Compiled successfully



100:1 moriya11 Executed in 0.828 seconds

100:1 moriya11 Executed in 0.828 seconds



תוכנית ב'

התוכנית מתחילה בקבלת קלט מהמשתמש עבור השנה שבה יבוצע הדוח. לאחר מכן, היא מפעילה את הפרוצדורה 'GenerateEfficiencyReport' עם הפרמטר של השנה ומציגה הודעה על יצירת הדוח.

לאחר יצירת הדוח, התוכנית נכנסת ללולאה שמקבלת מזהה גוף חירום מהמשתמש ומחשבת את יעילותו באמצעות הפונקציה 'CalcEmergRespEff'. התוכנית מדפיסה את היעילות של גוף החירום עבור השנה הנתונה ומוסיפה הודעת אזהרה אם היעילות היא אפס, הודעה מעודדת אם היעילות היא מעל 20%, או הודעה רגילה אם היעילות היא בין 0% ל-20%.

בכל סיבוב של הלולאה, התוכנית שואלת את המשתמש אם לחשב יעילות עבור גוף חירום נוסף. אם המשתמש מכניס ערך שונה מ-Y, הלולאה מסתיימת. אם מתרחשת שגיאה במהלך הביצוע, התוכנית תדפיס הודעת שגיאה.

```
DECLARE
    report_year NUMBER;
    bo_id NUMBER;
    efficiency NUMBER;
    choice CHAR(1);
BEGIN
    -- קבלת קלי עבור השנה של הדוח
    DBMS_OUTPUT.PUT_LINE('Enter the year for the report (e.g., 2023):');
    report_year := &report_year;

    -- קריאה 'פרו'דורה ליצירת דוח יעילות
    DBMS_OUTPUT.PUT_LINE('Generating Efficiency Report...');
    GenerateEfficiencyReport(report_year);

    -- חישוב יו ילול י גופי חירום במספר מחזורים
    LOOP
        DBMS_OUTPUT.PUT_LINE('Enter Emergency Body ID for efficiency calculation:');
        bo_id := &bo_id; -- קבלת קלט עבור מזהה גוף החירום

        efficiency := CalcEmergRespEff(bo_id, report_year);
        DBMS_OUTPUT.PUT_LINE('Efficiency for Emergency Body ID ' || bo_id || ' for year ' || report_year || ' is: ' || efficiency);

        IF efficiency = 0 THEN
            DBMS_OUTPUT.PUT_LINE('Warning: Emergency Body ID ' || bo_id || ' has zero efficiency for the year ' || report_year);
        ELSIF efficiency > 20 THEN
            DBMS_OUTPUT.PUT_LINE('Great: Emergency Body ID ' || bo_id || ' has excellent efficiency above 20% for the year ' || report_year);
        ELSE
            DBMS_OUTPUT.PUT_LINE('Moderate: Emergency Body ID ' || bo_id || ' has efficiency between 0% and 20% for the year ' || report_year);
        END IF;

        DBMS_OUTPUT.PUT_LINE('Do you want to calculate efficiency for another emergency body? (Y/N)');
        choice := '&choice'; -- קבלת קלט עבור בחירת המשתמש

        choice := UPPER(choice);
        EXIT WHEN choice <> 'Y';
    END LOOP;

    EXCEPTION
        WHEN OTHERS THEN
            DBMS_OUTPUT.PUT_LINE('Error occurred: ' || SQLERRM);
    END;
```

Name	Value
report_year	2023
bo_id	892
choice	N

OK Cancel Clear

עבור הקלטים-






שלב ד' - אינטגרציה

קיבלנו קובץ גיבוי מאגף ציוד באיחוד הצלה. בעזרת קובץ הגיבוי שקיבלנו, שיחזרנו את הטבלאות ויצרנו את תרשים הDSD הבא-


צילומי מסך של תרשימי DSD וERD




בעזרת תרשים DSD יצרנו את תרשים ERD הבא-



שילבנו בין הטבלאות שלנו לטבלאות שקיבלנו, ויצרנו את ERD המשולב-





תיאור קבלת ההחלטות בשלב האינטגרציה

את טבלת ה-OPERATOR (מבצע) הוספנו כירושה לישות TeamP. ישות ה-TeamP מייצגת את כלל אנשי הצוות באגף המבצעים, המבצע הוא גם חלק מהצוות (לכן הוא כסוג של TeamP) אך הוספנו לו תכונה מיוחדת- IdPromission שתגדיר את הרשאת הגישה שלו לציווד. כך, טבלת ה-OPERATOR מקבלת את תכונות המפתח מ-TeamP ונוספת לו תכונה. כדי לשנות את הטבלה בהתאם, שינינו את שם התכונה OperatorId ל-TeName ואת שם התכונה Name ל-TeName.

לא ראינו צורך בתכונה EXPIRATIONDATE בטבלת OPERATOR, כיוון שכל איש צוות פועל באירועים ובתרגילים בתאריכים נתונים. לכן, מחקנו את העמודה EXPIRATIONDATE בטבלת OPERATOR.

כדי שתהיה תקשורת בין הספקים לאנשי הצוות, כך שיוכלו לבקש מהם ציוד, קישרנו בין הטבלה TeamP לטבלה Maintenance בעזרת קשר בשם MainTo. יצרנו טבלה בשם MainTo, שקיבלה את תכונות המפתח של TeamP ומaintenance, ומפתח זר, והוספנו לה עמודה בשם MainDate מסוג DATE.

התורמים תורמים ציוד לאירועים, לאחר מחשבה החלטנו שהתרומה תבצע דרך גופי החירום והם ישתמשו בו במקרה הצורך בתרגילים/ באירועים. לכן, הוספנו קשר DonerTo בין טבלת Donor לטבלת EmergencyBodies. יצרנו טבלה DonerTo עם התכונות DonationDate מסוג DATE ו-DonationId מסוג INT שימשו כמפתח בטבלה, בנוסף לקחנו את תכונות המפתח של Donor ו-EmergencyBodies והוספנו אותן כתכונות מפתח זר לטבלה. את הנתונים לתכונות שהוספנו שלפנו מטבלת DONATION ומחקנו את הנתונים שם.

בתרגילי החירום משתמשים בציוד לפי קטגוריה. לכן, הוספנו קשר בשם DrillCategoryOf שיחבר בין EmergencyDrill לבין Category. יצרנו טבלה בשם DrillCategoryOf שתקבל את המפתחות של הטבלאות EmergencyDrill ו-Category. כמפתח זר. כך, כל שימוש בציוד יהיה מותנה בקטגוריה של התרגיל. למשל, אם התרגיל עוסק בהחייאות יתקבל ציוד בהתאם. לשם כך, הוספנו גם את תכונות המפתח שיש Categoryb כמפתח זר לטבלת EmergencyDrill.

כדי לקשר בין הספקים והציוד, יצרנו קשר בשם Maintenance שיהיה אחראי על הקשר ביניהם. יצרנו טבלה בשם Maintenance, שקיבלה את idMaintenance ו-itemId כמפתחות זרים מהטבלה item ומaintenance.



פקודות שינוי טבלאות-

```

-- Change the column name OPERATORID to TeId in the table OPERATOR
ALTER TABLE Operator RENAME COLUMN OPERATORID TO TeId;

-- Change the column name NAME to TeName in the table OPERATOR
ALTER TABLE Operator RENAME COLUMN NAME TO TeName;

-- Drop the column EXPIRATIONDATE from the table OPERATOR
ALTER TABLE Operator DROP COLUMN ExpirationDate;

-- Add a column named IdPromission to the table OPERATOR
ALTER TABLE Operator ADD IdPromission NUMBER(10);

-- Create table MainTo with foreign keys from TeamP and Maintenance, and add a column named MainDate
CREATE TABLE MainTo
(
    TeId INT NOT NULL,
    MaintenanceID NUMBER(10) NOT NULL,
    MainDate DATE NOT NULL,
    PRIMARY KEY (TeId, MaintenanceID),
    FOREIGN KEY (TeId) REFERENCES TeamP(TeId),
    FOREIGN KEY (MaintenanceID) REFERENCES Maintenance(MaintenanceID)
);

-- Create table DonerTo with DonationDate, DonationId, and foreign keys from Donor and EmergenBodies
CREATE TABLE DonerTo
(
    DonationDate DATE NOT NULL,
    DonationId INT NOT NULL,
    DonorID NUMBER(10) NOT NULL,
    BoId INT NOT NULL,
    PRIMARY KEY (DonationId),
    FOREIGN KEY (DonorID) REFERENCES Donor(DonorID),
    FOREIGN KEY (BoId) REFERENCES EmergenBodies(BoId)
);

-- Create table DrillCategoryOf with foreign keys from EmergencyDrill and Category
CREATE TABLE DrillCategoryOf
(
    EmdrId INT NOT NULL,
    CategoryID NUMBER(10) NOT NULL,
    PRIMARY KEY (EmdrId, CategoryID),
    FOREIGN KEY (EmdrId) REFERENCES EmergencyDrill(EmdrId),
    FOREIGN KEY (CategoryID) REFERENCES Category(CategoryID)
);

CREATE TABLE MainTenan (
    idmaintenance INT PRIMARY KEY,
    itemId INT,
    FOREIGN KEY (idmaintenance) REFERENCES MAINTENANCE(MAINTENANCEID),
    FOREIGN KEY (itemId) REFERENCES Item(ItemId)
);

-- Add the foreign key attributes from Category to the table EmergencyDrill
ALTER TABLE EmergencyDrill ADD CategoryID NUMBER(10);

ALTER TABLE EmergencyDrill ADD CONSTRAINT FK_EmergencyDrill_Category FOREIGN KEY (CategoryID) REFERENCES Category(CategoryID);

---taking the data from donation
INSERT INTO DONERTO (DONATIONID, DONATIONDATE)
SELECT DONATIONID, DONATIONDATE
FROM DONATION;

---deleting the donatoindate and donationid from donation
ALTER TABLE DONATION DROP COLUMN DONATIONID;
ALTER TABLE DONATION DROP COLUMN DONATIONDATE;

```



הטבלאות החדשות שיצרנו, התכונות שהשתנו וכו' -

טבלת MainTo

Select practicing	Select reoprt	Select reoptev	Select rolesp	Select takingpart	Select teamp	Select worker	Select mainto	Select donerto	Select drillcategoryof
TEID	MAINTENANCEID	MAINDATE							
1	1	18/07/2024							
2	2	19/07/2024							
3	3	20/07/2024							
4	4	21/07/2024							
5	5	22/07/2024							
6	6	23/07/2024							
7	7	24/07/2024							
8	8	25/07/2024							
9	9	26/07/2024							
10	10	27/07/2024							

טבלת drillcategory

Select practicingSelect reoportSelect reportevSelect rolespSelect takingpartSelect teamSelect workerSelect maintoSelect donertoSelect drillcategoryof

<

טבלת donerTo

	Select practicing	Select reoprt	Select reoprtev	Select rolesp	Select takingpart	Select teamp	Select worker	Select mainto	Select donerto	Select drillcategoryof	
	DONATIONDATE	DONATIONID	DONORID	BOD							
▶ 1	18/07/2024	1	1010	890							
2	19/07/2024	2	95	891							
3	20/07/2024	3	96	892							
4	21/07/2024	4	99	893							
5	22/07/2024	5	107	894							
6	24/07/2024	7	117	896							
7	26/07/2024	9	161	898							



טבלת Operator

Select operator	Select practicing	Select reoprt	Select reoprtv	Select rolesp	Select takingpart	Select teamp	Select
TEID	TENAME	IDPROMISSION					
1	401 CrystalManning	...	12345				
2	402 SaffronMurray	...	23456				
3	403 NastassjaO'Neal	...	34567				
4	404 DickKahn	...	45678				
5	405 RhysDafoe	...	56789				
6	406 HalleReid	...	67890				
7	407 GatesElizondo	...	78901				
8	408 WesKingsley	...	89012				
9	409 FredaCheadle	...	90123				
10	410 JoelyMcPherson	...	1234				

טבלת emergencyDrill

Select emergencydrill	Select evdebriefing	Select event	Select item	Select location	Select maintenance	Select operation	Select operator	Select practicing	Select reoprt
EMDRDURATIONMINUTES	EMDREMERGENCYTYPE	EMDRLOCATION	EMDRPARTICIPANTSCOUNT	EMDRADDRESS	CATEGORYID				
45	tornado drill	48 Erie Circle	435	Room 970	403				
180	active shooter drill	87528 Oneill Crossing	24	PO Box 24972	405				
45	earthquake drill	54 Mariners Cove Junction	158	PO Box 49321	406				
45	active shooter drill	2437 Commercial Court	322	Room 1419	412				

Maintenan

SQL Window - Edit data of table MAINTENAN			
SQL	Output	Statistics	
select t.*, t.rowid from MAINTENAN t			
IDMAINTENANCE	ITEMID	ROWID	
1	83	570	AAAFsZAABAAALGJAAA ...
2	84	572	AAAFsZAABAAALGJAAB ...
3	85	573	AAAFsZAABAAALGJAAC ...
*			...



מבטים

מבט ראשון, מהאגף שלנו-

טבלת המבט תחזיר לנו מידע מפורט על כל האירועים ותרגילי החירום שהתרחשו, כולל המידע על איזה גופי חירום השתתפו ומי הצוותים והאחראים.

```
CREATE VIEW OriginalDeptView AS
SELECT
    e.EveName,
    e.EveDate,
    e.EveLocation,
    e.EvResponsibility,
    e.EveDescribe,
    ed.EmdrDate,
    ed.EmdrDurationMinutes,
    ed.EmdrEmergencyType,
    ed.EmdrLocation,
    ed.EmdrParticipantsCount,
    ed.EmdrAddress,
    eb.BoName,
    eb.BoPhone,
    t.TeName,
    t.TeEmail,
    t.TePhone,
    r.RoName,
    r.RoDescribe,
    w.WoSalary,
    edb.DeResponsibility,
    edb.DeStatus,
    edb.DeConclusion
FROM
    Event e
    JOIN EmergenBodies eb ON e.EvId = eb.EvId
    JOIN TakingPart tp ON eb.BoId = tp.BoId
    JOIN EmergencyDrill ed ON tp.EmdrId = ed.EmdrId
    JOIN Practicing pr ON ed.EmdrId = pr.EmdrId
    JOIN TeamP t ON pr.TeId = t.TeId
    JOIN Worker w ON t.TeId = w.TeId
    JOIN RolesP r ON t.RoId = r.RoId
    JOIN EvDebriefing edb ON edb.DebId = e.EvId;
```



SELECT View

```
SELECT * FROM OriginalDeptView WHERE ROWNUM <= 10;
```

	EVENAME	EVEDATE	EVELOCATION	EVRESPONSIBILITY	EVEDESCRIBE	EMDRDATE	EMDRDURATIONMINUTES	EMDRREMERGENCYTYPE	EMDRLOCATION	EMDRPARTICIPANTS	EMDRADDRESS	BONAME
1	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Red Cross
2	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Hazardous Materials (HAZMAT) Te
3	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Coast Guard
4	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Red Cross
5	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Hazardous Materials (HAZMAT) Te
6	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Coast Guard
7	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Red Cross
8	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Hazardous Materials (HAZMAT) Te
9	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Coast Guard
10	Fire	14/04/2008	Sakhnin	Fanya	Severe cyclone	05/03/2024	45	tornado drill	48 Erie Circle	435	Room 970	Red Cross

1:1 moriya11 10 rows selected in 0.125 seconds

שאלתה א'-

שאלתה זו מוצאת את המיקומים השונים בהם התקיימו תרגילי חירום ואת מספר המשתתפים הממוצע בכל סוג חירום. השאלתה מחזירה את מיקום התרגיל, סוג החירום בו התרגיל עסק, כמה תרגילים היו באותו תאריך ומה מספר המשתתפים הממוצע בכל סוג חירום.

```
SELECT
    EmdrLocation,
    EmdrEmergencyType,
    COUNT(DISTINCT EmdrDate) AS TotalDrills,
    AVG(EmdrParticipantsCount) AS AvgParticipants
FROM
    OriginalDeView
GROUP BY
    EmdrLocation, EmdrEmergencyType
ORDER BY
    EmdrLocation, EmdrEmergencyType;
```

	EMDRLOCATION	EMDRREMERGENCYTYPE	TOTALDRILLS	AVGPARTICIPANTS
1	2437 Commercial Court	active shooter drill	1	322
2	2902 Clemons Crossing	tornado drill	1	364
3	43604 Village Road	fire drill	1	497
4	48 Erie Circle	tornado drill	1	435
5	54 Mariners Cove Junction	earthquake drill	1	158
6	87528 Oneill Crossing	active shooter drill	1	24

5:14 moriya11 6 rows selected in 0.11 seconds



שאלתה ב'-

שאלתה זו מוצאת את כל תרגילי החירום שהתקיימו ואת משך הזמן הממוצע שלהם, כולל שמות האחראים על כל תרגיל. היא מחזירה כמה תרגילים התבצעו באותו תאריך ומה הזמן הממוצע שלהם.

SQL Window - SELECT EveName, EveDate, EveLocation, EmdrEmergencyType, C...

SQL Output Statistics

```

SELECT
    EveName,
    EveDate,
    EveLocation,
    EmdrEmergencyType,
    COUNT(DISTINCT EmdrDate) AS TotalDrills,
    AVG(EmdrDurationMinutes) AS AvgDuration
FROM
    OriginalDeView
GROUP BY
    EveName, EveDate, EveLocation, EmdrEmergencyType
HAVING
    COUNT(DISTINCT EmdrDate) > 0;

```


	EVENAME	EVEDATE	EVELOCATION	EMDREMERGENCYTYPE	TOTALDRILLS	AVGDURATION
1	Gas Leak	20/12/2010	Kiryat Malakhi	fire drill	1	180
2	Fire	14/04/2008	Sakhnin	tornado drill	2	38.6538461538461
3	Fire	14/04/2008	Sakhnin	active shooter drill	2	86.8965517241379
4	Fire	14/04/2008	Sakhnin	fire drill	1	180
5	Gas Leak	20/12/2010	Kiryat Malakhi	active shooter drill	1	180
6	Fire	14/04/2008	Sakhnin	earthquake drill	1	45
7	Gas Leak	20/12/2010	Kiryat Malakhi	earthquake drill	1	45

7:44 moriva11 7 rows selected in 0.125 seconds



מבט שני, מנקודת המבט של האגף שקיבלנו-

טבלת המבט תספק תמונה מקיפה ומפורטת של הפריטים והקטגוריות הקשורים לפעולות ולתרומות. בנוסף, היא תחזיר מידע על המפעילים, התורמים והתחזוקה.



The screenshot shows a SQL Window titled "SQL Window - ReceivedDeptView.sql". The window has three tabs: "SQL", "Output", and "Statistics". The "SQL" tab is active, displaying the following SQL script:

```
CREATE VIEW ReceivedDeptView AS
SELECT
    c.Name AS CategoryName,
    c.EmergencyLevel,
    i.ItemID,
    i.Name AS ItemName,
    i.Description AS ItemDescription,
    i.Quantity,
    i.Status AS ItemStatus,
    o.TeName AS OperatorName, -- Changed to 'TeName'
    o.IdPromission AS OperatorPromission, -- Using 'IdPromission'
    d.Name AS DonorName,
    d.isActive AS DonorActive,
    d.Designation AS DonorDesignation,
    l.Address AS LocationAddress,
    l.Instructions AS LocationInstructions,
    m.MaintenanceID,
    m.MaintenanceDate,
    m.Description AS MaintenanceDescription
FROM
    Category c
    JOIN Item i ON c.CategoryID = i.CategoryID
    JOIN Location l ON i.PhoneNumber = l.PhoneNumber
    JOIN Operation op ON i.ItemID = op.ItemID
    JOIN Operator o ON op.OperatorID = o.TeId
    JOIN Donation dn ON i.ItemID = dn.ItemID
    JOIN Donor d ON dn.DonorID = d.DonorID
    JOIN Maintenance m ON i.ItemID = m.ItemID;
```

At the bottom of the window, there is a status bar with the following information: a refresh icon, the time "12:25", the username "moriya11", and a message "SQL script saved successfully".



SELECT View

SQL Output Statistics

```
SELECT * FROM ReceivedDeptView WHERE ROWNUM <= 10;
```

	CATEGORYNAME	EMERGENCYLEVEL	ITEMID	ITEMNAME	ITEMDESCRIPTION	QUANTITY	ITEMSTATUS	OPERATORNAME	OPERATORPROMISSION	DONORNAME	DONORACTIVE	DONORDESIGNATION
1	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	StephenSanchez	...	KevnSampson	y	For the memory of the fam
2	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	TedFranks	...	KevnSampson	y	For the memory of the fam
3	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	MikeHirsch	...	KevnSampson	y	For the memory of the fam
4	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	StephenSanchez	...	KevnSampson	y	For the memory of the fam
5	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	TedFranks	...	KevnSampson	y	For the memory of the fam
6	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	MikeHirsch	...	KevnSampson	y	For the memory of the fam
7	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	StephenSanchez	...	KevnSampson	y	For the memory of the fam
8	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	TedFranks	...	KevnSampson	y	For the memory of the fam
9	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	MikeHirsch	...	KevnSampson	y	For the memory of the fam
10	Enteral Feeding Pumps	5	19	Burn Dressing	A dressing used to cover and protect burns. ...	46	1	StephenSanchez	...	KevnSampson	y	For the memory of the fam

שאלתה א' -

שאלתה זו מוצאת את שמות התורמים הפעילים ומציגה את מספר הפריטים שהם תרמו בכל קטגוריה.

SQL Output Statistics

```
SELECT
    rv.DonorName,
    rv.CategoryName,
    COUNT(rv.ItemID) AS TotalItemsDonated
FROM
    ReceivedDeptView rv
WHERE
    rv.DonorActive = 'y'
GROUP BY
    rv.DonorName, rv.CategoryName
ORDER BY
    rv.DonorName, rv.CategoryName;
```

	DONORNAME	CATEGORYNAME	TOTALITEMSDONATED
1	AndraeAvalon	EMG Machines (Electromyography)	9
2	FrancesHatchet	Coagulation Analyzers	6
3	KevnSampson	Enteral Feeding Pumps	168
4	KevnSampson	Patient Lifts	20
5	NikkiFolds	Spirometers	42
6	TaylorChandler	Enteral Feeding Pumps	20

6 rows selected in 0.11 seconds



שאלתה ב'-

שאלתה זו מוצאת כתובות של פריטים ואילו פעולות התחזוקה בוצעו בהם, כולל רמת החירום של הקטגורית פריט, וממיינת לפי תאריך התחזוקה ורמת החירום.

```
SELECT
    LocationAddress,
    MaintenanceDate,
    MaintenanceDescription,
    CategoryName,
    EmergencyLevel
FROM
    ReceivedDeptView
WHERE
    EmergencyLevel >= 5
ORDER BY
    MaintenanceDate DESC, EmergencyLevel DESC;
```

	LOCATIONADDRESS	MAINTENANCEDATE	MAINTENANCEDESCRIPTION	CATEGORYNAME	EMERGENCYLEVEL
1	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
2	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
3	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
4	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
5	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
6	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
7	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
8	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
9	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9
10	42nd Street	02/06/2024 11:28:20	Need continue	Defibrillator Monitors	9

