




Create a SAS Token in Azure Storage (SOP)

Task: Create a SAS (Shared Access Signature) token in Azure Storage.

- A SAS token is a secure way to grant limited access to storage resources within an Azure Storage account.
 - It allows for time-bound, controlled access to specific resources such as blobs, files, and queues, without exposing the storage account's access keys.
- Storage Account: **scb-storage12345**
- Allowed services: **Blob only**(File, Queue, Table unchecked)
- Allowed resource types: **Container and Object**
- Permissions: **Read only**(Write, Delete, Add, Create unchecked)
- Start date: **September 24** · End date: **September 27**
- Allowed IP: **168.1.15.65**
- Signing key: **key1**





scbstorage12345 - Microsoft Azure

portal.azure.com/#@surfcityboats.com/resource/subscriptions/93713e8c-2af6-4dde-be9b-1f3b21397873/resourceGroups/ProdRG/providers/Microsoft.Storage/storageAccounts/scbstorage12345/overview

Microsoft Azure

Home > Storage accounts >

Storage accounts

Surf City Boats (surfcityboats.com)

+ Create + Restore ...

Filter for any field...

Name	
cs21003200239b5cfe1	...
scb12345	...
scbstorage12345	...
scbstorageacct9967	...
surfcityprodstorage	...

scbstorage12345

Search

Upload Open in Explorer Delete Move Refresh Open in mobile CU / PS Feedback

Overview

- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Data storage
- Security + networking
- Data management
- Settings
- Automation
- Help

Expand Security + networking

Essentials

Resource group (move)	: ProdRG	Performance	: Standard
Location	: eastus	Replication	: Read-access geo-redundant storage (RA-GRS)
Primary/Secondary Locati...	: Primary: East US, Secondary: West US	Account kind	: StorageV2 (general purpose v2)
Subscription (move)	: Surf City Boats	Provisioning state	: Succeeded
Subscription ID	: 93713e8c-2af6-4dde-be9b-1f3b21397873	Created	: 9/15/2024, 11:45:35 AM
Disk state	: Primary: Available, Secondary: Available		
Tags (edit)	: Add tags		

Properties

Properties	Monitoring	Capabilities (7)	Recommendations (0)	Tutorials	Tools + SDKs																												
Blob service <table><tbody><tr><td>Hierarchical namespace</td><td>Disabled</td></tr><tr><td>Default access tier</td><td>Hot</td></tr><tr><td>Blob anonymous access</td><td>Enabled</td></tr><tr><td>Blob soft delete</td><td>Enabled (7 days)</td></tr><tr><td>Container soft delete</td><td>Enabled (7 days)</td></tr><tr><td>Versioning</td><td>Enabled</td></tr><tr><td>Change feed</td><td>Disabled</td></tr><tr><td>NFS v3</td><td>Disabled</td></tr><tr><td>Allow cross-tenant replication</td><td>Disabled</td></tr><tr><td>Storage tasks assignments</td><td>None</td></tr></tbody></table> File service <table><tbody><tr><td>Large file share</td><td>Enabled</td></tr><tr><td>Identity-based access</td><td>Not configured</td></tr><tr><td>Default share-level permissions</td><td>Disabled</td></tr><tr><td>Soft delete</td><td>Enabled (7 days)</td></tr></tbody></table> Queue service						Hierarchical namespace	Disabled	Default access tier	Hot	Blob anonymous access	Enabled	Blob soft delete	Enabled (7 days)	Container soft delete	Enabled (7 days)	Versioning	Enabled	Change feed	Disabled	NFS v3	Disabled	Allow cross-tenant replication	Disabled	Storage tasks assignments	None	Large file share	Enabled	Identity-based access	Not configured	Default share-level permissions	Disabled	Soft delete	Enabled (7 days)
Hierarchical namespace	Disabled																																
Default access tier	Hot																																
Blob anonymous access	Enabled																																
Blob soft delete	Enabled (7 days)																																
Container soft delete	Enabled (7 days)																																
Versioning	Enabled																																
Change feed	Disabled																																
NFS v3	Disabled																																
Allow cross-tenant replication	Disabled																																
Storage tasks assignments	None																																
Large file share	Enabled																																
Identity-based access	Not configured																																
Default share-level permissions	Disabled																																
Soft delete	Enabled (7 days)																																

Security

Require secure transfer for REST API operations	Enabled
Storage account key access	Enabled
Minimum TLS version	Version 1.2
Infrastructure encryption	Enabled

Networking

Allow access from	All networks
Private endpoint connections	0
Network routing	Microsoft network routing
Access for trusted Microsoft services	Yes
Endpoint type	Standard

scbstorage12345 - Microsoft Azure

portal.azure.com/#@surfcityboats.com/resource/subscriptions/93713e8c-2af6-4dde-be9b-1f3b21397873/resourceGroups/ProdRG/providers/Microsoft.Storage/storageAccounts/scbstorage12345/overview

Microsoft Azure

Home > Storage accounts >

Storage accounts

Surf City Boats (surfcityboats.com)

+ Create + Restore ...

Filter for any field...

Name	
cs21003200239b5cfe1	...
scb12345	...
scbstorage12345	...
scbstorageacct9967	...
surfcityprodstorage	...

scbstorage12345

Search

Upload Open in Explorer Delete Move Refresh Open in mobile CU / PS Feedback

Overview

- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Data storage
- Security + networking
- Data management
- Settings
- Monitoring
- Monitoring (classic)
- Automation
- Help

Click Shared access signature

Essentials

Resource group (move)	: ProdRG	Performance	: Standard
Location	: eastus	Replication	: Read-access geo-redundant storage (RA-GRS)
Primary/Secondary Locati...	: Primary: East US, Secondary: West US	Account kind	: StorageV2 (general purpose v2)
Subscription (move)	: Surf City Boats	Provisioning state	: Succeeded
Subscription ID	: 93713e8c-2af6-4dde-be9b-1f3b21397873	Created	: 9/15/2024, 11:45:35 AM
Disk state	: Primary: Available, Secondary: Available		
Tags (edit)	: Add tags		

Properties

Properties	Monitoring	Capabilities (7)	Recommendations (0)	Tutorials	Tools + SDKs																										
Blob service <table><tbody><tr><td>Hierarchical namespace</td><td>Disabled</td></tr><tr><td>Default access tier</td><td>Hot</td></tr><tr><td>Blob anonymous access</td><td>Enabled</td></tr><tr><td>Blob soft delete</td><td>Enabled (7 days)</td></tr><tr><td>Container soft delete</td><td>Enabled (7 days)</td></tr><tr><td>Versioning</td><td>Enabled</td></tr><tr><td>Change feed</td><td>Disabled</td></tr><tr><td>Microsoft Defender for Cloud</td><td>Disabled</td></tr><tr><td>Storage tasks assignments</td><td>None</td></tr></tbody></table> File service <table><tbody><tr><td>Large file share</td><td>Enabled</td></tr><tr><td>Identity-based access</td><td>Not configured</td></tr><tr><td>Default share-level permissions</td><td>Disabled</td></tr><tr><td>Soft delete</td><td>Enabled (7 days)</td></tr></tbody></table> Queue service						Hierarchical namespace	Disabled	Default access tier	Hot	Blob anonymous access	Enabled	Blob soft delete	Enabled (7 days)	Container soft delete	Enabled (7 days)	Versioning	Enabled	Change feed	Disabled	Microsoft Defender for Cloud	Disabled	Storage tasks assignments	None	Large file share	Enabled	Identity-based access	Not configured	Default share-level permissions	Disabled	Soft delete	Enabled (7 days)
Hierarchical namespace	Disabled																														
Default access tier	Hot																														
Blob anonymous access	Enabled																														
Blob soft delete	Enabled (7 days)																														
Container soft delete	Enabled (7 days)																														
Versioning	Enabled																														
Change feed	Disabled																														
Microsoft Defender for Cloud	Disabled																														
Storage tasks assignments	None																														
Large file share	Enabled																														
Identity-based access	Not configured																														
Default share-level permissions	Disabled																														
Soft delete	Enabled (7 days)																														

Security

Require secure transfer for REST API operations	Enabled
Storage account key access	Enabled
Minimum TLS version	Version 1.2
Infrastructure encryption	Enabled

Networking

Allow access from	All networks
Private endpoint connections	0
Network routing	Microsoft network routing
Access for trusted Microsoft services	Yes
Endpoint type	Standard

scbstorage12345 | Shared access signature

A shared access signature (SAS) is a URI that grants restricted access rights to Azure Storage resources. You can provide a shared access signature to clients who should not be trusted with your storage account key but whom you wish to delegate access to certain storage account resources. By distributing a shared access signature URI to these clients, you grant them access to a resource for a specified period of time.

An account-level SAS can delegate access to multiple storage services (i.e. blob, file, queue, table). Note that stored access policies are currently not supported for an account-level SAS.

Learn more about creating an account SAS

Allowed services

☒ Blob ☒ File ☐ Queue ☐ Table

Allowed resource types

☐ Service ☐ Container ☐ Object

Allowed permissions

☒ Read ☐ Write ☐ Delete ☐ List ☐ Add ☐ Create ☐ Update ☐ Process ☐ Immutable storage ☐ Permanent delete

Blob versioning permissions

☐ Enables deletion of versions

Allowed blob index permissions

☒ Read/Write ☐ Filter

Start and expiry date/time

Start: 09/23/2024 1:32:32 PM

End: 09/23/2024 9:32:32 PM

(UTC-05:00) Eastern Time (US & Canada)

Allowed IP addresses

For example, 168.1.5.65 or 168.1.5.65-168.1.5.70

Allowed protocols

☒ HTTPS only ☐ HTTPS and HTTP

Preferred routing tier

☒ Basic (default) ☐ Microsoft network routing ☐ Internet routing

Some routing options are disabled because the endpoints are not published.

Signing key

Uncheck File

scbstorage12345 | Shared access signature

A shared access signature (SAS) is a URI that grants restricted access rights to Azure Storage resources. You can provide a shared access signature to clients who should not be trusted with your storage account key but whom you wish to delegate access to certain storage account resources. By distributing a shared access signature URI to these clients, you grant them access to a resource for a specified period of time.

An account-level SAS can delegate access to multiple storage services (i.e. blob, file, queue, table). Note that stored access policies are currently not supported for an account-level SAS.

Learn more about creating an account SAS

Allowed services

☒ Blob ☐ File ☐ Queue ☐ Table

Allowed resource types

☐ Service ☒ Container ☒ Object

Allowed permissions

☒ Read ☐ Write ☐ Delete ☒ List ☐ Add ☐ Create ☐ Update ☐ Process ☐ Immutable storage ☐ Permanent delete

Blob versioning permissions

☐ Enables deletion of versions

Allowed blob index permissions

☒ Read/Write ☐ Filter

Start and expiry date/time

Start: 09/24/2024 1:32:32 PM

End: 09/27/2024 9:32:32 PM

(UTC-05:00) Eastern Time (US & Canada)

Allowed IP addresses

168.1.15.65

Allowed protocols

☒ HTTPS only ☐ HTTPS and HTTP

Preferred routing tier

☒ Basic (default) ☐ Microsoft network routing ☐ Internet routing

Some routing options are disabled because the endpoints are not published.

Signing key

Click here to scroll down

scbstorage12345 | Shared access signature

Storage account

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Storage Mover

Data storage

Security + networking

Networking

Front Door and CDN

Access keys

Shared access signature

Encryption

Microsoft Defender for Cloud

Data management

Settings

Monitoring

Monitoring (classic)

Automation

Help

Allowed services

☒ Blob ☐ File ☐ Queue ☐ Table

Allowed resource types

☐ Service ☒ Container ☒ Object

Allowed permissions

☒ Read ☐ Write ☐ Delete ☒ List ☐ Add ☐ Create ☐ Update ☐ Process ☐ Immutable storage ☐ Permanent delete

Blob versioning permissions

☐ Enables deletion of versions

Allowed blob index permissions

☒ Read/Write ☒ Filter

Start and expiry date/time

Start: 09/24/2024 1:32:32 PM

End: 09/27/2024 9:32:32 PM

(UTC-05:00) Eastern Time (US & Canada)

Allowed IP addresses

168.1.15.65

Allowed protocols

☒ HTTPS only ☐ HTTPS and HTTP

Preferred routing tier

☒ Basic (default) ☐ Microsoft network routing

Some routing options are disabled because the endpoints are not published.

Signing key

key1

Generate SAS and connection string

Click Generate SAS and connection string

scbstorage12345 | Shared access signature

Storage account

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Storage Mover

Data storage

Security + networking

Networking

Front Door and CDN

Access keys

Shared access signature

Encryption

Microsoft Defender for Cloud

Data management

Settings

Monitoring

Monitoring (classic)

Automation

Help

Allowed blob index permissions

☒ Read/Write ☒ Filter

Start and expiry date/time

Start: 09/24/2024 1:32:32 PM

End: 09/27/2024 9:32:32 PM

(UTC-05:00) Eastern Time (US & Canada)

Allowed IP addresses

168.1.15.65

Allowed protocols

☒ HTTPS only ☐ HTTPS and HTTP

Preferred routing tier

☒ Basic (default) ☐ Microsoft network routing ☐ Internet routing

Some routing options are disabled because the endpoints are not published.

Signing key

key1

Generate SAS and connection string

Connection string

BlobEndpoint=https://scbstorage12345.blob.core.windows.net/QueueEndpoint=https://scbstorage12345.queue.core.windows.net/FileEndpoint=https://scbstorage12345.file.core.windows.net/TableEndpoint=https://scbstorage12345.table.core.windows.net/

SAS token

sv=2022-11-02&ss=b&ort=co&sp=rf&use=2024-09-28T01:32:32Z&ut=2024-09-24T17:32:32Z&sig=168.1.15.65&spr=https&sig=Pp5%2Fpkd5we5%2F4Dv6hqpHhmmS42TM6N0%2FEdeU02%3D

Blob service SAS URL

https://scbstorage12345.blob.core.windows.net/?sv=2022-11-02&ss=b&ort=co&sp=rf&use=2024-09-28T01:32:32Z&ut=2024-09-24T17:32:32Z&sig=168.1.15.65&spr=https&sig=Pp5%2Fpkd5we5%2F4Dv6hqpHhmmS42TM6N0%2FEdeU02%3D