


## Create a Recovery Services Vault in Azure (SOP)



**Task:** create and configure a Recovery Services Vault in Microsoft Azure

- Recovery Services Vault is a critical resource for managing backup and disaster recovery services in Azure
- Deploy the vault, configure storage redundancy for enhanced backup protection
  - Enable cross-region restores for disaster recovery scenarios
- Set up private endpoints for secure access to the vault
  - Ensure that it's only accessible by private connections
- Review and deploy the vault, configuring key settings like backup storage and network access controls
- This securely stores and manages backup data to ensure that you're prepared for disaster recovery scenarios

**Information:**

- Vault Name: RecoveryVault in resource group Prod-RG
- Backup Storage Redundancy: Geo-redundant
- Cross Region Restore: Enabled
- Network Access: Deny public access (private access only)
- Private Endpoint: Endpoint\_Recovery
  - Sub-resource: AzureBackup
- Virtual Network: vNet-Prod
  - Subnet: default





Home > Recovery Services vaults >

## Create Recovery Services vault

\* Basics Redundancy Encryption Vault properties Networking Tags Review + create

### Project Details

Select the subscription and the resource group in which you want to create the vault.

Subscription \* ⓘ Surf City Boats ▼

Resource group \* ⓘ ProdRG ▼

[Create new](#)

### Instance Details

Vault name \* ⓘ RecoveryVault

Region \* ⓘ East US ▼

**i** Cross Subscription Restore is enabled by default for all vaults. Visit vault 'Properties' to disable the same. [Learn more.](#)

Click Next: Redundancy

Review + create

Next: Redundancy

Home > Recovery Services vaults >

## Create Recovery Services vault

\* Basics Redundancy Encryption Vault properties Networking Tags Review + create

Backup Storage Redundancy Geo-redundant

Cross Region Restore Enable

Click Next: Encryption

Review + create

Previous: Basics

Next: Encryption

Home > Recovery Services vaults >

## Create Recovery Services vault

\* Basics Redundancy **Encryption** Vault properties Networking Tags Review + create

Choose how you want to encrypt your backup data in this Recovery Services vault. Please note the encryption type once selected cannot be reversed later after items have been attempted to be protected to the vault. [Learn more](#).

The encryption settings specified below will not apply to data in this vault that is associated with Azure Site Recovery, and will apply to that associated with Azure Backup only. Hence, if you are looking to set up Azure Site Recovery, you may ignore this tab.

Encryption type

- ☒ Use Microsoft-managed key (default)
- ☐ Use customer-managed key

Click Next: Vault properties

Review + create

Previous: Redundancy

Next: Vault properties

Create Recovery Services vault: X +

portal.azure.com/#create/Microsoft.RecoveryServices

Microsoft Azure Search resources, services, and docs (G+/I) Copilot

Home > Recovery Services vaults >

## Create Recovery Services vault

\* Basics Redundancy Encryption Vault properties Networking Tags Review + create

Enable immutability ☐

**i** Immutability, if enabled here, will be reversible and can be disabled using the vault's properties after its creation. You can further choose to lock it and make it irreversible, also through the vault's property. Learn more about [locking](#), [immutability](#).

Click Next: Networking

Review + create Previous: Encryption Next: Networking

Create a new private endpoint for secure access to the Recovery Service Vault

Create Recovery Services vault

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > Recovery Services vaults >

Create Recovery Services vault

\* Basics

Redundancy

Encryption

Vault properties

Networking

Tags

Review + create

Network connectivity

You can connect to this Recovery Services vault either publicly, via public IP addresses, or privately, using a private endpoint.

Connectivity method

☐ Allow public access from all networks

☒ Deny public access and allow private access

Create a private endpoint to allow private connection to this resource. Additional private endpoint connections can be created through the Recovery Services vault or the Private Link Center later as well. Learn more about private endpoints for Azure Backup and Azure Site Recovery

+ Add

| Name        | Subscription | Resource group | Region | Target sub-resource | Subnet | Private DNS Zone |
|-------------|--------------|----------------|--------|---------------------|--------|------------------|
| No results. |              |                |        |                     |        |                  |

Click +Add

Review + create

Previous: Vault properties

Next: Tags

Create private endpoint - Micr...

portal.azure.com/#create/Microsoft.RecoveryServices

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > Recovery Services vaults >

Create Recovery Services vault

\* Basics

Redundancy

Encryption

Vault properties

Networking

Tags

Review + create

Network connectivity

You can connect to this Recovery Services vault either publicly, via public IP addresses, or privately, using a private endpoint.

Connectivity method

☐ Allow public access from all networks

☒ Deny public access and allow private access

Create a private endpoint to allow private connection to this resource. Additional private endpoint connections can be created through the Recovery Services vault or the Private Link Center later as well. Learn more about private endpoints for Azure Backup and Azure Site Recovery

+ Add

| Name        | Subscription | Resource group | Region |
|-------------|--------------|----------------|--------|
| No results. |              |                |        |

Review + create

Previous: Vault properties

Next: Tags

Create private endpoint

Subscription \*

Surf City Boats

Resource group \*

ProdRG

Create new

Location \*

East US

Name \*

Endpoint\_Recovery

Target sub-resource

AzureBackup

Networking

To deploy the private endpoint, select a virtual network subnet. Learn more about private endpoint networking >

Virtual network

vnet-Prod (ProdRG)

Subnet \*

Filter subnets

Compatible subnets

default (10.0.0.0/24)

248 available IP addresses

Incompatible subnets

Azure...

59 e...

Integrate with private DNS zone

Configuration name

Subscription

private-link-eus-backup-wind...

Surf City Boats

NetworkWatcherRG

(new) private-link.eus.backu...

private-link-queue-core-wind...

Surf City Boats

NetworkWatcherRG

(new) private-link.queue.core...

private-link-blob-core-windo...

Surf City Boats

NetworkWatcherRG

(new) private-link.blob.core.wi...

Select default (10.0.0.0/24)

OK

Discard

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

admin@surfcityboats.co...  
SURF CITY BOATS (PUBLIC) BGA

Home > Recovery Services vaults >

Create Recovery Services vault

Basics

Redundancy

Encryption

Vault properties

Networking

Tags

Review + create

Network connectivity

You can connect to this Recovery Services vault either publicly, via public IP addresses, or privately, using a private endpoint.

Connectivity method

Allow public access from all networks

Deny public access and allow private access

Create a private endpoint to allow private connection to this resource. Additional private endpoint connections can be created through the Recovery Services vault or the Private Link Center later as well. Learn more about private endpoints for Azure Backup and Azure Site Recovery

+ Add

| Name        | Subscription | Resource group | Region |
|-------------|--------------|----------------|--------|
| No results. |              |                |        |

Review + create

Previous: Vault properties

Next: Tags

Create private endpoint

Subscription \*  
Surf City Boats

Resource group \*  
ProdRG  
Create new

Location \*  
East US

Name \*  
Endpoint\_Recovery

Target sub-resource  
AzureBackup

Networking

To deploy the private endpoint, select a virtual network subnet. Learn more about private endpoint networking

Virtual network  
vNet-Prod (ProdRG)

Subnet  
default

If you have a network security group (NSG) enabled for the subnet above, it will be disabled for private endpoints on this subnet only. Other resources on the subnet will still have NSG enforcement.

Private DNS integration

To connect privately with your private endpoint, you need a DNS record. We recommend that you integrate your private endpoint with a private DNS zone. You can also utilize your own DNS servers or create DNS records using the host files on your virtual machines. Learn more about private DNS integration

Integrate with private DNS zone  
Yes No

| Configuration name             | Subscription    | Resource group   | Private DNS zone                  |
|--------------------------------|-----------------|------------------|-----------------------------------|
| privatelink-eus-backup-wind... | Surf City Boats | NetworkWatcherRG | (new) privatelink.eus.backu...    |
| privatelink-queue-core-wind... | Surf City Boats | NetworkWatcherRG | (new) privatelink.queue.core...   |
| privatelink-blob-core-wind...  | Surf City Boats | NetworkWatcherRG | (new) privatelink.blob.core.wi... |

Click OK

OK

Discard

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

admin@surfcityboats.co...  
SURF CITY BOATS (PUBLIC) BGA

Home > Recovery Services vaults >

Create Recovery Services vault

Basics

Redundancy

Encryption

Vault properties

Networking

Tags

Review + create

Network connectivity

You can connect to this Recovery Services vault either publicly, via public IP addresses, or privately, using a private endpoint.

Connectivity method

Allow public access from all networks

Deny public access and allow private access

Create a private endpoint to allow private connection to this resource. Additional private endpoint connections can be created through the Recovery Services vault or the Private Link Center later as well. Learn more about private endpoints for Azure Backup and Azure Site Recovery

| Name              | Subscription    | Resource group | Region  | Target sub-resource | Subnet                | Private DNS Zone                                      |
|-------------------|-----------------|----------------|---------|---------------------|-----------------------|-------------------------------------------------------|
| Endpoint_Recovery | Surf City Boats | ProdRG         | East US | AzureBackup         | default (10.0.0.0/24) | (New) privatelink.eus.backup.windowsazure.com/(New... |

Review + create

Previous: Vault properties

Next: Tags

Click Next: Tags



Home > Recovery Services vaults >

## Create Recovery Services vault

\* Basics Redundancy Encryption Vault properties Networking **Tags** Review + create

Tags are name/value pairs that enable you to categorize resources and view consolidated billing by applying the same tag to multiple resources and resource groups. [Learn more](#).  
Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

| Name ⓘ               | Value ⓘ                | Resource                |
|----------------------|------------------------|-------------------------|
| <input type="text"/> | : <input type="text"/> | Recovery Services vault |

Click Review + create

Review + create

Previous: Networking

Create Recovery Services vault

portal.azure.com/#create/Microsoft.RecoveryServices

Microsoft Azure

Search resources, services, and docs (G+)

Home > Recovery Services vaults >

Create Recovery Services vault

\* Basics

Redundancy

Encryption

Vault properties

Networking

Tags

Review + create

Summary

Basics

Subscription

Resource group

Vault name

Region

Surf City Boats

ProdRG

RecoveryVault

East US

Redundancy

Backup Storage Redundancy

Cross Region Restore

Geo-redundant

Enable

Vault properties

Immutability

Disabled

Networking

Connectivity method

Private endpoint for Azure Backup

Deny public access and allow private access

(New) Endpoint\_Recovery (DNS Zone(s) (New) privatelink.eus.backup.windowsazure.com,(New) privatelink.queue.core.windows.net,(New) privatelink.blob.core.windows.net)

Click Create

Create

Previous: Tags

Download a template for automation

Microsoft.RecoveryServicesV2

portal.azure.com/#view/HubsExtension/DeploymentDetailsBlade/~/overview/id/%2Fsubscriptions%2F93713e8c-2a66-4dde-be9b-1f3b21397873%2FresourceGroups%2FProdRG%2Fproviders%2FMicrosoft.Resources%2Fdeployments%2F...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

admin@surfcityboats.com

Home >

Microsoft.RecoveryServicesV2-1727225321402 | Overview

Deployment

Search

Delete

Cancel

Redeploy

Download

Refresh

Overview

Inputs

Outputs

Template

Deployment is in progress

Deployment name : Microsoft.RecoveryServicesV2-1727225321402

Subscription : Surf City Boats

Resource group : ProdRG

Start time : 9/24/2024, 8:48:46 PM

Correlation ID : 6e321122-43ae-479a-b5d7-a06b-b4fcdcc

Deployment details

| Resource                           | Type | Status | Operation details |
|------------------------------------|------|--------|-------------------|
| There are no resources to display. |      |        |                   |

Give feedback

Tell us about your experience with deployment

Deployment in progress...

Deployment to resource group 'ProdRG' is in progress.

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >

Microsoft.RecoveryServicesV2-1727225321402 | Overview

Deployment

Search

DeleteCancelRedeployDownloadRefresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : Microsoft.RecoveryServicesV2-1727225321402

Subscription : Surf City Boats

Resource group : ProdRG

> Deployment details

✓ Next steps

Go to resource

Give feedback

Tell us about this page

Click Go to resource

Deployment succeeded

Deployment 'Microsoft.RecoveryServicesV2-1727225321402' to resource group 'ProdRG' was successful.

Go to resourcePin to dashboard

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >