output_string ()

ENTRY

100%]

FREQ:10000
<bb 2>:
__printf_chk (1, "%s", buffer_3(D));
write_to_file.30_1 = write_to_file;
if (write_to_file.30_1 != 0)
goto <bb 3>; [36.64%]
else
goto <bb 4>; [63.36%]

36%]

63%]

FREQ:3664
<bb 3>:
global_ofile.31_7 = global_ofile;
__builtin_fputs (buffer_3(D), global_ofile.31_7);

100%]

FREQ:10000
<bb 4>:
return;

100%]

EXIT

main ()

ENTRY

100%]

FREQ:911
<bb 2>:
global_min_ticks = 60;
global_min_seconds = 5;
global_allstats = 0;
global_custrun = 0;
global_align = 8;
write_to_file = 0;
mem_array_ents = 0;
MEM[(int *)&tests_to_do] = { 1, 1, 1, 1 };
MEM[(int *)&tests_to_do + 16B] = { 1, 1, 1, 1 };
tests_to_do[8] = 1;
tests_to_do[9] = 1;
global_numsortstruct.request_secs = 5;
global_strsortstruct.request_secs = 5;
global_bitopstruct.request_secs = 5;
global_emfloatstruct.request_secs = 5;
global_fourierstruct.request_secs = 5;
global_assignstruct.request_secs = 5;
global_ideastruct.request_secs = 5;
global_huffstruct.request_secs = 5;
global_fpstruct.request_secs = 5;
global_listrtruct.request_secs = 5;
global_numsortstruct.adjust = 0;
global_numsortstruct.arraysize = 8111;
global_strsortstruct.adjust = 0;
global_strsortstruct.arraysize = 8111;
global_bitopstruct.adjust = 0;
global_bitopstruct.bitfieldarraysize = 16384;
global_emfloatstruct.adjust = 0;
global_emfloatstruct.arraysize = 3000;
global_fourierstruct.adjust = 0;
global_assignstruct.adjust = 0;
global_ideastruct.adjust = 0;
global_ideastruct.arraysize = 4000;
global_huffstruct.adjust = 0;
global_huffstruct.arraysize = 5000;
global_fpstruct.adjust = 0;
global_listrtruct.adjust = 0;
if (argc_9(D) == 2)
goto <bb 3>; [20.24%]
else
goto <bb 4>; [79.76%]

EXIT

20%]

FREQ:184
<bb 3>:
_1 = MEM[(char * *)argv_91(D) + 8B];
_149 = strtol (_1, 0B, 10);
_150 = (int) _149;
testnum = _150;

79%]

100%]

FREQ:909
<bb 4>:
output_string ("\nBYTEmark* Native Mode Benchmark ver. 2 (10/95)\n");
output_string ("Index-split by Andrew D. Balsa (11/97)\n");
output_string ("Linux/Unix* port by Uwe F. Mayer (12/96,11/97)\n");
global_allstats.0_2 = global_allstats;
if (global_allstats.0_2 != 0)
goto <bb 5>; [33.00%]
else
goto <bb 6>; [67.00%]

33%]

67%]

FREQ:300
<bb 5>:
output_string ("\n");
output_string ("==========================ALL STATISTICS ============================\n");
time (&time_and_date);
loctime_100 = localtime (&time_and_date);
_3 = asctime (loctime_100);
__builtin___sprintf_chk (&buffer, 1, 1024, "Date and time of benchmark run: %s", _3);
output_string (&buffer);
__builtin___sprintf_chk (&buffer, 1, 1024, "Sizeof: char:%u short:%u int:%u long:%u u8:%u u16:%u u32:%u int32:%u\n", 1, 2, 4, 8, 1, 2, 4, 4);
output_string (&buffer);
__builtin_memcpy (&buffer, "***System used for compilation:\n", 32);
output_string (&buffer);
__builtin_memcpy (&buffer, "***Linux elvenado 4.15.0-112-generic #113-Ubuntu SMP Thu Jul 9 23:41:39 UTC 2020 \n", 82);
output_string (&buffer);
__builtin_memcpy (&buffer, "***C compiler: gcc version 7.5.0 (Ubuntu 7.5.0-3ubuntu1~18.04) \n", 64);
output_string (&buffer);
__builtin_memcpy (&buffer, "***libc: libc-2.27.so\n", 22);
output_string (&buffer);
__builtin_memcpy (&buffer, "***Date of compilation: Mon 24 Aug 10:41:27 BST 2020\n", 53);
output_string (&buffer);
output_string ("==\n\n");

100%]

FREQ:909
<bb 6>:
output_string ("\nTEST   : Iterations/sec. : Old Index   : New Index\n");
output_string ("   :   : Pentium 90* : AMD K6/233*\n");
output_string ("--------------------:------------------:-------------:-------------\n");
i_113 = testnum;
ivtmp.54_26 = (sizetype) i_113;

100%]

loop 2

FREQ:4151
<bb 7>:
# ix_memindex_319 = PHI <ix_memindex_44(57), 1.0e+00(6)>
# ix_intindex_317 = PHI <ix_intindex_47(57), 1.0e+00(6)>
# ix_fpindex_315 = PHI <ix_fpindex_50(57), 1.0e+00(6)>
# intindex_313 = PHI <intindex_53(57), 1.0e+00(6)>
# fpindex_322 = PHI <fpindex_56(57), 1.0e+00(6)>
# prephitmp_19 = PHI <prephitmp_23(57), 1_113(6)>
# ivtmp.54_13 = PHI <ivtmp.54_26(57), ivtmp.54_26(6)>
i_320 = (int) ivtmp.54_13;
_57 = ivtmp.54_13 * 4;
_4 = MEM[symbol: tests_to_do, index: _57, offset: 0B];
if (_4 != 0)
goto <bb 8>; [33.00%]
else
goto <bb 57>; [67.00%]

33%]

FREQ:1700
<bb 8>:
_326 = ivtmp.54_13 * 8;
_5 = MEM[symbol: fixstrnames, index: _326, offset: 0B];
__builtin___sprintf_chk (&buffer, 1, 1024, "%s ", _5);
_printf_chk (1, &buffer);
write_to_file.30_190 = write_to_file;
if (write_to_file.30_190 != 0)
goto <bb 9>; [36.64%]
else
goto <bb 10>; [63.36%]

36%]

63%]

FREQ:623
<bb 9>:
global_ofile.31_191 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_191);

100%]

FREQ:2700
<bb 10>:
_153 = MEM[symbol: funcpointer, index: _326, offset: 0B];
_153 ();
_6 = MEM[symbol: lx_bindex, index: _326, offset: 0B];
_7 = bmean_187(D) / _6;
_8 = MEM[symbol: bindex, index: _326, offset: 0B];
_9 = bmean_187(D) / _8;
__builtin___sprintf_chk (&buffer, 1, 1024, " %15.5g :: %9.2f :: %9.2fn", bmean_187(D), _9, _7);
_printf_chk (1, "%s", &buffer);
write_to_file.30_189 = write_to_file;
if (write_to_file.30_189 != 0)
goto <bb 11>; [36.64%]
else
goto <bb 12>; [63.36%]

36%]

63%]

FREQ:623
<bb 11>:
global_ofile.31_192 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_192);

100%]

FREQ:1700
<bb 12>:
_10 = i_320 == 4;
_147 = (unsigned int) ivtmp.54_13;
_133 = _147 + 4294967288;
_48 = _133 <= 1;
_134 = _10 | _48;
prestmp_12 = MEM[symbol: bindex, index: _326, offset: 0B];
prestmp_21 = MEM[symbol: lx_bindex, index: _326, offset: 0B];
if (_134 != 0)
goto <bb 13>; [67.00%]
else
goto <bb 14>; [33.00%]

33%]

67%]

FREQ:561
<bb 13>:
_18 = bmean_187(D) / prestmp_12;
intindex_136 = _18 * intindex_313;
if (_147 > 7)
goto <bb 16>; [50.00%]
else
goto <bb 15>; [50.00%]

50%]

50%]

FREQ:561
<bb 15>:
_312 = 201 >> i_320;
_314 = _312 & 1;
_324 = ~ _312;
_339 = _324 & 1;
_316 = (_Bool) _324;
if (_316 != 0)
goto <bb 16>; [20.00%]
else
goto <bb 17>; [80.00%]

20%]

80%]

FREQ:280
<bb 16>:
_27 = bmean_187(D) / prestmp_21;
lx_memindex_137 = _27 * lx_memindex_319;
goto <bb 18>; [100.00%]

FREQ:381
<bb 17>:
_25 = bmean_187(D) / prestmp_21;
lx_intindex_138 = _25 * lx_intindex_317;

FREQ:1139
<bb 13>:
_14 = bmean_187(D) / prestmp_12;
fpindex_139 = _14 * fpindex_322;
_16 = bmean_187(D) / prestmp_21;
lx_fpindex_140 = _16 * lx_fpindex_315;
goto <bb 18>; [100.00%]

100%]

100%]

100%]

FREQ:1700
<bb 18>:
# lx_memindex_43 = PHI <lx_memindex_319(13), lx_memindex_319(17), lx_memindex_137(16)>
# lx_intindex_46 = PHI <lx_intindex_317(13), lx_intindex_138(17), lx_intindex_317(16)>
# lx_fpindex_49 = PHI <lx_fpindex_140(13), lx_fpindex_315(17), lx_fpindex_315(16)>
# intindex_52 = PHI <intindex_313(13), intindex_136(17), intindex_136(16)>
# fpindex_55 = PHI <fpindex_139(13), fpindex_322(17), fpindex_322(16)>
global_allstats.10_28 = global_allstats;
if (global_allstats.10_28 != 0)
goto <bb 20>; [33.00%]
else
goto <bb 19>; [67.00%]

33%]

67%]

FREQ:561
<bb 20>:
__builtin___sprintf_chk (&buffer, 1, 1024, " Absolute standard deviation: %g\n", bstdev_188(D));
output_string (&buffer);
if (bmean_187(D) > 1.0000000000000000199918998026028836196477607885341594201e-100)
goto <bb 21>; [33.00%]
else
goto <bb 22>; [67.00%]

33%]

67%]

FREQ:185
<bb 21>:
_29 = bstdev_188(D) * 1.0e+2;
_30 = _29 / bmean_187(D);
__builtin___sprintf_chk (&buffer, 1, 1024, " Relative standard deviation: %g %%\n", _30);
output_string (&buffer);

100%]

FREQ:561
<bb 22>:
__builtin___sprintf_chk (&buffer, 1, 1024, " Number of runs: %lu\n", 5);
output_string (&buffer);
switch (i_320) <default: <L39> [9.09%], case 0: <L29> [9.09%], case 1: <L30> [9.09%], case 2: <L31> [9.09%], case 3: <L32> [9.09%], case 4: <L33> [9.09%], case 5: <L34> [9.09%], case 6: <L35> [9.09%], case 7: <L36> [9.09%], case 8: <L37> [9.09%], case 9: <L38> [9.09%]>

9%]

9%]

9%]

9%]

9%]

9%]

9%]

9%]

9%]

9%]

FREQ:51
<bb 36>:
<L32> [0.51%]:
_201 = global_emfloatstruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _201);
_printf_chk (1, "%s", &buffer);
write_to_file.30_224 = write_to_file;
if (write_to_file.30_224 != 0)
goto <bb 37>; [36.64%]
else
goto <bb 38>; [63.36%]

FREQ:51
<bb 44>:
<L35> [0.51%]:
_205 = global_ideastruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %lu\n", _205);
_printf_chk (1, "%s", &buffer);
write_to_file.30_232 = write_to_file;
if (write_to_file.30_232 != 0)
goto <bb 45>; [36.64%]
else
goto <bb 46>; [63.36%]

FREQ:51
<bb 23>:
<L29> [0.51%]:
_193 = global_numsortstruct.numarrays;
_194 = (int) _193;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %d\n", _194);
_printf_chk (1, "%s", &buffer);
write_to_file.30_212 = write_to_file;
if (write_to_file.30_212 != 0)
goto <bb 24>; [36.64%]
else
goto <bb 25>; [63.36%]

FREQ:51
<bb 28>:
<L30> [0.51%]:
_196 = global_strsortstruct.numarrays;
_197 = (int) _196;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %d\n", _197);
_printf_chk (1, "%s", &buffer);
write_to_file.30_216 = write_to_file;
if (write_to_file.30_216 != 0)
goto <bb 29>; [36.64%]
else
goto <bb 30>; [63.36%]

FREQ:51
<bb 32>:
<L31> [0.51%]:
_199 = global_bitopstruct.bitoparraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Operations array size: %d\n", _199);
_printf_chk (1, "%s", &buffer);
write_to_file.30_220 = write_to_file;
if (write_to_file.30_220 != 0)
goto <bb 33>; [36.64%]
else
goto <bb 34>; [63.36%]

FREQ:51
<bb 48>:
<L36> [0.51%]:
_207 = global_huffstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %lu\n", _207);
_printf_chk (1, "%s", &buffer);
write_to_file.30_236 = write_to_file;
if (write_to_file.30_236 != 0)
goto <bb 49>; [36.64%]
else
goto <bb 50>; [63.36%]

FREQ:51
<bb 42>:
<L34> [0.51%]:
_204 = global_assignstruct.numarrays;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %lu\n", _204);
_printf_chk (1, "%s", &buffer);
write_to_file.30_229 = write_to_file;
if (write_to_file.30_229 != 0)
goto <bb 43>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 52>:
<L37> [0.51%]:
_209 = global_snetstruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _209);
_printf_chk (1, "%s", &buffer);
write_to_file.30_239 = write_to_file;
if (write_to_file.30_239 != 0)
goto <bb 53>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 25>:
_195 = global_numsortstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %ld\n", _195);
_printf_chk (1, "%s", &buffer);
write_to_file.30_211 = write_to_file;
if (write_to_file.30_211 != 0)
goto <bb 27>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 30>:
_198 = global_strsortstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %ld\n", _198);
_printf_chk (1, "%s", &buffer);
write_to_file.30_215 = write_to_file;
if (write_to_file.30_215 != 0)
goto <bb 31>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 34>:
_200 = global_bitopstruct.bitfieldarraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Bitfield array size: %ld\n", _200);
_printf_chk (1, "%s", &buffer);
write_to_file.30_219 = write_to_file;
if (write_to_file.30_219 != 0)
goto <bb 35>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 50>:
_208 = global_huffstruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _208);
_printf_chk (1, "%s", &buffer);
write_to_file.30_235 = write_to_file;
if (write_to_file.30_235 != 0)
goto <bb 51>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 54>:
<L38> [0.51%]:
_210 = global_lastruct.numarrays;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %lu\n", _210);
_printf_chk (1, "%s", &buffer);
write_to_file.30_241 = write_to_file;
if (write_to_file.30_241 != 0)
goto <bb 55>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 40>:
<L33> [0.51%]:
_203 = global_fourierstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of coefficients: %lu\n", _203);
_printf_chk (1, "%s", &buffer);
write_to_file.30_227 = write_to_file;
if (write_to_file.30_227 != 0)
goto <bb 41>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:19
<bb 37>:
global_ofile.31_225 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_225);

100%]

FREQ:19
<bb 45>:
global_ofile.31_233 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_233);

100%]

FREQ:19
<bb 24>:
global_ofile.31_213 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_213);

100%]

FREQ:19
<bb 29>:
global_ofile.31_217 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_217);

100%]

FREQ:19
<bb 33>:
global_ofile.31_221 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_221);

100%]

FREQ:19
<bb 49>:
global_ofile.31_237 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_237);

100%]

FREQ:51
<bb 38>:
_202 = global_emfloatstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %lu\n", _202);
_printf_chk (1, "%s", &buffer);
write_to_file.30_223 = write_to_file;
if (write_to_file.30_223 != 0)
goto <bb 39>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 46>:
_206 = global_ideastruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _206);
_printf_chk (1, "%s", &buffer);
write_to_file.30_231 = write_to_file;
if (write_to_file.30_231 != 0)
goto <bb 47>; [36.64%]
else
goto <bb 26>; [63.36%]

FREQ:51
<bb 26>:
# _57 = PHI <_57(42), _57(52), _57(25), _57(30), _57(34), _57(50), _57(54), _57(40), _57(38), _57(44), _57(48), _57(36), _57(23), _57(28), _57(32), _57(37), _57(39), _57(45), _57(49), _57(41), _57(43), _57(53), _57(24), _57(29), _57(33), _57(49), _57(27), _57(31), _57(35), _57(51), _57(55), _57(42)>
# _4 = PHI <_4(42), _4(52), _4(25), _4(30), _4(34), _4(50), _4(54), _4(40), _4(38), _4(44), _4(48), _4(36), _4(23), _4(28), _4(32), _4(37), _4(39), _4(45), _4(49), _4(41), _4(43), _4(53), _4(24), _4(29), _4(33), _4(49), _4(27), _4(31), _4(35), _4(51), _4(55), _4(42)>
# i_320 = PHI <i_320(42), i_320(52), i_320(25), i_320(30), i_320(34), i_320(50), i_320(54), i_320(40), i_320(38), i_320(44), i_320(48), i_320(36), i_320(23), i_320(28), i_320(32), i_320(37), i_320(39), i_320(45), i_320(49), i_320(41), i_320(43), i_320(53), i_320(24), i_320(29), i_320(33), i_320(49), i_320(27), i_320(31), i_320(35), i_320(51), i_320(55), i_320(42)>
# prephitmp_19 = PHI <prephitmp_23(42), prephitmp_23(52), prephitmp_23(25), prephitmp_23(30), prephitmp_23(34), prephitmp_23(50), prephitmp_23(54), prephitmp_23(40), prephitmp_23(38), prephitmp_23(44), prephitmp_23(48), prephitmp_23(36), prephitmp_23(23), prephitmp_23(28), prephitmp_23(32), prephitmp_23(37), prephitmp_23(39), prephitmp_23(45), prephitmp_23(49), prephitmp_23(41), prephitmp_23(43), prephitmp_23(53), prephitmp_23(24), prephitmp_23(29), prephitmp_23(33), prephitmp_23(49), prephitmp_23(27), prephitmp_23(31), prephitmp_23(35), prephitmp_23(51), prephitmp_23(55), prephitmp_23(42)>
# ivtmp.54_13 = PHI <ivtmp.54_26(42), ivtmp.54_26(52), ivtmp.54_26(25), ivtmp.54_26(30), ivtmp.54_26(34), ivtmp.54_26(50), ivtmp.54_26(54), ivtmp.54_26(40), ivtmp.54_26(38), ivtmp.54_26(44), ivtmp.54_26(48), ivtmp.54_26(36), ivtmp.54_26(23), ivtmp.54_26(28), ivtmp.54_26(32), ivtmp.54_26(37), ivtmp.54_26(39), ivtmp.54_26(45), ivtmp.54_26(49), ivtmp.54_26(41), ivtmp.54_26(43), ivtmp.54_26(53), ivtmp.54_26(24), ivtmp.54_26(29), ivtmp.54_26(33), ivtmp.54_26(49), ivtmp.54_26(27), ivtmp.54_26(31), ivtmp.54_26(35), ivtmp.54_26(51), ivtmp.54_26(55), ivtmp.54_26(42)>
if (_4 != 0)
goto <bb 27>; [36.64%]
else
goto <bb 56>; [63.36%]

36%]

63%]

63%]

63