


main ()
ENTRY
100%]
FREQ:911
<bb 2>:
global_min_ticks = 60;
global_min_seconds = 5;
global_allstats = 0;
global_custrun = 0;
global_algs = 8;
write_to_file = 0;
mem_array_ents = 0;
MEM[(int *)&tests_to_do] = { 1, 1, 1, 1 };
MEM[(int *)&tests_to_do + 16B] = { 1, 1, 1, 1 };
tests_to_do[8] = 1;
tests_to_do[9] = 1;
global_numsortstruct.request_secs = 5;
global_strsortstruct.request_secs = 5;
global_bitopstruct.request_secs = 5;
global_emfloatstruct.request_secs = 5;
global_fourierstruct.request_secs = 5;
global_assignstruct.request_secs = 5;
global_ideastruct.request_secs = 5;
global_huffstruct.request_secs = 5;
global_neststruct.request_secs = 5;
global_lustruct.request_secs = 5;
global_numsortstruct.adjust = 0;
global_numsortstruct.arraysize = 8111;
global_strsortstruct.adjust = 0;
global_strsortstruct.arraysize = 8111;
global_bitopstruct.adjust = 0;
global_bitopstruct.bitfieldarraysize = 16384;
global_emfloatstruct.adjust = 0;
global_emfloatstruct.arraysize = 3000;
global_fourierstruct.adjust = 0;
global_assignstruct.adjust = 0;
global_ideastruct.adjust = 0;
global_ideastruct.arraysize = 4000;
global_huffstruct.adjust = 0;
global_huffstruct.arraysize = 5000;
global_neststruct.adjust = 0;
global_lustruct.adjust = 0;
if (argc_90(D) == 2)
goto <bb 3>; [20.24%]
else
goto <bb 4>; [79.76%]
EXIT
20%]
FREQ:184
<bb 3>:
_1 = MEM[(char * *)argv_91(D) + 8B];
_149 = strtol (_1, 0B, 10);
_150 = (int) _149;
testnum = _150;
79%]
100%]
FREQ:909
<bb 4>:
output_string ("\nBYTEmark* Native Mode Benchmark ver. 2 (10/95)\n");
output_string ("Index-split by Andrew D. Balsa (11/97)\n");
output_string ("Linux/Unix* port by Uwe F. Mayer (12/96,11/97)\n");
global_allstats.0_2 = global_allstats;
if (global_allstats.0_2 != 0)
goto <bb 5>; [33.00%]
else
goto <bb 6>; [67.00%]
33%]
FREQ:300
<bb 5>:
output_string ("\n");
output_string ("==========================ALL STATISTICS==========================\n");
time (&time_and_date);
loctime_100 = localtime (&time_and_date);
_3 = asctime (loctime_100);
__builtin___sprintf_chk (&buffer, 1, 1024, "***Date and time of benchmark run: %s", _3);
output_string (&buffer);
__builtin___sprintf_chk (&buffer, 1, 1024, "***Sizeof: char:%u short:%u int:%u long:%u u8:%u u16:%u u32:%u int32:%u\n", 1, 2, 4, 8, 1, 2, 4, 4);
output_string (&buffer);
__builtin_memcpy (&buffer, "***System used for compilation:\n", 32);
output_string (&buffer);
__builtin_memcpy (&buffer, "***Linux elvenado 4.15.0-112-generic #113-Ubuntu SMP Thu Jul 9 23:41:39 UTC 2020 \n", 82);
output_string (&buffer);
__builtin_memcpy (&buffer, "***C compiler: gcc version 7.5.0 (Ubuntu 7.5.0-3ubuntu1~18.04) \n", 64);
output_string (&buffer);
__builtin_memcpy (&buffer, "***libc: libc-2.27.so\n", 22);
output_string (&buffer);
__builtin_memcpy (&buffer, "***Date of compilation: Mon 24 Aug 10:41:27 BST 2020\n", 53);
output_string (&buffer);
output_string ("==========ORIGINAL BYTEMARK RESULTS==========\n");
67%]
100%]
FREQ:909
<bb 6>:
output_string ("\nTEST (iterations/sec) : Old Index : New Index\n");
output_string ("   : Pentium 90* : AMD K6/233*\n");
output_string ("---\n");
i_113 = testnum;
vstmp.54_26 = (sizetype) i_113;
100%]
loop 2
FREQ:5151
<bb 7>:
# ix_memindex_319 = PHI <ix_memindex_44(57), 1.0e+00(6)>
# ix_intindex_317 = PHI <ix_intindex_47(57), 1.0e+00(6)>
# ix_fpindex_315 = PHI <ix_fpindex_50(57), 1.0e+00(6)>
# intindex_313 = PHI <intindex_53(57), 1.0e+00(6)>
# fpindex_322 = PHI <fpindex_56(57), 1.0e+00(6)>
# prephitmp_19 = PHI <prephitmp_23(57), i_113(6)>
# ivtmp.54_13 = PHI <vstmp.54_24(57), ivtmp.54_26(6)>
i_320 = (int) ivtmp.54_13;
_57 = ivtmp.54_13 * 4;
_4 = MEM[symbol: tests_to_do, index: _57, offset: 0B];
if (_4 != 0)
goto <bb 8>; [33.00%]
else
goto <bb 57>; [67.00%]
33%]
67%]
FREQ:1700
<bb 8>:
_326 = ivtmp.54_13 * 8;
_5 = MEM[symbol: ftestnames, index: _326, offset: 0B];
__builtin___sprintf_chk (&buffer, 1, 1024, "%s :", _5);
__printf_chk (1, "%s", &buffer);
write_to_file.30_190 = write_to_file;
if (write_to_file_30_190 != 0)
goto <bb 9>; [36.64%]
else
goto <bb 10>; [63.36%]
36%]
FREQ:623
<bb 9>:
global_ofile.31_191 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_191);
63%]
100%]
FREQ:1700
<bb 10>:
_153 = MEM[symbol: funcpointer, index: _326, offset: 0B];
_153 ();
_6 = MEM[symbol: lx_bindex, index: _326, offset: 0B];
_7 = bmean_187(D) / _6;
_8 = MEM[symbol: bindex_index, index: _326, offset: 0B];
_9 = bmean_187(D) / _8;
__builtin___sprintf_chk (&buffer, 1, 1024, " %15.5g :: %9.2f :: %9.2f\n", bmean_187(D), _9, _7);
__printf_chk (1, "%s", &buffer);
write_to_file.30_189 = write_to_file;
if (write_to_file_30_189 != 0)
goto <bb 11>; [36.64%]
else
goto <bb 12>; [63.36%]
36%]
FREQ:623
<bb 11>:
global_ofile.31_192 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_192);
63%]
100%]
FREQ:1700
<bb 12>:
_10 = i_320 == 4;
_147 = (unsigned int) ivtmp.54_13;
_133 = _147 * 4294967288;
_48 = _133 <= 1;
_134 = _10 | _48;
prestmp_12 = MEM[symbol: bindex_index: _326, offset: 0B];
prestmp_21 = MEM[symbol: lx_bindex, index: _326, offset: 0B];
if (_134 != 0)
goto <bb 13>; [67.00%]
else
goto <bb 14>; [33.00%]
33%]
FREQ:561
<bb 14>:
_18 = bmean_187(D) / prestmp_12;
intindex_136 = _18 * intindex_313;
if (_147 > 7)
goto <bb 16>; [50.00%]
else
goto <bb 15>; [50.00%]
67%]
50%]
FREQ:561
<bb 15>:
_312 = 201 >> i_320;
_324 = _312;
_316 = (_Bool) _324;
if (_316 != 0)
goto <bb 16>; [20.00%]
else
goto <bb 17>; [80.00%]
50%]
20%]
80%]
FREQ:280
<bb 16>:
_27 = bmean_187(D) / prestmp_21;
lx_memindex_137 = _27 * lx_memindex_319;
goto <bb 18>; [100.00%]
FREQ:381
<bb 17>:
_25 = bmean_187(D) / prestmp_21;
lx_intindex_138 = _25 * lx_intindex_317;
FREQ:1139
<bb 13>:
_14 = bmean_187(D) / prestmp_12;
fpindex_139 = _14 * fpindex_322;
_16 = bmean_187(D) / prestmp_21;
lx_fpindex_140 = _16 * lx_fpindex_315;
goto <bb 18>; [100.00%]
100%]
100%]
100%]
FREQ:1700
<bb 18>:
# lx_memindex_43 = PHI <lx_memindex_319(13), lx_memindex_319(17), lx_memindex_137(16)>
# lx_intindex_46 = PHI <lx_intindex_317(13), lx_intindex_138(17), lx_intindex_317(16)>
# lx_fpindex_49 = PHI <lx_fpindex_140(13), lx_fpindex_315(17), lx_fpindex_315(16)>
# intindex_52 = PHI <intindex_313(13), intindex_136(17), intindex_136(16)>
# fpindex_55 = PHI <fpindex_139(13), fpindex_322(17), fpindex_322(16)>
global_allstats.10_28 = global_allstats;
if (global_allstats.10_28 != 0)
goto <bb 20>; [33.00%]
else
goto <bb 19>; [67.00%]
33%]
67%]
FREQ:561
<bb 20>:
__builtin___sprintf_chk (&buffer, 1, 1024, " Absolute standard deviation: %g\n", bstdev_188(D));
output_string (&buffer);
if (bmean_187(D) > 1.0000000000000000199189980260288361964770078853415942018e-100)
goto <bb 21>; [33.00%]
else
goto <bb 22>; [67.00%]
33%]
67%]
FREQ:185
<bb 21>:
_29 = bstdev_188(D) * 1.0e+2;
_30 = _29 / bmean_187(D);
__builtin___sprintf_chk (&buffer, 1, 1024, " Relative standard deviation: %g %%\n", _30);
output_string (&buffer);
100%]
FREQ:561
<bb 22>:
__builtin___sprintf_chk (&buffer, 1, 1024, " Number of runs: %d\n", 5);
output_string (&buffer);
switch (i_320) <default: <L39> [9.09%], case 0: <L29> [9.09%], case 1: <L30> [9.09%], case 2: <L31> [9.09%], case 3: <L32> [9.09%], case 4: <L33> [9.09%], case 5: <L34> [9.09%], case 6: <L35> [9.09%], case 7: <L36> [9.09%], case 8: <L37> [9.09%], case 9: <L38> [9.09%]>
19%]
19%]
19%]
19%]
19%]
19%]
19%]
19%]
19%]
FREQ:51
<bb 36>:
<L32> [0.51%]:
_201 = global_emfloatstruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _201);
__printf_chk (1, "%s", &buffer);
write_to_file.30_224 = write_to_file;
if (write_to_file_30_224 != 0)
goto <bb 37>; [36.64%]
else
goto <bb 38>; [63.36%]
FREQ:51
<bb 44>:
<L35> [0.51%]:
_205 = global_ideastruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %lu\n", _205);
__printf_chk (1, "%s", &buffer);
write_to_file.30_232 = write_to_file;
if (write_to_file_30_232 != 0)
goto <bb 45>; [36.64%]
else
goto <bb 46>; [63.36%]
FREQ:51
<bb 23>:
<L29> [0.51%]:
_193 = global_numsortstruct.numarrays;
_194 = (int) _193;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %d\n", _194);
__printf_chk (1, "%s", &buffer);
write_to_file.30_212 = write_to_file;
if (write_to_file_30_212 != 0)
goto <bb 24>; [36.64%]
else
goto <bb 25>; [63.36%]
FREQ:51
<bb 28>:
<L30> [0.51%]:
_196 = global_strsortstruct.numarrays;
_197 = (int) _196;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %d\n", _197);
__printf_chk (1, "%s", &buffer);
write_to_file.30_216 = write_to_file;
if (write_to_file_30_216 != 0)
goto <bb 29>; [36.64%]
else
goto <bb 30>; [63.36%]
FREQ:51
<bb 32>:
<L31> [0.51%]:
_199 = global_bitopstruct.bitoparraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Operations array size: %d\n", _199);
__printf_chk (1, "%s", &buffer);
write_to_file.30_220 = write_to_file;
if (write_to_file_30_220 != 0)
goto <bb 33>; [36.64%]
else
goto <bb 34>; [63.36%]
FREQ:51
<bb 48>:
<L36> [0.51%]:
_207 = global_huffstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %lu\n", _207);
__printf_chk (1, "%s", &buffer);
write_to_file.30_236 = write_to_file;
if (write_to_file_30_236 != 0)
goto <bb 49>; [36.64%]
else
goto <bb 50>; [63.36%]
FREQ:51
<bb 42>:
<L34> [0.51%]:
_204 = global_assignstruct.numarrays;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %lu\n", _204);
__printf_chk (1, "%s", &buffer);
write_to_file.30_229 = write_to_file;
if (write_to_file_30_229 != 0)
goto <bb 43>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 52>:
<L37> [0.51%]:
_209 = global_neststruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _209);
__printf_chk (1, "%s", &buffer);
write_to_file.30_239 = write_to_file;
if (write_to_file_30_239 != 0)
goto <bb 53>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 25>:
_195 = global_numsortstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %ld\n", _195);
__printf_chk (1, "%s", &buffer);
write_to_file.30_211 = write_to_file;
if (write_to_file_30_211 != 0)
goto <bb 27>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 30>:
_198 = global_strsortstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %ld\n", _198);
__printf_chk (1, "%s", &buffer);
write_to_file.30_215 = write_to_file;
if (write_to_file_30_215 != 0)
goto <bb 31>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 34>:
_200 = global_bitopstruct.bitfieldarraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Bitfield array size: %ld\n", _200);
__printf_chk (1, "%s", &buffer);
write_to_file.30_219 = write_to_file;
if (write_to_file_30_219 != 0)
goto <bb 35>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 50>:
_208 = global_huffstruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _208);
__printf_chk (1, "%s", &buffer);
write_to_file.30_235 = write_to_file;
if (write_to_file_30_235 != 0)
goto <bb 51>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 54>:
<L38> [0.51%]:
_210 = global_lustruct.numarrays;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of arrays: %lu\n", _210);
__printf_chk (1, "%s", &buffer);
write_to_file.30_241 = write_to_file;
if (write_to_file_30_241 != 0)
goto <bb 55>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 40>:
<L33> [0.51%]:
_203 = global_fourierstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of coefficients: %lu\n", _203);
__printf_chk (1, "%s", &buffer);
write_to_file.30_227 = write_to_file;
if (write_to_file_30_227 != 0)
goto <bb 41>; [36.64%]
else
goto <bb 26>; [63.36%]
36%]
63%]
36%]
63%]
FREQ:19
<bb 37>:
global_ofile.31_225 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_225);
100%]
FREQ:19
<bb 45>:
global_ofile.31_233 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_233);
100%]
FREQ:19
<bb 24>:
global_ofile.31_213 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_213);
100%]
FREQ:19
<bb 29>:
global_ofile.31_217 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_217);
100%]
FREQ:19
<bb 33>:
global_ofile.31_221 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_221);
100%]
FREQ:19
<bb 49>:
global_ofile.31_237 = global_ofile;
__builtin_fputs (&buffer, global_ofile.31_237);
100%]
36%]
63%]
36%]
63%]
FREQ:51
<bb 38>:
_202 = global_emfloatstruct.arraysize;
__builtin___sprintf_chk (&buffer, 1, 80, " Array size: %lu\n", _202);
__printf_chk (1, "%s", &buffer);
write_to_file.30_223 = write_to_file;
if (write_to_file_30_223 != 0)
goto <bb 39>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 46>:
_206 = global_ideastruct.loops;
__builtin___sprintf_chk (&buffer, 1, 80, " Number of loops: %lu\n", _206);
__printf_chk (1, "%s", &buffer);
write_to_file.30_231 = write_to_file;
if (write_to_file_30_231 != 0)
goto <bb 47>; [36.64%]
else
goto <bb 26>; [63.36%]
FREQ:51
<bb 26>:
_153 = PHI <_153(20), _153(22), _153(24), _153(27), _153(29), _153(31), _153(33), _153(35), _153(37), _153(39), _153(41), _153(43), _153(45), _153(47), _153(49), _153(51), _153(53), _153(55), _153(57), _153(59), _153(61), _153(63), _153(65), _153(67), _153(69), _153(71), _153(73), _153(75), _153(77), _153(79), _153(81), _153(83), _153(85), _153(87), _153(89), _153(91), _153(93), _153(95), _153(97), _153(99), _153(101), _153(103), _153(105),