MusicMood API

1.0.0 OAS 3.1

/openapi.json

A music listening analytics API that explores mood-linked and context-aware listening patterns through AI-generated reflective summaries.

Authorize

default

GET /ui Serve Ui

GET / Root

Authentication

POST /auth/register Register

POST /auth/login Login

GET /auth/me Get Me

Tracks

GET /tracks/ Get Tracks

POST /tracks/ Create Track

GET /tracks/search Search Tracks

GET /tracks/{track_id} Get Track

PUT /tracks/{track_id} Update Track

DELETE /tracks/{track_id} Delete Track

Listening Sessions

POST /sessions/ Create Session

GET /sessions/user/{user_id} Get User Sessions

DELETE /sessions/{session_id} Delete Session

Analytics

GET /analytics/mood-trend/{user_id} Get Mood Trend

GET /analytics/context-breakdown/{user_id} Get Context Breakdown

GET /analytics/genre-emotion-map Get Genre Emotion Map

GET /analytics/top-tracks/{user_id} Get Top Tracks

AI Insights

GET /ai/interpret/{user_id} Interpret Listening

GET /ai/recommend/{user_id} Recommend Listening Context

Schemas

Body_login_auth_login_post > Expand all `object`

HTTPValidationError > Expand all `object`

SessionCreate > Expand all `object`

SessionResponse > Expand all `object`

Token > Expand all `object`

TrackCreate > Expand all `object`

TrackResponse > Expand all `object`

TrackUpdate > Expand all `object`

UserCreate > Expand all `object`

UserResponse > Expand all `object`

ValidationError > Expand all `object`