Performance Test Report - Jan 20, 2026 (#6)

Open in Postman

Postman collection: Teste QA Pleno - Assets

Report exported on: Jan 20, 2026, 5:38:08 (GMT-3)

Test setup

Virtual users	Start time	Load profile
130 VU	Jan 20, 5:33:53 (GMT-3)	Peak

Duration	End time	Environment
2 minutes (Terminated at 1 minute 57 seconds)	Jan 20, 5:35:51 (GMT-3)	-

1. Summary

Total requests sent	Throughput	Average response time	Error rate
600	5.12 requests/second	1 ms	100.00 %

1.1 Response time

Response time trends during the test duration.

Virtual users ● Avg. response time ● 90th percentile ● 95th percentile ● 99th percentile

1.2 Throughput

Rate of requests sent per second during the test duration.

Virtual users ● Throughput

1.3 Requests with slowest response times

Top 5 slowest requests based on their average response times.

Request	Resp. time (Avg ms)	90th (ms)	95th (ms)	99th (ms)	Min (ms)	Max (ms)
POST Asset inválido(tags malformado) request {{url}}/assets	1	1	1	1	1	1
POST Asset inválido (name ausente) resquest {{url}}/assets	1	1	1	1	1	1
POST Asset válido request {{url}}/assets	1	1	1	1	1	1
POST Asset inválido (type inválido) request {{url}}/assets	1	1	1	1	1	1
GET Asset válido (id=2) {{url}}/assets/2	1	1	1	1	1	1

1.4 Requests with most errors

Top 5 requests with the most errors, along with the most frequently occurring errors for each request.

| Request	Total error count	Error 1	Error 2	Other errors
POST Asset inválido(tags malformado) request {{url}}/assets	78	Error (78)	-	0
POST Asset inválido (name ausente) resquest {{url}}/assets	78	Error (78)	-	0
POST Asset válido request {{url}}/assets	78	Error (78)	-	0
POST Asset inválido (type inválido) request {{url}}/assets	54	Error (54)	-	0
GET Asset válido (id=2) {{url}}/assets/2	52	Error (52)	-	0

2. Metrics for each request

The requests are shown in the order they were sent by virtual users.

Request	Total requests	Requests/s	Min (ms)	Avg (ms)	90th (ms)	Max (ms)	Error %
POST Asset inválido(tags malformado) request {{url}}/assets	78	0.67	1	1	1	1	100
POST Asset inválido (name ausente) resquest {{url}}/assets	78	0.67	1	1	1	1	100
POST Asset válido request {{url}}/assets	78	0.67	1	1	1	1	100
POST Asset inválido (type inválido) request {{url}}/assets	54	0.46	1	1	1	1	100
GET Asset válido (id=2) {{url}}/assets/2	52	0.44	1	1	1	1	100
GET Filtro status=INACTIVE request {{url}}/assets?status=INACTIVE	52	0.44	1	1	1	1	100
GET Asset inválido (id=9999) {{url}}/assets/9999	52	0.44	1	1	1	1	100
GET Filtro tag=pii {{url}}/assets?tag=pii	52	0.44	1	1	1	1	100
GET Filtro taxonomy=finance {{url}}/assets?taxonomy=finance	52	0.44	1	1	1	1	100
GET Listagem sem filtro(ACTIVE) request {{url}}/assets	52	0.44	1	1	1	1	100

3. Errors

3.1 Error distribution over time

Top 5 error classes observed during the test duration.

3.2 Error distribution for requests

Errored requests grouped by error class, along with the error count for each class.

Error class	Total counts
Error	600
POST Asset inválido(tags malformado) request	78
POST Asset inválido (name ausente) resquest	78
POST Asset válido request	78
POST Asset inválido (type inválido) request	54
GET Asset válido (id=2)	52
GET Filtro status=INACTIVE request	52
GET Asset inválido (id=9999)	52
GET Filtro tag=pii	52
GET Filtro taxonomy=finance	52
GET Listagem sem filtro(ACTIVE) request	52

Testing API performance on Postman

Postman enables you to simulate user traffic and observe how your API behaves under load. It also helps you identify any issues or bottlenecks that affect performance.

Learn more about testing API performance.

POSTMAN