

Splatoon 2 Abilities - Appendix

Lean, Twitter: @leanyoshi

October 21, 2018

Contents

1 Ink Saver (Main)	5
1.1 Low	6
1.2 Mid	7
1.3 High	8
2 Ink Saver (Sub)	12
2.1 Low	13
2.2 Mid	14
2.3 High	15
3 Swim Speed Up	19
3.1 Heavy	20
3.2 Normal	21
3.3 Light	22
4 Runspeed Up	26
4.1 Heavy	27
4.2 Normal	28
4.3 Light	29
4.4 Shooting	30
4.5 Shooting Splatling	31
5 Special Charge Up	37
6 Quick Respawn	40
6.1 Die frames	41
6.2 Deathcam frames	42
7 Special Saver	45
7.1 Normal	46
7.2 Splash Down	47
8 Ink Resistance Up	51
8.1 Jump in ink (story mode)	52
8.2 Jump in ink)	53
8.3 Shoot in ink K	54
8.4 Shoot in ink	55
8.5 Run in ink	56
8.6 Damage Limit	57
8.7 Damage Per Frame	58

9 Cold-Blooded	66
9.1 Thermal-Ink Sillhouette Far Range Distance	67
9.2 Thermal-Ink Silhouette Close Range Distance	68
9.3 Marking Duration Ink-Mines	69
9.4 Marking Duration Point Sensors	70
10 Quick Super Jump	75
10.1 Prepare Frames	76
10.2 Jump Frames	77
11 Ink Recovery Up	80
11.1 Max Duration To Refill In Ink	81
11.2 Max Duration To Refill Standing	82
12 Special Power Up	85
12.1 Baller - HP	86
12.2 Baller - Object Shredder Damage Up	87
12.3 Inkjet - Bullet Damage Radius Multiplier	92
12.4 Inkjet - Explosion Paint Radius	93
12.5 Inkjet - Explosion Paint Splash Radius	94
12.6 Inkjet - Explosion Paint Splash Velocity H	95
12.7 Inkjet - Explosion Paint Splash Velocity L	96
12.8 Ink Storm - Duration	103
12.9 Ink Armor - Wind Up Time	106
12.10Ink Armor - Object Shredder Multiplier	107
12.11Ink Armor - Duration	109
12.12Booyah Ball - Auto Charge Increase	113
12.13Booyah Ball- Object Shredder Multiplier	114
12.14Bubble Blower - Bubble Radius Multiplier	119
12.15Bubble Blower - Burst Paint Radius	120
12.16Bubble Blower - Maximum Collision Player Radius	121
12.17Bubble Blower - Object Shredder Multiplier	122
12.18Splashdown - Jump-In Additional Height	128
12.19Splashdown - Jump-In Additional Height (Stealth Jump)	129
12.20Splashdown - Jump-In Additional Height (Stealth Jump)	130
12.21Splashdown - Jump-In Additional Height	131
12.22Splash Down - Burst Radius Far	132
12.23Splash Down - Burst Radius Far (Stealth Jump)	133
12.24Splash Down - Burst Radius Middle	134
12.25Splash Down - Burst Radius Midle (Stealth Jump)	135
12.26Splash Down - Burst Radius Close	136
12.27Splash Down - Burst Radius Close (Stealth Jump)	137
12.28Tenta Missiles - Paint Radius	145
12.29Tenta Missiles - Cross Paint Radius	146
12.30Tenta Missiles - Cross Paint Ray Length	147
12.31Tenta Missiles - Target Circle Radius	148
12.32Sting Ray Duration	152

13 Sub Power Up	154
13.1 Bomb Toss Velocity Up - Normal Bombs	155
13.2 Bomb Toss Velocity Up - Fizzy Bomb	156
13.3 Bomb Toss Velocity Up - Point Sensors	157
14 Bomb Defense Up	161
14.1 Heavy Subs	162
14.2 Light Subs	163
14.3 Special	164

1 Ink Saver (Main)

1.1 Low

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9614
0	2	6	0.9247
0	3	9	0.89
1	0	10	0.8788
0	4	12	0.8572
1	1	13	0.8466
0	5	15	0.8263
1	2	16	0.8164
0	6	18	0.7974
1	3	19	0.7882
2	0	20	0.7792
0	7	21	0.7704
1	4	22	0.7619
2	1	23	0.7535
0	8	24	0.7454
1	5	25	0.7375
2	2	26	0.7298
0	9	27	0.7223
1	6	28	0.7151
2	3	29	0.708
3	0	30	0.7012
1	7	31	0.6946
2	4	32	0.6882
3	1	33	0.682
1	8	34	0.676
2	5	35	0.6703
3	2	36	0.6648
1	9	37	0.6594
2	6	38	0.6544
3	3	39	0.6495
1	10	40	0.6448
2	7	41	0.6404
3	4	42	0.6361
1	11	43	0.6321
2	8	44	0.6283
3	5	45	0.6247
1	12	46	0.6213
2	9	47	0.6182
3	6	48	0.6152
2	10	50	0.61
3	7	51	0.6077
2	11	53	0.6038
3	8	54	0.6021
2	12	56	0.6
3	9	57	0.6

Table 1.1: Ink Saver (Main) (Low)

1.2 Mid

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9565
0	2	6	0.9153
0	3	9	0.8762
1	0	10	0.8637
0	4	12	0.8393
1	1	13	0.8275
0	5	15	0.8046
1	2	16	0.7935
0	6	18	0.7721
1	3	19	0.7617
2	0	20	0.7516
0	7	21	0.7417
1	4	22	0.7321
2	1	23	0.7227
0	8	24	0.7136
1	5	25	0.7047
2	2	26	0.696
0	9	27	0.6876
1	6	28	0.6795
2	3	29	0.6715
3	0	30	0.6639
1	7	31	0.6564
2	4	32	0.6492
3	1	33	0.6422
1	8	34	0.6355
2	5	35	0.6291
3	2	36	0.6229
1	9	37	0.6169
2	6	38	0.6112
3	3	39	0.6057
1	10	40	0.6004
2	7	41	0.5954
3	4	42	0.5906
1	11	43	0.5861
2	8	44	0.5818
3	5	45	0.5778
1	12	46	0.574
2	9	47	0.5704
3	6	48	0.5671
2	10	50	0.5613
3	7	51	0.5587
2	11	53	0.5542
3	8	54	0.5524
2	12	56	0.55
3	9	57	0.55


Table 1.2: Ink Saver (Main) (Mid)

1.3 High


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9107
0	2	6	0.8539
0	3	9	0.8069
1	0	10	0.7926
0	4	12	0.7659
1	1	13	0.7533
0	5	15	0.7296
1	2	16	0.7184
0	6	18	0.6971
1	3	19	0.6871
2	0	20	0.6773
0	7	21	0.6679
1	4	22	0.6588
2	1	23	0.6501
0	8	24	0.6416
1	5	25	0.6335
2	2	26	0.6255
0	9	27	0.6179
1	6	28	0.6106
2	3	29	0.6035
3	0	30	0.5967
1	7	31	0.5902
2	4	32	0.5839
3	1	33	0.5778
1	8	34	0.572
2	5	35	0.5664
3	2	36	0.561
1	9	37	0.5559
2	6	38	0.551
3	3	39	0.5464
1	10	40	0.5419
2	7	41	0.5377
3	4	42	0.5337
1	11	43	0.5299
2	8	44	0.5263
3	5	45	0.5229
1	12	46	0.5198
2	9	47	0.5168
3	6	48	0.5141
2	10	50	0.5092
3	7	51	0.5071
2	11	53	0.5035
3	8	54	0.502
2	12	56	0.5
3	9	57	0.5

Table 1.3: Ink Saver (Main) (High)


Ink Saver Main - Low



Ink Saver Main - Mid



Ink Saver Main - High



2 Ink Saver (Sub)

2.1 Low

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9807
0	2	6	0.9623
0	3	9	0.945
1	0	10	0.9394
0	4	12	0.9286
1	1	13	0.9233
0	5	15	0.9132
1	2	16	0.9082
0	6	18	0.8987
1	3	19	0.8941
2	0	20	0.8896
0	7	21	0.8852
1	4	22	0.8809
2	1	23	0.8768
0	8	24	0.8727
1	5	25	0.8688
2	2	26	0.8649
0	9	27	0.8612
1	6	28	0.8575
2	3	29	0.854
3	0	30	0.8506
1	7	31	0.8473
2	4	32	0.8441
3	1	33	0.841
1	8	34	0.838
2	5	35	0.8352
3	2	36	0.8324
1	9	37	0.8297
2	6	38	0.8272
3	3	39	0.8247
1	10	40	0.8224
2	7	41	0.8202
3	4	42	0.8181
1	11	43	0.816
2	8	44	0.8141
3	5	45	0.8123
1	12	46	0.8107
2	9	47	0.8091
3	6	48	0.8076
2	10	50	0.805
3	7	51	0.8039
2	11	53	0.8019
3	8	54	0.8011
2	12	56	0.8
3	9	57	0.8

Table 2.1: Ink Saver (Sub) (Low)

2.2 Mid

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.971
0	2	6	0.9435
0	3	9	0.9175
1	0	10	0.9091
0	4	12	0.8929
1	1	13	0.885
0	5	15	0.8697
1	2	16	0.8623
0	6	18	0.848
1	3	19	0.8411
2	0	20	0.8344
0	7	21	0.8278
1	4	22	0.8214
2	1	23	0.8151
0	8	24	0.8091
1	5	25	0.8031
2	2	26	0.7974
0	9	27	0.7917
1	6	28	0.7863
2	3	29	0.781
3	0	30	0.7759
1	7	31	0.771
2	4	32	0.7661
3	1	33	0.7615
1	8	34	0.757
2	5	35	0.7527
3	2	36	0.7486
1	9	37	0.7446
2	6	38	0.7408
3	3	39	0.7371
1	10	40	0.7336
2	7	41	0.7303
3	4	42	0.7271
1	11	43	0.7241
2	8	44	0.7212
3	5	45	0.7185
1	12	46	0.716
2	9	47	0.7136
3	6	48	0.7114
2	10	50	0.7075
3	7	51	0.7058
2	11	53	0.7028
3	8	54	0.7016
2	12	56	0.7
3	9	57	0.7


Table 2.2: Ink Saver (Sub) (Mid)

2.3 High


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9662
0	2	6	0.9341
0	3	9	0.9037
1	0	10	0.894
0	4	12	0.875
1	1	13	0.8658
0	5	15	0.848
1	2	16	0.8394
0	6	18	0.8227
1	3	19	0.8147
2	0	20	0.8068
0	7	21	0.7991
1	4	22	0.7916
2	1	23	0.7843
0	8	24	0.7772
1	5	25	0.7703
2	2	26	0.7636
0	9	27	0.757
1	6	28	0.7507
2	3	29	0.7445
3	0	30	0.7386
1	7	31	0.7328
2	4	32	0.7272
3	1	33	0.7218
1	8	34	0.7165
2	5	35	0.7115
3	2	36	0.7067
1	9	37	0.702
2	6	38	0.6976
3	3	39	0.6933
1	10	40	0.6892
2	7	41	0.6853
3	4	42	0.6816
1	11	43	0.6781
2	8	44	0.6747
3	5	45	0.6716
1	12	46	0.6687
2	9	47	0.6659
3	6	48	0.6633
2	10	50	0.6587
3	7	51	0.6568
2	11	53	0.6533
3	8	54	0.6519
2	12	56	0.65
3	9	57	0.65

Table 2.3: Ink Saver (Sub) (High)


Ink Saver Sub - Low



Ink Saver Sub - Mid



Ink Saver Sub - High



3 Swim Speed Up

3.1 Heavy

Main	Sub	AP	Effect
0	0	0	1.728
0	1	3	1.7929
0	2	6	1.8545
0	3	9	1.9129
1	0	10	1.9316
0	4	12	1.968
1	1	13	1.9856
0	5	15	2.0198
1	2	16	2.0364
0	6	18	2.0684
1	3	19	2.0838
2	0	20	2.0989
0	7	21	2.1137
1	4	22	2.128
2	1	23	2.1421
0	8	24	2.1557
1	5	25	2.169
2	2	26	2.1819
0	9	27	2.1945
1	6	28	2.2067
2	3	29	2.2185
3	0	30	2.23
1	7	31	2.2411
2	4	32	2.2518
3	1	33	2.2622
1	8	34	2.2723
2	5	35	2.2819
3	2	36	2.2912
1	9	37	2.3001
2	6	38	2.3087
3	3	39	2.3169
1	10	40	2.3247
2	7	41	2.3322
3	4	42	2.3393
1	11	43	2.3461
2	8	44	2.3525
3	5	45	2.3585
1	12	46	2.3642
2	9	47	2.3695
3	6	48	2.3744
2	10	50	2.3832
3	7	51	2.387
2	11	53	2.3937
3	8	54	2.3964
2	12	56	2.4
3	9	57	2.4

Table 3.1: Swim Speed Up (Heavy)

3.2 Normal


Main	Sub	AP	Effect
0	0	0	1.92
0	1	3	1.9664
0	2	6	2.0104
0	3	9	2.052
1	0	10	2.0654
0	4	12	2.0914
1	1	13	2.104
0	5	15	2.1284
1	2	16	2.1403
0	6	18	2.1631
1	3	19	2.1742
2	0	20	2.185
0	7	21	2.1955
1	4	22	2.2057
2	1	23	2.2158
0	8	24	2.2255
1	5	25	2.235
2	2	26	2.2442
0	9	27	2.2532
1	6	28	2.2619
2	3	29	2.2704
3	0	30	2.2786
1	7	31	2.2865
2	4	32	2.2942
3	1	33	2.3016
1	8	34	2.3088
2	5	35	2.3156
3	2	36	2.3223
1	9	37	2.3287
2	6	38	2.3348
3	3	39	2.3406
1	10	40	2.3462
2	7	41	2.3516
3	4	42	2.3567
1	11	43	2.3615
2	8	44	2.3661
3	5	45	2.3704
1	12	46	2.3744
2	9	47	2.3782
3	6	48	2.3817
2	10	50	2.388
3	7	51	2.3907
2	11	53	2.3955
3	8	54	2.3975
2	12	56	2.4
3	9	57	2.4


Table 3.2: Swim Speed Up (Normal)


3.3 Light

Main	Sub	AP	Effect
0	0	0	2.016
0	1	3	2.0531
0	2	6	2.0883
0	3	9	2.1216
1	0	10	2.1324
0	4	12	2.1531
1	1	13	2.1632
0	5	15	2.1827
1	2	16	2.1922
0	6	18	2.2105
1	3	19	2.2193
2	0	20	2.228
0	7	21	2.2364
1	4	22	2.2446
2	1	23	2.2526
0	8	24	2.2604
1	5	25	2.268
2	2	26	2.2754
0	9	27	2.2826
1	6	28	2.2895
2	3	29	2.2963
3	0	30	2.3028
1	7	31	2.3092
2	4	32	2.3153
3	1	33	2.3213
1	8	34	2.327
2	5	35	2.3325
3	2	36	2.3378
1	9	37	2.3429
2	6	38	2.3478
3	3	39	2.3525
1	10	40	2.357
2	7	41	2.3613
3	4	42	2.3653
1	11	43	2.3692
2	8	44	2.3729
3	5	45	2.3763
1	12	46	2.3795
2	9	47	2.3826
3	6	48	2.3854
2	10	50	2.3904
3	7	51	2.3926
2	11	53	2.3964
3	8	54	2.398
2	12	56	2.4
3	9	57	2.4

Table 3.3: Swim Speed Up (Light)







4 Runspeed Up

4.1 Heavy

Main	Sub	AP	Effect
0	0	0	0.88
0	1	3	0.9341
0	2	6	0.9854
0	3	9	1.0341
1	0	10	1.0497
0	4	12	1.08
1	1	13	1.0947
0	5	15	1.1232
1	2	16	1.137
0	6	18	1.1636
1	3	19	1.1765
2	0	20	1.1891
0	7	21	1.2014
1	4	22	1.2134
2	1	23	1.2251
0	8	24	1.2364
1	5	25	1.2475
2	2	26	1.2583
0	9	27	1.2688
1	6	28	1.2789
2	3	29	1.2887
3	0	30	1.2983
1	7	31	1.3076
2	4	32	1.3165
3	1	33	1.3252
1	8	34	1.3335
2	5	35	1.3416
3	2	36	1.3493
1	9	37	1.3568
2	6	38	1.3639
3	3	39	1.3707
1	10	40	1.3773
2	7	41	1.3835
3	4	42	1.3894
1	11	43	1.3951
2	8	44	1.4004
3	5	45	1.4054
1	12	46	1.4102
2	9	47	1.4146
3	6	48	1.4187
2	10	50	1.426
3	7	51	1.4292
2	11	53	1.4347
3	8	54	1.437
2	12	56	1.44
3	9	57	1.44

Table 4.1: Runspeed Up (Heavy)

4.2 Normal

Main	Sub	AP	Effect
0	0	0	0.96
0	1	3	1.0064
0	2	6	1.0504
0	3	9	1.092
1	0	10	1.1054
0	4	12	1.1314
1	1	13	1.144
0	5	15	1.1684
1	2	16	1.1803
0	6	18	1.2031
1	3	19	1.2142
2	0	20	1.225
0	7	21	1.2355
1	4	22	1.2457
2	1	23	1.2558
0	8	24	1.2655
1	5	25	1.275
2	2	26	1.2842
0	9	27	1.2932
1	6	28	1.3019
2	3	29	1.3104
3	0	30	1.3186
1	7	31	1.3265
2	4	32	1.3342
3	1	33	1.3416
1	8	34	1.3488
2	5	35	1.3556
3	2	36	1.3623
1	9	37	1.3687
2	6	38	1.3748
3	3	39	1.3806
1	10	40	1.3862
2	7	41	1.3916
3	4	42	1.3967
1	11	43	1.4015
2	8	44	1.4061
3	5	45	1.4104
1	12	46	1.4144
2	9	47	1.4182
3	6	48	1.4217
2	10	50	1.428
3	7	51	1.4307
2	11	53	1.4355
3	8	54	1.4375
2	12	56	1.44
3	9	57	1.44

Table 4.2: Runspeed Up (Normal)

4.3 Light

Main	Sub	AP	Effect
0	0	0	1.04
0	1	3	1.0786
0	2	6	1.1153
0	3	9	1.15
1	0	10	1.1612
0	4	12	1.1828
1	1	13	1.1934
0	5	15	1.2137
1	2	16	1.2236
0	6	18	1.2426
1	3	19	1.2518
2	0	20	1.2608
0	7	21	1.2696
1	4	22	1.2781
2	1	23	1.2865
0	8	24	1.2946
1	5	25	1.3025
2	2	26	1.3102
0	9	27	1.3177
1	6	28	1.3249
2	3	29	1.332
3	0	30	1.3388
1	7	31	1.3454
2	4	32	1.3518
3	1	33	1.358
1	8	34	1.364
2	5	35	1.3697
3	2	36	1.3752
1	9	37	1.3806
2	6	38	1.3856
3	3	39	1.3905
1	10	40	1.3952
2	7	41	1.3996
3	4	42	1.4039
1	11	43	1.4079
2	8	44	1.4117
3	5	45	1.4153
1	12	46	1.4187
2	9	47	1.4218
3	6	48	1.4248
2	10	50	1.43
3	7	51	1.4323
2	11	53	1.4362
3	8	54	1.4379
2	12	56	1.44
3	9	57	1.44

Table 4.3: Runspeed Up (Light)

4.4 Shooting


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.0241
0	2	6	1.0471
0	3	9	1.0688
1	0	10	1.0757
0	4	12	1.0893
1	1	13	1.0958
0	5	15	1.1085
1	2	16	1.1147
0	6	18	1.1266
1	3	19	1.1324
2	0	20	1.138
0	7	21	1.1435
1	4	22	1.1488
2	1	23	1.1541
0	8	24	1.1591
1	5	25	1.1641
2	2	26	1.1689
0	9	27	1.1736
1	6	28	1.1781
2	3	29	1.1825
3	0	30	1.1867
1	7	31	1.1909
2	4	32	1.1949
3	1	33	1.1987
1	8	34	1.2025
2	5	35	1.2061
3	2	36	1.2095
1	9	37	1.2128
2	6	38	1.216
3	3	39	1.2191
1	10	40	1.222
2	7	41	1.2248
3	4	42	1.2274
1	11	43	1.23
2	8	44	1.2323
3	5	45	1.2346
1	12	46	1.2367
2	9	47	1.2387
3	6	48	1.2405
2	10	50	1.2437
3	7	51	1.2452
2	11	53	1.2476
3	8	54	1.2487
2	12	56	1.25
3	9	57	1.25


Table 4.4: Runspeed Up (Shooting)


4.5 Shooting Splatling


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.029
0	2	6	1.0565
0	3	9	1.0825
1	0	10	1.0909
0	4	12	1.1071
1	1	13	1.115
0	5	15	1.1303
1	2	16	1.1377
0	6	18	1.152
1	3	19	1.1588
2	0	20	1.1656
0	7	21	1.1722
1	4	22	1.1786
2	1	23	1.1849
0	8	24	1.1909
1	5	25	1.1969
2	2	26	1.2026
0	9	27	1.2083
1	6	28	1.2137
2	3	29	1.219
3	0	30	1.2241
1	7	31	1.229
2	4	32	1.2339
3	1	33	1.2385
1	8	34	1.243
2	5	35	1.2473
3	2	36	1.2514
1	9	37	1.2554
2	6	38	1.2592
3	3	39	1.2629
1	10	40	1.2664
2	7	41	1.2697
3	4	42	1.2729
1	11	43	1.2759
2	8	44	1.2788
3	5	45	1.2815
1	12	46	1.284
2	9	47	1.2864
3	6	48	1.2886
2	10	50	1.2925
3	7	51	1.2942
2	11	53	1.2972
3	8	54	1.2984
2	12	56	1.3
3	9	57	1.3

Table 4.5: Runspeed Up (Shooting Splatling)











Run Speed - Shooting, Splatting



5 Special Charge Up

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.029
0	2	6	1.0565
0	3	9	1.0825
1	0	10	1.0909
0	4	12	1.1071
1	1	13	1.115
0	5	15	1.1303
1	2	16	1.1377
0	6	18	1.152
1	3	19	1.1588
2	0	20	1.1656
0	7	21	1.1722
1	4	22	1.1786
2	1	23	1.1849
0	8	24	1.1909
1	5	25	1.1969
2	2	26	1.2026
0	9	27	1.2083
1	6	28	1.2137
2	3	29	1.219
3	0	30	1.2241
1	7	31	1.229
2	4	32	1.2339
3	1	33	1.2385
1	8	34	1.243
2	5	35	1.2473
3	2	36	1.2514
1	9	37	1.2554
2	6	38	1.2592
3	3	39	1.2629
1	10	40	1.2664
2	7	41	1.2697
3	4	42	1.2729
1	11	43	1.2759
2	8	44	1.2788
3	5	45	1.2815
1	12	46	1.284
2	9	47	1.2864
3	6	48	1.2886
2	10	50	1.2925
3	7	51	1.2942
2	11	53	1.2972
3	8	54	1.2984
2	12	56	1.3
3	9	57	1.3

Table 5.1: Special Charge Up



6 Quick Respawn

6.1 Die frames

Main	Sub	AP	Effect
0	0	0	90.0
0	1	3	84.204
0	2	6	78.702
0	3	9	73.494
1	0	10	71.82
0	4	12	68.574
1	1	13	66.996
0	5	15	63.948
1	2	16	62.466
0	6	18	59.61
1	3	19	58.23
2	0	20	56.88
0	7	21	55.566
1	4	22	54.282
2	1	23	53.028
0	8	24	51.81
1	5	25	50.628
2	2	26	49.47
0	9	27	48.348
1	6	28	47.262
2	3	29	46.206
3	0	30	45.18
1	7	31	44.19
2	4	32	43.23
3	1	33	42.3
1	8	34	41.406
2	5	35	40.548
3	2	36	39.714
1	9	37	38.916
2	6	38	38.154
3	3	39	37.422
1	10	40	36.72
2	7	41	36.054
3	4	42	35.418
1	11	43	34.812
2	8	44	34.242
3	5	45	33.702
1	12	46	33.198
2	9	47	32.724
3	6	48	32.286
2	10	50	31.5
3	7	51	31.158
2	11	53	30.564
3	8	54	30.318
2	12	56	30.0
3	9	57	30.0


Table 6.1: Quick Respawn (Die frames)

6.2 Deathcam frames


Main	Sub	AP	Effect
0	0	0	270.0
0	1	3	252.612
0	2	6	236.106
0	3	9	220.482
1	0	10	215.46
0	4	12	205.722
1	1	13	200.988
0	5	15	191.844
1	2	16	187.398
0	6	18	178.83
1	3	19	174.69
2	0	20	170.64
0	7	21	166.698
1	4	22	162.846
2	1	23	159.084
0	8	24	155.43
1	5	25	151.884
2	2	26	148.41
0	9	27	145.044
1	6	28	141.786
2	3	29	138.618
3	0	30	135.54
1	7	31	132.57
2	4	32	129.69
3	1	33	126.9
1	8	34	124.218
2	5	35	121.644
3	2	36	119.142
1	9	37	116.748
2	6	38	114.462
3	3	39	112.266
1	10	40	110.16
2	7	41	108.162
3	4	42	106.254
1	11	43	104.436
2	8	44	102.726
3	5	45	101.106
1	12	46	99.594
2	9	47	98.172
3	6	48	96.858
2	10	50	94.5
3	7	51	93.474
2	11	53	91.692
3	8	54	90.954
2	12	56	90.0
3	9	57	90.0

Table 6.2: Quick Respawn (Deathcam frames)

Quick Respawn - Die Frames



Quick Respawn - Deathcam Frames



7 Special Saver

7.1 Normal

Main	Sub	AP	Effect
0	0	0	0.5
0	1	3	0.5893
0	2	6	0.6461
0	3	9	0.6931
1	0	10	0.7074
0	4	12	0.7341
1	1	13	0.7467
0	5	15	0.7704
1	2	16	0.7816
0	6	18	0.8029
1	3	19	0.8129
2	0	20	0.8227
0	7	21	0.8321
1	4	22	0.8412
2	1	23	0.8499
0	8	24	0.8584
1	5	25	0.8665
2	2	26	0.8745
0	9	27	0.8821
1	6	28	0.8894
2	3	29	0.8965
3	0	30	0.9033
1	7	31	0.9098
2	4	32	0.9161
3	1	33	0.9222
1	8	34	0.928
2	5	35	0.9336
3	2	36	0.939
1	9	37	0.9441
2	6	38	0.949
3	3	39	0.9536
1	10	40	0.9581
2	7	41	0.9623
3	4	42	0.9663
1	11	43	0.9701
2	8	44	0.9737
3	5	45	0.9771
1	12	46	0.9802
2	9	47	0.9832
3	6	48	0.9859
2	10	50	0.9908
3	7	51	0.9929
2	11	53	0.9965
3	8	54	0.998
2	12	56	1.0
3	9	57	1.0


Table 7.1: Special Saver (Normal)

7.2 Splash Down


Note: Since you can only use splashdown with full special bar, everything greater than 1.0 will effectively go to 1.0.

Main	Sub	AP	Effect
0	0	0	0.75
0	1	3	0.8393
0	2	6	0.8961
0	3	9	0.9431
1	0	10	0.9574
0	4	12	0.9841
1	1	13	0.9967
0	5	15	1.0204
1	2	16	1.0316
0	6	18	1.0529
1	3	19	1.0629
2	0	20	1.0727
0	7	21	1.0821
1	4	22	1.0912
2	1	23	1.0999
0	8	24	1.1084
1	5	25	1.1165
2	2	26	1.1245
0	9	27	1.1321
1	6	28	1.1394
2	3	29	1.1465
3	0	30	1.1533
1	7	31	1.1598
2	4	32	1.1661
3	1	33	1.1722
1	8	34	1.178
2	5	35	1.1836
3	2	36	1.189
1	9	37	1.1941
2	6	38	1.199
3	3	39	1.2036
1	10	40	1.2081
2	7	41	1.2123
3	4	42	1.2163
1	11	43	1.2201
2	8	44	1.2237
3	5	45	1.2271
1	12	46	1.2302
2	9	47	1.2332
3	6	48	1.2359
2	10	50	1.2408
3	7	51	1.2429
2	11	53	1.2465
3	8	54	1.248
2	12	56	1.25
3	9	57	1.25

Table 7.2: Special Saver (Splash Down)



Special Saver - Splashdown



8 Ink Resistance Up

8.1 Jump in ink (story mode)

Main	Sub	AP	Effect
0	0	0	0.6
0	1	3	0.6435
0	2	6	0.6847
0	3	9	0.7238
1	0	10	0.7364
0	4	12	0.7607
1	1	13	0.7725
0	5	15	0.7954
1	2	16	0.8065
0	6	18	0.8279
1	3	19	0.8383
2	0	20	0.8484
0	7	21	0.8583
1	4	22	0.8679
2	1	23	0.8773
0	8	24	0.8864
1	5	25	0.8953
2	2	26	0.904
0	9	27	0.9124
1	6	28	0.9205
2	3	29	0.9285
3	0	30	0.9362
1	7	31	0.9436
2	4	32	0.9508
3	1	33	0.9578
1	8	34	0.9645
2	5	35	0.9709
3	2	36	0.9771
1	9	37	0.9831
2	6	38	0.9888
3	3	39	0.9943
1	10	40	0.9996
2	7	41	1.0046
3	4	42	1.0094
1	11	43	1.0139
2	8	44	1.0182
3	5	45	1.0222
1	12	46	1.026
2	9	47	1.0296
3	6	48	1.0329
2	10	50	1.0388
3	7	51	1.0413
2	11	53	1.0458
3	8	54	1.0476
2	12	56	1.05
3	9	57	1.05

Table 8.1: Ink Resistance Up (Jump in ink (story mode))

8.2 Jump in ink)

Main	Sub	AP	Effect
0	0	0	0.8
0	1	3	0.8242
0	2	6	0.8471
0	3	9	0.8688
1	0	10	0.8758
0	4	12	0.8893
1	1	13	0.8959
0	5	15	0.9086
1	2	16	0.9147
0	6	18	0.9266
1	3	19	0.9324
2	0	20	0.938
0	7	21	0.9435
1	4	22	0.9488
2	1	23	0.9541
0	8	24	0.9591
1	5	25	0.9641
2	2	26	0.9689
0	9	27	0.9736
1	6	28	0.9781
2	3	29	0.9825
3	0	30	0.9868
1	7	31	0.9909
2	4	32	0.9949
3	1	33	0.9988
1	8	34	1.0025
2	5	35	1.0061
3	2	36	1.0095
1	9	37	1.0129
2	6	38	1.016
3	3	39	1.0191
1	10	40	1.022
2	7	41	1.0248
3	4	42	1.0274
1	11	43	1.0299
2	8	44	1.0323
3	5	45	1.0346
1	12	46	1.0367
2	9	47	1.0387
3	6	48	1.0405
2	10	50	1.0437
3	7	51	1.0452
2	11	53	1.0476
3	8	54	1.0487
2	12	56	1.05
3	9	57	1.05

Table 8.2: Ink Resistance Up (Jump in ink (story mode))

8.3 Shoot in ink K

Main	Sub	AP	Effect
0	0	0	0.5
0	1	3	0.5483
0	2	6	0.5941
0	3	9	0.6376
1	0	10	0.6515
0	4	12	0.6785
1	1	13	0.6917
0	5	15	0.7171
1	2	16	0.7294
0	6	18	0.7532
1	3	19	0.7648
2	0	20	0.776
0	7	21	0.787
1	4	22	0.7976
2	1	23	0.8081
0	8	24	0.8182
1	5	25	0.8281
2	2	26	0.8377
0	9	27	0.8471
1	6	28	0.8561
2	3	29	0.8649
3	0	30	0.8735
1	7	31	0.8818
2	4	32	0.8898
3	1	33	0.8975
1	8	34	0.9049
2	5	35	0.9121
3	2	36	0.919
1	9	37	0.9257
2	6	38	0.9321
3	3	39	0.9382
1	10	40	0.944
2	7	41	0.9496
3	4	42	0.9548
1	11	43	0.9599
2	8	44	0.9647
3	5	45	0.9691
1	12	46	0.9733
2	9	47	0.9773
3	6	48	0.9809
2	10	50	0.9875
3	7	51	0.9904
2	11	53	0.9953
3	8	54	0.9973
2	12	56	1.0
3	9	57	1.0

Table 8.3: Ink Resistance Up (Shoot in ink K)

8.4 Shoot in ink

Main	Sub	AP	Effect
0	0	0	0.12
0	1	3	0.147
0	2	6	0.1727
0	3	9	0.197
1	0	10	0.2048
0	4	12	0.22
1	1	13	0.2274
0	5	15	0.2416
1	2	16	0.2485
0	6	18	0.2618
1	3	19	0.2683
2	0	20	0.2746
0	7	21	0.2807
1	4	22	0.2867
2	1	23	0.2925
0	8	24	0.2982
1	5	25	0.3037
2	2	26	0.3091
0	9	27	0.3144
1	6	28	0.3194
2	3	29	0.3244
3	0	30	0.3292
1	7	31	0.3338
2	4	32	0.3383
3	1	33	0.3426
1	8	34	0.3468
2	5	35	0.3508
3	2	36	0.3547
1	9	37	0.3584
2	6	38	0.3619
3	3	39	0.3654
1	10	40	0.3686
2	7	41	0.3717
3	4	42	0.3747
1	11	43	0.3775
2	8	44	0.3802
3	5	45	0.3827
1	12	46	0.3851
2	9	47	0.3873
3	6	48	0.3893
2	10	50	0.393
3	7	51	0.3946
2	11	53	0.3974
3	8	54	0.3985
2	12	56	0.4
3	9	57	0.4

Table 8.4: Ink Resistance Up (Shoot in ink)

8.5 Run in ink

Main	Sub	AP	Effect
0	0	0	0.24
0	1	3	0.2864
0	2	6	0.3304
0	3	9	0.372
1	0	10	0.3854
0	4	12	0.4114
1	1	13	0.424
0	5	15	0.4484
1	2	16	0.4603
0	6	18	0.4831
1	3	19	0.4942
2	0	20	0.505
0	7	21	0.5155
1	4	22	0.5257
2	1	23	0.5358
0	8	24	0.5455
1	5	25	0.555
2	2	26	0.5642
0	9	27	0.5732
1	6	28	0.5819
2	3	29	0.5904
3	0	30	0.5986
1	7	31	0.6065
2	4	32	0.6142
3	1	33	0.6216
1	8	34	0.6288
2	5	35	0.6356
3	2	36	0.6423
1	9	37	0.6487
2	6	38	0.6548
3	3	39	0.6606
1	10	40	0.6662
2	7	41	0.6716
3	4	42	0.6767
1	11	43	0.6815
2	8	44	0.6861
3	5	45	0.6904
1	12	46	0.6944
2	9	47	0.6982
3	6	48	0.7017
2	10	50	0.708
3	7	51	0.7107
2	11	53	0.7155
3	8	54	0.7175
2	12	56	0.72
3	9	57	0.72

Table 8.5: Ink Resistance Up (Run in ink)

8.6 Damage Limit


Main	Sub	AP	Effect
0	0	0	0.4
0	1	3	0.3807
0	2	6	0.3623
0	3	9	0.345
1	0	10	0.3394
0	4	12	0.3286
1	1	13	0.3233
0	5	15	0.3132
1	2	16	0.3082
0	6	18	0.2987
1	3	19	0.2941
2	0	20	0.2896
0	7	21	0.2852
1	4	22	0.2809
2	1	23	0.2768
0	8	24	0.2727
1	5	25	0.2688
2	2	26	0.2649
0	9	27	0.2612
1	6	28	0.2575
2	3	29	0.254
3	0	30	0.2506
1	7	31	0.2473
2	4	32	0.2441
3	1	33	0.241
1	8	34	0.238
2	5	35	0.2352
3	2	36	0.2324
1	9	37	0.2297
2	6	38	0.2272
3	3	39	0.2247
1	10	40	0.2224
2	7	41	0.2202
3	4	42	0.2181
1	11	43	0.216
2	8	44	0.2141
3	5	45	0.2123
1	12	46	0.2107
2	9	47	0.2091
3	6	48	0.2076
2	10	50	0.205
3	7	51	0.2039
2	11	53	0.2019
3	8	54	0.2011
2	12	56	0.2
3	9	57	0.2


Table 8.6: Ink Resistance Up (Damage Limit)


8.7 Damage Per Frame


Main	Sub	AP	Effect
0	0	0	0.003
0	1	3	0.0029
0	2	6	0.0027
0	3	9	0.0026
1	0	10	0.0025
0	4	12	0.0025
1	1	13	0.0024
0	5	15	0.0023
1	2	16	0.0023
0	6	18	0.0022
1	3	19	0.0022
2	0	20	0.0022
0	7	21	0.0021
1	4	22	0.0021
2	1	23	0.0021
0	8	24	0.002
1	5	25	0.002
2	2	26	0.002
0	9	27	0.002
1	6	28	0.0019
2	3	29	0.0019
3	0	30	0.0019
1	7	31	0.0019
2	4	32	0.0018
3	1	33	0.0018
1	8	34	0.0018
2	5	35	0.0018
3	2	36	0.0017
1	9	37	0.0017
2	6	38	0.0017
3	3	39	0.0017
1	10	40	0.0017
2	7	41	0.0017
3	4	42	0.0016
1	11	43	0.0016
2	8	44	0.0016
3	5	45	0.0016
1	12	46	0.0016
2	9	47	0.0016
3	6	48	0.0016
2	10	50	0.0015
3	7	51	0.0015
2	11	53	0.0015
3	8	54	0.0015
2	12	56	0.0015
3	9	57	0.0015


Table 8.7: Ink Resistance Up (Damage Per Frame)













Ink Resistance - Dmg Limit





9 Cold-Blooded

9.1 Thermal-Ink Sillhoute Far Range Distance

Main	Sub	AP	Effect
0	0	0	170.0
0	1	3	181.592
0	2	6	192.596
0	3	9	203.012
1	0	10	206.36
0	4	12	212.852
1	1	13	216.008
0	5	15	222.104
1	2	16	225.068
0	6	18	230.78
1	3	19	233.54
2	0	20	236.24
0	7	21	238.868
1	4	22	241.436
2	1	23	243.944
0	8	24	246.38
1	5	25	248.744
2	2	26	251.06
0	9	27	253.304
1	6	28	255.476
2	3	29	257.588
3	0	30	259.64
1	7	31	261.62
2	4	32	263.54
3	1	33	265.4
1	8	34	267.188
2	5	35	268.904
3	2	36	270.572
1	9	37	272.168
2	6	38	273.692
3	3	39	275.156
1	10	40	276.56
2	7	41	277.892
3	4	42	279.164
1	11	43	280.376
2	8	44	281.516
3	5	45	282.596
1	12	46	283.604
2	9	47	284.552
3	6	48	285.428
2	10	50	287.0
3	7	51	287.684
2	11	53	288.872
3	8	54	289.364
2	12	56	290.0
3	9	57	290.0

Table 9.1: Cold-Blooded (Thermal-Ink Sillhoute Far Range Distance)

9.2 Thermal-Ink Silhouette Close Range Distance

Main	Sub	AP	Effect
0	0	0	130.0
0	1	3	141.592
0	2	6	152.596
0	3	9	163.012
1	0	10	166.36
0	4	12	172.852
1	1	13	176.008
0	5	15	182.104
1	2	16	185.068
0	6	18	190.78
1	3	19	193.54
2	0	20	196.24
0	7	21	198.868
1	4	22	201.436
2	1	23	203.944
0	8	24	206.38
1	5	25	208.744
2	2	26	211.06
0	9	27	213.304
1	6	28	215.476
2	3	29	217.588
3	0	30	219.64
1	7	31	221.62
2	4	32	223.54
3	1	33	225.4
1	8	34	227.188
2	5	35	228.904
3	2	36	230.572
1	9	37	232.168
2	6	38	233.692
3	3	39	235.156
1	10	40	236.56
2	7	41	237.892
3	4	42	239.164
1	11	43	240.376
2	8	44	241.516
3	5	45	242.596
1	12	46	243.604
2	9	47	244.552
3	6	48	245.428
2	10	50	247.0
3	7	51	247.684
2	11	53	248.872
3	8	54	249.364
2	12	56	250.0
3	9	57	250.0

Table 9.2: Cold-Blooded (Thermal-Ink Silhouette Close Range Distance)

9.3 Marking Duration Ink-Mines

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9131
0	2	6	0.8305
0	3	9	0.7524
1	0	10	0.7273
0	4	12	0.6786
1	1	13	0.6549
0	5	15	0.6092
1	2	16	0.587
0	6	18	0.5442
1	3	19	0.5234
2	0	20	0.5032
0	7	21	0.4835
1	4	22	0.4642
2	1	23	0.4454
0	8	24	0.4272
1	5	25	0.4094
2	2	26	0.3921
0	9	27	0.3752
1	6	28	0.3589
2	3	29	0.3431
3	0	30	0.3277
1	7	31	0.3129
2	4	32	0.2984
3	1	33	0.2845
1	8	34	0.2711
2	5	35	0.2582
3	2	36	0.2457
1	9	37	0.2337
2	6	38	0.2223
3	3	39	0.2113
1	10	40	0.2008
2	7	41	0.1908
3	4	42	0.1813
1	11	43	0.1722
2	8	44	0.1636
3	5	45	0.1555
1	12	46	0.148
2	9	47	0.1409
3	6	48	0.1343
2	10	50	0.1225
3	7	51	0.1174
2	11	53	0.1085
3	8	54	0.1048
2	12	56	0.1
3	9	57	0.1


Table 9.3: Cold-Blooded (Marking Duration Ink-Mines)

9.4 Marking Duration Point Sensors


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9131
0	2	6	0.8305
0	3	9	0.7524
1	0	10	0.7273
0	4	12	0.6786
1	1	13	0.6549
0	5	15	0.6092
1	2	16	0.587
0	6	18	0.5442
1	3	19	0.5234
2	0	20	0.5032
0	7	21	0.4835
1	4	22	0.4642
2	1	23	0.4454
0	8	24	0.4272
1	5	25	0.4094
2	2	26	0.3921
0	9	27	0.3752
1	6	28	0.3589
2	3	29	0.3431
3	0	30	0.3277
1	7	31	0.3129
2	4	32	0.2984
3	1	33	0.2845
1	8	34	0.2711
2	5	35	0.2582
3	2	36	0.2457
1	9	37	0.2337
2	6	38	0.2223
3	3	39	0.2113
1	10	40	0.2008
2	7	41	0.1908
3	4	42	0.1813
1	11	43	0.1722
2	8	44	0.1636
3	5	45	0.1555
1	12	46	0.148
2	9	47	0.1409
3	6	48	0.1343
2	10	50	0.1225
3	7	51	0.1174
2	11	53	0.1085
3	8	54	0.1048
2	12	56	0.1
3	9	57	0.1

Table 9.4: Cold-Blooded (Marking Duration Point Sensors)


Cold Blooded - Silhouette Far




Cold Blooded - Silhouette Close



Cold Blooded - Ink Mine



Cold Blooded - Point Sensor



10 Quick Super Jump

10.1 Prepare Frames

Main	Sub	AP	Effect
0	0	0	80.0
0	1	3	57.2554
0	2	6	49.9955
0	3	9	44.8829
1	0	10	43.4464
0	4	12	40.8671
1	1	13	39.6957
0	5	15	37.5597
1	2	16	36.5738
0	6	18	34.7581
1	3	19	33.9165
2	0	20	33.1137
0	7	21	32.3504
1	4	22	31.6209
2	1	23	30.923
0	8	24	30.2583
1	5	25	29.6251
2	2	26	29.0154
0	9	27	28.4342
1	6	28	27.8804
2	3	29	27.3498
3	0	30	26.8413
1	7	31	26.3571
2	4	32	25.8933
3	1	33	25.4494
1	8	34	25.0273
2	5	35	24.6265
3	2	36	24.2408
1	9	37	23.8753
2	6	38	23.5293
3	3	39	23.1998
1	10	40	22.8862
2	7	41	22.591
3	4	42	22.3111
1	11	43	22.0461
2	8	44	21.7984
3	5	45	21.5651
1	12	46	21.3486
2	9	47	21.1459
3	6	48	20.9596
2	10	50	20.6272
3	7	51	20.4834
2	11	53	20.2347
3	8	54	20.1322
2	12	56	20.0
3	9	57	20.0


Table 10.1: Quick Super Jump (Prepare Frames)

10.2 Jump Frames


Main	Sub	AP	Effect
0	0	0	138.0
0	1	3	137.9483
0	2	6	137.651
0	3	9	136.9679
1	0	10	136.6394
0	4	12	135.8233
1	1	13	135.3327
0	5	15	134.1924
1	2	16	133.5395
0	6	18	132.0847
1	3	19	131.2834
2	0	20	130.4344
0	7	21	129.5438
1	4	22	128.6102
2	1	23	127.6362
0	8	24	126.6293
1	5	25	125.5935
2	2	26	124.5209
0	9	27	123.4259
1	6	28	122.3124
2	3	29	121.1779
3	0	30	120.0259
1	7	31	118.8668
2	4	32	117.6974
3	1	33	116.5212
1	8	34	115.3495
2	5	35	114.1867
3	2	36	113.0198
1	9	37	111.8691
2	6	38	110.7386
3	3	39	109.6231
1	10	40	108.5259
2	7	41	107.4597
3	4	42	106.4185
1	11	43	105.4052
2	8	44	104.4329
3	5	45	103.4946
1	12	46	102.6037
2	9	47	101.7522
3	6	48	100.9537
2	10	50	99.4922
3	7	51	98.8447
2	11	53	97.7034
3	8	54	97.2245
2	12	56	96.6
3	9	57	96.6

Table 10.2: Quick Super Jump (Jump Frames)

Quick Super Jump - Prepare



Quick Superjump - Jump



11 Ink Recovery Up

11.1 Max Duration To Refill In Ink


Main	Sub	AP	Effect
0	0	0	180.0
0	1	3	173.9142
0	2	6	168.1371
0	3	9	162.6687
1	0	10	160.911
0	4	12	157.5027
1	1	13	155.8458
0	5	15	152.6454
1	2	16	151.0893
0	6	18	148.0905
1	3	19	146.6415
2	0	20	145.224
0	7	21	143.8443
1	4	22	142.4961
2	1	23	141.1794
0	8	24	139.9005
1	5	25	138.6594
2	2	26	137.4435
0	9	27	136.2654
1	6	28	135.1251
2	3	29	134.0163
3	0	30	132.939
1	7	31	131.8995
2	4	32	130.8915
3	1	33	129.915
1	8	34	128.9763
2	5	35	128.0754
3	2	36	127.1997
1	9	37	126.3618
2	6	38	125.5617
3	3	39	124.7931
1	10	40	124.056
2	7	41	123.3567
3	4	42	122.6889
1	11	43	122.0526
2	8	44	121.4541
3	5	45	120.8871
1	12	46	120.3579
2	9	47	119.8602
3	6	48	119.4003
2	10	50	118.575
3	7	51	118.2159
2	11	53	117.5922
3	8	54	117.3339
2	12	56	117.0
3	9	57	117.0

Table 11.1: Ink Recovery Up (Max Duration To Refill In Ink)


11.2 Max Duration To Refill Standing

Main	Sub	AP	Effect
0	0	0	600.0
0	1	3	563.292
0	2	6	528.446
0	3	9	495.462
1	0	10	484.86
0	4	12	464.302
1	1	13	454.308
0	5	15	435.004
1	2	16	425.618
0	6	18	407.53
1	3	19	398.79
2	0	20	390.24
0	7	21	381.918
1	4	22	373.786
2	1	23	365.844
0	8	24	358.13
1	5	25	350.644
2	2	26	343.31
0	9	27	336.204
1	6	28	329.326
2	3	29	322.638
3	0	30	316.14
1	7	31	309.87
2	4	32	303.79
3	1	33	297.9
1	8	34	292.238
2	5	35	286.804
3	2	36	281.522
1	9	37	276.468
2	6	38	271.642
3	3	39	267.006
1	10	40	262.56
2	7	41	258.342
3	4	42	254.314
1	11	43	250.476
2	8	44	246.866
3	5	45	243.446
1	12	46	240.254
2	9	47	237.252
3	6	48	234.478
2	10	50	229.5
3	7	51	227.334
2	11	53	223.572
3	8	54	222.014
2	12	56	220.0
3	9	57	220.0

Table 11.2: Ink Recovery Up (Max Duration To Refill Standing)



Ink Recovery Up - Standing



12 Special Power Up

12.1 Baller - HP

Main	Sub	AP	Effect
0	0	0	4000.0
0	1	3	4193.2
0	2	6	4376.6
0	3	9	4550.2
1	0	10	4606.0
0	4	12	4714.2
1	1	13	4766.8
0	5	15	4868.4
1	2	16	4917.8
0	6	18	5013.0
1	3	19	5059.0
2	0	20	5104.0
0	7	21	5147.8
1	4	22	5190.6
2	1	23	5232.4
0	8	24	5273.0
1	5	25	5312.4
2	2	26	5351.0
0	9	27	5388.4
1	6	28	5424.6
2	3	29	5459.8
3	0	30	5494.0
1	7	31	5527.0
2	4	32	5559.0
3	1	33	5590.0
1	8	34	5619.8
2	5	35	5648.4
3	2	36	5676.2
1	9	37	5702.8
2	6	38	5728.2
3	3	39	5752.6
1	10	40	5776.0
2	7	41	5798.2
3	4	42	5819.4
1	11	43	5839.6
2	8	44	5858.6
3	5	45	5876.6
1	12	46	5893.4
2	9	47	5909.2
3	6	48	5923.8
2	10	50	5950.0
3	7	51	5961.4
2	11	53	5981.2
3	8	54	5989.4
2	12	56	6000.0
3	9	57	6000.0

Table 12.1: Special Power Up (Baller HP)


12.2 Baller - Object Shredder Damage Up


This is completely unused except for 0 AP (no object shredder) and 57 AP (object shredder equipped).

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.029
0	2	6	1.0565
0	3	9	1.0825
1	0	10	1.0909
0	4	12	1.1071
1	1	13	1.115
0	5	15	1.1303
1	2	16	1.1377
0	6	18	1.152
1	3	19	1.1588
2	0	20	1.1656
0	7	21	1.1722
1	4	22	1.1786
2	1	23	1.1849
0	8	24	1.1909
1	5	25	1.1969
2	2	26	1.2026
0	9	27	1.2083
1	6	28	1.2137
2	3	29	1.219
3	0	30	1.2241
1	7	31	1.229
2	4	32	1.2339
3	1	33	1.2385
1	8	34	1.243
2	5	35	1.2473
3	2	36	1.2514
1	9	37	1.2554
2	6	38	1.2592
3	3	39	1.2629
1	10	40	1.2664
2	7	41	1.2697
3	4	42	1.2729
1	11	43	1.2759
2	8	44	1.2788
3	5	45	1.2815
1	12	46	1.284
2	9	47	1.2864
3	6	48	1.2886
2	10	50	1.2925
3	7	51	1.2942
2	11	53	1.2972
3	8	54	1.2984
2	12	56	1.3
3	9	57	1.3

Table 12.2: Special Power Up (Baller Object Shredder Resistance)

Special Power Up - Baller HP





12.3 Inkjet - Bullet Damage Radius Multiplier

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.029
0	2	6	1.0565
0	3	9	1.0825
1	0	10	1.0909
0	4	12	1.1071
1	1	13	1.115
0	5	15	1.1303
1	2	16	1.1377
0	6	18	1.152
1	3	19	1.1588
2	0	20	1.1656
0	7	21	1.1722
1	4	22	1.1786
2	1	23	1.1849
0	8	24	1.1909
1	5	25	1.1969
2	2	26	1.2026
0	9	27	1.2083
1	6	28	1.2137
2	3	29	1.219
3	0	30	1.2241
1	7	31	1.229
2	4	32	1.2339
3	1	33	1.2385
1	8	34	1.243
2	5	35	1.2473
3	2	36	1.2514
1	9	37	1.2554
2	6	38	1.2592
3	3	39	1.2629
1	10	40	1.2664
2	7	41	1.2697
3	4	42	1.2729
1	11	43	1.2759
2	8	44	1.2788
3	5	45	1.2815
1	12	46	1.284
2	9	47	1.2864
3	6	48	1.2886
2	10	50	1.2925
3	7	51	1.2942
2	11	53	1.2972
3	8	54	1.2984
2	12	56	1.3
3	9	57	1.3

Table 12.3: Special Power Up (Inkjet Bullet Damage Radius Multiplier)

12.4 Inkjet - Explosion Paint Radius

Main	Sub	AP	Effect
0	0	0	32.0
0	1	3	32.7728
0	2	6	33.5064
0	3	9	34.2008
1	0	10	34.424
0	4	12	34.8568
1	1	13	35.0672
0	5	15	35.4736
1	2	16	35.6712
0	6	18	36.052
1	3	19	36.236
2	0	20	36.416
0	7	21	36.5912
1	4	22	36.7624
2	1	23	36.9296
0	8	24	37.092
1	5	25	37.2496
2	2	26	37.404
0	9	27	37.5536
1	6	28	37.6984
2	3	29	37.8392
3	0	30	37.976
1	7	31	38.108
2	4	32	38.236
3	1	33	38.36
1	8	34	38.4792
2	5	35	38.5936
3	2	36	38.7048
1	9	37	38.8112
2	6	38	38.9128
3	3	39	39.0104
1	10	40	39.104
2	7	41	39.1928
3	4	42	39.2776
1	11	43	39.3584
2	8	44	39.4344
3	5	45	39.5064
1	12	46	39.5736
2	9	47	39.6368
3	6	48	39.6952
2	10	50	39.8
3	7	51	39.8456
2	11	53	39.9248
3	8	54	39.9576
2	12	56	40.0
3	9	57	40.0

Table 12.4: Special Power Up (Inkjet Explosion Paint Radius)

12.5 Inkjet - Explosion Paint Splash Radius

Main	Sub	AP	Effect
0	0	0	6.3
0	1	3	6.3676
0	2	6	6.4318
0	3	9	6.4926
1	0	10	6.5121
0	4	12	6.55
1	1	13	6.5684
0	5	15	6.6039
1	2	16	6.6212
0	6	18	6.6545
1	3	19	6.6707
2	0	20	6.6864
0	7	21	6.7017
1	4	22	6.7167
2	1	23	6.7313
0	8	24	6.7455
1	5	25	6.7593
2	2	26	6.7729
0	9	27	6.7859
1	6	28	6.7986
2	3	29	6.8109
3	0	30	6.8229
1	7	31	6.8345
2	4	32	6.8457
3	1	33	6.8565
1	8	34	6.8669
2	5	35	6.8769
3	2	36	6.8867
1	9	37	6.896
2	6	38	6.9049
3	3	39	6.9134
1	10	40	6.9216
2	7	41	6.9294
3	4	42	6.9368
1	11	43	6.9439
2	8	44	6.9505
3	5	45	6.9568
1	12	46	6.9627
2	9	47	6.9682
3	6	48	6.9733
2	10	50	6.9825
3	7	51	6.9865
2	11	53	6.9934
3	8	54	6.9963
2	12	56	7.0
3	9	57	7.0

Table 12.5: Special Power Up (Inkjet Explosion Paint Splash Radius)

12.6 Inkjet - Explosion Paint Splash Velocity H


Main	Sub	AP	Effect
0	0	0	3.3
0	1	3	3.3193
0	2	6	3.3377
0	3	9	3.355
1	0	10	3.3606
0	4	12	3.3714
1	1	13	3.3767
0	5	15	3.3868
1	2	16	3.3918
0	6	18	3.4013
1	3	19	3.4059
2	0	20	3.4104
0	7	21	3.4148
1	4	22	3.4191
2	1	23	3.4232
0	8	24	3.4273
1	5	25	3.4312
2	2	26	3.4351
0	9	27	3.4388
1	6	28	3.4425
2	3	29	3.446
3	0	30	3.4494
1	7	31	3.4527
2	4	32	3.4559
3	1	33	3.459
1	8	34	3.462
2	5	35	3.4648
3	2	36	3.4676
1	9	37	3.4703
2	6	38	3.4728
3	3	39	3.4753
1	10	40	3.4776
2	7	41	3.4798
3	4	42	3.4819
1	11	43	3.484
2	8	44	3.4859
3	5	45	3.4877
1	12	46	3.4893
2	9	47	3.4909
3	6	48	3.4924
2	10	50	3.495
3	7	51	3.4961
2	11	53	3.4981
3	8	54	3.4989
2	12	56	3.5
3	9	57	3.5


Table 12.6: Special Power Up (Inkjet Explosion Paint Splash Velocity H)


12.7 Inkjet - Explosion Paint Splash Velocity L


Main	Sub	AP	Effect
0	0	0	4.9
0	1	3	4.929
0	2	6	4.9565
0	3	9	4.9825
1	0	10	4.9909
0	4	12	5.0071
1	1	13	5.015
0	5	15	5.0303
1	2	16	5.0377
0	6	18	5.052
1	3	19	5.0589
2	0	20	5.0656
0	7	21	5.0722
1	4	22	5.0786
2	1	23	5.0849
0	8	24	5.091
1	5	25	5.0969
2	2	26	5.1027
0	9	27	5.1083
1	6	28	5.1137
2	3	29	5.119
3	0	30	5.1241
1	7	31	5.1291
2	4	32	5.1338
3	1	33	5.1385
1	8	34	5.143
2	5	35	5.1473
3	2	36	5.1514
1	9	37	5.1554
2	6	38	5.1592
3	3	39	5.1629
1	10	40	5.1664
2	7	41	5.1697
3	4	42	5.1729
1	11	43	5.1759
2	8	44	5.1788
3	5	45	5.1815
1	12	46	5.184
2	9	47	5.1864
3	6	48	5.1886
2	10	50	5.1925
3	7	51	5.1942
2	11	53	5.1972
3	8	54	5.1984
2	12	56	5.2
3	9	57	5.2


Table 12.7: Special Power Up (Inkjet Explosion Paint Splash Velocity L)












12.8 Ink Storm - Duration

Main	Sub	AP	Effect
0	0	0	480.0
0	1	3	491.592
0	2	6	502.596
0	3	9	513.012
1	0	10	516.36
0	4	12	522.852
1	1	13	526.008
0	5	15	532.104
1	2	16	535.068
0	6	18	540.78
1	3	19	543.54
2	0	20	546.24
0	7	21	548.868
1	4	22	551.436
2	1	23	553.944
0	8	24	556.38
1	5	25	558.744
2	2	26	561.06
0	9	27	563.304
1	6	28	565.476
2	3	29	567.588
3	0	30	569.64
1	7	31	571.62
2	4	32	573.54
3	1	33	575.4
1	8	34	577.188
2	5	35	578.904
3	2	36	580.572
1	9	37	582.168
2	6	38	583.692
3	3	39	585.156
1	10	40	586.56
2	7	41	587.892
3	4	42	589.164
1	11	43	590.376
2	8	44	591.516
3	5	45	592.596
1	12	46	593.604
2	9	47	594.552
3	6	48	595.428
2	10	50	597.0
3	7	51	597.684
2	11	53	598.872
3	8	54	599.364
2	12	56	600.0
3	9	57	600.0

Table 12.8: Special Power Up (Ink Storm Duration)



12.9 Ink Armor - Wind Up Time

Main	Sub	AP	Effect
0	0	0	90.0
0	1	3	84.204
0	2	6	78.702
0	3	9	73.494
1	0	10	71.82
0	4	12	68.574
1	1	13	66.996
0	5	15	63.948
1	2	16	62.466
0	6	18	59.61
1	3	19	58.23
2	0	20	56.88
0	7	21	55.566
1	4	22	54.282
2	1	23	53.028
0	8	24	51.81
1	5	25	50.628
2	2	26	49.47
0	9	27	48.348
1	6	28	47.262
2	3	29	46.206
3	0	30	45.18
1	7	31	44.19
2	4	32	43.23
3	1	33	42.3
1	8	34	41.406
2	5	35	40.548
3	2	36	39.714
1	9	37	38.916
2	6	38	38.154
3	3	39	37.422
1	10	40	36.72
2	7	41	36.054
3	4	42	35.418
1	11	43	34.812
2	8	44	34.242
3	5	45	33.702
1	12	46	33.198
2	9	47	32.724
3	6	48	32.286
2	10	50	31.5
3	7	51	31.158
2	11	53	30.564
3	8	54	30.318
2	12	56	30.0
3	9	57	30.0

Table 12.9: Special Power Up (Ink Armor Wind Up Time)

12.10 Ink Armor - Object Shredder Multiplier

This is completely unused except for 0 AP (no object shredder) and 57 AP (object shredder equipped).

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	3.0
0	2	6	3.0
0	3	9	3.0
1	0	10	3.0
0	4	12	3.0
1	1	13	3.0
0	5	15	3.0
1	2	16	3.0
0	6	18	3.0
1	3	19	3.0
2	0	20	3.0
0	7	21	3.0
1	4	22	3.0
2	1	23	3.0
0	8	24	3.0
1	5	25	3.0
2	2	26	3.0
0	9	27	3.0
1	6	28	3.0
2	3	29	3.0
3	0	30	3.0
1	7	31	3.0
2	4	32	3.0
3	1	33	3.0
1	8	34	3.0
2	5	35	3.0
3	2	36	3.0
1	9	37	3.0
2	6	38	3.0
3	3	39	3.0
1	10	40	3.0
2	7	41	3.0
3	4	42	3.0
1	11	43	3.0
2	8	44	3.0
3	5	45	3.0
1	12	46	3.0
2	9	47	3.0
3	6	48	3.0
2	10	50	3.0
3	7	51	3.0
2	11	53	3.0
3	8	54	3.0
2	12	56	3.0
3	9	57	3.0


Table 12.10: Special Power Up (Ink Armor Object Shredder Multiplier)

12.11 Ink Armor - Duration


Main	Sub	AP	Effect
0	0	0	360.0
0	1	3	377.388
0	2	6	393.894
0	3	9	409.518
1	0	10	414.54
0	4	12	424.278
1	1	13	429.012
0	5	15	438.156
1	2	16	442.602
0	6	18	451.17
1	3	19	455.31
2	0	20	459.36
0	7	21	463.302
1	4	22	467.154
2	1	23	470.916
0	8	24	474.57
1	5	25	478.116
2	2	26	481.59
0	9	27	484.956
1	6	28	488.214
2	3	29	491.382
3	0	30	494.46
1	7	31	497.43
2	4	32	500.31
3	1	33	503.1
1	8	34	505.782
2	5	35	508.356
3	2	36	510.858
1	9	37	513.252
2	6	38	515.538
3	3	39	517.734
1	10	40	519.84
2	7	41	521.838
3	4	42	523.746
1	11	43	525.564
2	8	44	527.274
3	5	45	528.894
1	12	46	530.406
2	9	47	531.828
3	6	48	533.142
2	10	50	535.5
3	7	51	536.526
2	11	53	538.308
3	8	54	539.046
2	12	56	540.0
3	9	57	540.0

Table 12.11: Special Power Up (Ink Armor Duration)

Special Power Up - Ink Armor Wind Up Time



Special Power Up - Ink Armor Duration



12.12 Booyah Ball - Auto Charge Increase

Main	Sub	AP	Effect
0	0	0	0.002
0	1	3	0.0028
0	2	6	0.0035
0	3	9	0.0042
1	0	10	0.0044
0	4	12	0.0049
1	1	13	0.0051
0	5	15	0.0055
1	2	16	0.0057
0	6	18	0.0061
1	3	19	0.0062
2	0	20	0.0064
0	7	21	0.0066
1	4	22	0.0068
2	1	23	0.0069
0	8	24	0.0071
1	5	25	0.0072
2	2	26	0.0074
0	9	27	0.0076
1	6	28	0.0077
2	3	29	0.0078
3	0	30	0.008
1	7	31	0.0081
2	4	32	0.0082
3	1	33	0.0084
1	8	34	0.0085
2	5	35	0.0086
3	2	36	0.0087
1	9	37	0.0088
2	6	38	0.0089
3	3	39	0.009
1	10	40	0.0091
2	7	41	0.0092
3	4	42	0.0093
1	11	43	0.0094
2	8	44	0.0094
3	5	45	0.0095
1	12	46	0.0096
2	9	47	0.0096
3	6	48	0.0097
2	10	50	0.0098
3	7	51	0.0098
2	11	53	0.0099
3	8	54	0.01
2	12	56	0.01
3	9	57	0.01

Table 12.12: Special Power Up (Booyah Ball Auto Charge Increase)


12.13 Booyah Ball- Object Shredder Multiplier

This is completely unused except for 0 AP (no object shredder) and 57 AP (object shredder equipped).


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.0048
0	2	6	1.0094
0	3	9	1.0138
1	0	10	1.0151
0	4	12	1.0179
1	1	13	1.0192
0	5	15	1.0217
1	2	16	1.0229
0	6	18	1.0253
1	3	19	1.0265
2	0	20	1.0276
0	7	21	1.0287
1	4	22	1.0298
2	1	23	1.0308
0	8	24	1.0318
1	5	25	1.0328
2	2	26	1.0338
0	9	27	1.0347
1	6	28	1.0356
2	3	29	1.0365
3	0	30	1.0373
1	7	31	1.0382
2	4	32	1.039
3	1	33	1.0397
1	8	34	1.0405
2	5	35	1.0412
3	2	36	1.0419
1	9	37	1.0426
2	6	38	1.0432
3	3	39	1.0438
1	10	40	1.0444
2	7	41	1.045
3	4	42	1.0455
1	11	43	1.046
2	8	44	1.0465
3	5	45	1.0469
1	12	46	1.0473
2	9	47	1.0477
3	6	48	1.0481
2	10	50	1.0488
3	7	51	1.049
2	11	53	1.0495
3	8	54	1.0497
2	12	56	1.05
3	9	57	1.05

Table 12.13: Special Power Up (Booyah Ball Object Shredder Multiplier)

Special Power Up - Booyah Ball Auto Charge Increase



Special Power Up - Booyah Ball Object Shredder Multiplier



12.14 Bubble Blower - Bubble Radius Multiplier

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.029
0	2	6	1.0565
0	3	9	1.0825
1	0	10	1.0909
0	4	12	1.1071
1	1	13	1.115
0	5	15	1.1303
1	2	16	1.1377
0	6	18	1.152
1	3	19	1.1588
2	0	20	1.1656
0	7	21	1.1722
1	4	22	1.1786
2	1	23	1.1849
0	8	24	1.1909
1	5	25	1.1969
2	2	26	1.2026
0	9	27	1.2083
1	6	28	1.2137
2	3	29	1.219
3	0	30	1.2241
1	7	31	1.229
2	4	32	1.2339
3	1	33	1.2385
1	8	34	1.243
2	5	35	1.2473
3	2	36	1.2514
1	9	37	1.2554
2	6	38	1.2592
3	3	39	1.2629
1	10	40	1.2664
2	7	41	1.2697
3	4	42	1.2729
1	11	43	1.2759
2	8	44	1.2788
3	5	45	1.2815
1	12	46	1.284
2	9	47	1.2864
3	6	48	1.2886
2	10	50	1.2925
3	7	51	1.2942
2	11	53	1.2972
3	8	54	1.2984
2	12	56	1.3
3	9	57	1.3

Table 12.14: Special Power Up (Bubble Blower Bubble Radius Multiplier)

12.15 Bubble Blower - Burst Paint Radius

Main	Sub	AP	Effect
0	0	0	56.0
0	1	3	58.3184
0	2	6	60.5192
0	3	9	62.6024
1	0	10	63.272
0	4	12	64.5704
1	1	13	65.2016
0	5	15	66.4208
1	2	16	67.0136
0	6	18	68.156
1	3	19	68.708
2	0	20	69.248
0	7	21	69.7736
1	4	22	70.2872
2	1	23	70.7888
0	8	24	71.276
1	5	25	71.7488
2	2	26	72.212
0	9	27	72.6608
1	6	28	73.0952
2	3	29	73.5176
3	0	30	73.928
1	7	31	74.324
2	4	32	74.708
3	1	33	75.08
1	8	34	75.4376
2	5	35	75.7808
3	2	36	76.1144
1	9	37	76.4336
2	6	38	76.7384
3	3	39	77.0312
1	10	40	77.312
2	7	41	77.5784
3	4	42	77.8328
1	11	43	78.0752
2	8	44	78.3032
3	5	45	78.5192
1	12	46	78.7208
2	9	47	78.9104
3	6	48	79.0856
2	10	50	79.4
3	7	51	79.5368
2	11	53	79.7744
3	8	54	79.8728
2	12	56	80.0
3	9	57	80.0

Table 12.15: Special Power Up (Bubble Blower Burst Paint Radius)

12.16 Bubble Blower - Maximum Collision Player Radius

Main	Sub	AP	Effect
0	0	0	20.0
0	1	3	21.449
0	2	6	22.8245
0	3	9	24.1265
1	0	10	24.545
0	4	12	25.3565
1	1	13	25.751
0	5	15	26.513
1	2	16	26.8835
0	6	18	27.5975
1	3	19	27.9425
2	0	20	28.28
0	7	21	28.6085
1	4	22	28.9295
2	1	23	29.243
0	8	24	29.5475
1	5	25	29.843
2	2	26	30.1325
0	9	27	30.413
1	6	28	30.6845
2	3	29	30.9485
3	0	30	31.205
1	7	31	31.4525
2	4	32	31.6925
3	1	33	31.925
1	8	34	32.1485
2	5	35	32.363
3	2	36	32.5715
1	9	37	32.771
2	6	38	32.9615
3	3	39	33.1445
1	10	40	33.32
2	7	41	33.4865
3	4	42	33.6455
1	11	43	33.797
2	8	44	33.9395
3	5	45	34.0745
1	12	46	34.2005
2	9	47	34.319
3	6	48	34.4285
2	10	50	34.625
3	7	51	34.7105
2	11	53	34.859
3	8	54	34.9205
2	12	56	35.0
3	9	57	35.0

Table 12.16: Special Power Up (Bubble Blower Maximum Collision Player Radius)


12.17 Bubble Blower - Object Shredder Multiplier

This is completely unused except for 0 AP (no object shredder) and 57 AP (object shredder equipped).


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	1.3
0	2	6	1.3
0	3	9	1.3
1	0	10	1.3
0	4	12	1.3
1	1	13	1.3
0	5	15	1.3
1	2	16	1.3
0	6	18	1.3
1	3	19	1.3
2	0	20	1.3
0	7	21	1.3
1	4	22	1.3
2	1	23	1.3
0	8	24	1.3
1	5	25	1.3
2	2	26	1.3
0	9	27	1.3
1	6	28	1.3
2	3	29	1.3
3	0	30	1.3
1	7	31	1.3
2	4	32	1.3
3	1	33	1.3
1	8	34	1.3
2	5	35	1.3
3	2	36	1.3
1	9	37	1.3
2	6	38	1.3
3	3	39	1.3
1	10	40	1.3
2	7	41	1.3
3	4	42	1.3
1	11	43	1.3
2	8	44	1.3
3	5	45	1.3
1	12	46	1.3
2	9	47	1.3
3	6	48	1.3
2	10	50	1.3
3	7	51	1.3
2	11	53	1.3
3	8	54	1.3
2	12	56	1.3
3	9	57	1.3

Table 12.17: Special Power Up (Bubble Blower Object Shredder Multiplier)


Special Power Up - Bubble Blower Bubble Radius Multiplier



Special Power Up - Bubble Blower Burst Paint Radius



Special Power Up - Bubble Blower Maximum Collision Player Radius



12.18 Splashdown - Jump-In Additional Height

Main	Sub	AP	Effect
0	0	0	0.0
0	1	3	3.864
0	2	6	7.532
0	3	9	11.004
1	0	10	12.12
0	4	12	14.284
1	1	13	15.336
0	5	15	17.368
1	2	16	18.356
0	6	18	20.26
1	3	19	21.18
2	0	20	22.08
0	7	21	22.956
1	4	22	23.812
2	1	23	24.648
0	8	24	25.46
1	5	25	26.248
2	2	26	27.02
0	9	27	27.768
1	6	28	28.492
2	3	29	29.196
3	0	30	29.88
1	7	31	30.54
2	4	32	31.18
3	1	33	31.8
1	8	34	32.396
2	5	35	32.968
3	2	36	33.524
1	9	37	34.056
2	6	38	34.564
3	3	39	35.052
1	10	40	35.52
2	7	41	35.964
3	4	42	36.388
1	11	43	36.792
2	8	44	37.172
3	5	45	37.532
1	12	46	37.868
2	9	47	38.184
3	6	48	38.476
2	10	50	39.0
3	7	51	39.228
2	11	53	39.624
3	8	54	39.788
2	12	56	40.0
3	9	57	40.0

Table 12.18: Special Power Up (Splash Down Jump-In Additional Height)

12.19 Splashdown - Jump-In Additional Height (Stealth Jump)

Main	Sub	AP	Effect
0	0	0	0.0
0	1	3	3.864
0	2	6	7.532
0	3	9	11.004
1	0	10	12.12
0	4	12	14.284
1	1	13	15.336
0	5	15	17.368
1	2	16	18.356
0	6	18	20.26
1	3	19	21.18
2	0	20	22.08
0	7	21	22.956
1	4	22	23.812
2	1	23	24.648
0	8	24	25.46
1	5	25	26.248
2	2	26	27.02
0	9	27	27.768
1	6	28	28.492
2	3	29	29.196
3	0	30	29.88
1	7	31	30.54
2	4	32	31.18
3	1	33	31.8
1	8	34	32.396
2	5	35	32.968
3	2	36	33.524
1	9	37	34.056
2	6	38	34.564
3	3	39	35.052
1	10	40	35.52
2	7	41	35.964
3	4	42	36.388
1	11	43	36.792
2	8	44	37.172
3	5	45	37.532
1	12	46	37.868
2	9	47	38.184
3	6	48	38.476
2	10	50	39.0
3	7	51	39.228
2	11	53	39.624
3	8	54	39.788
2	12	56	40.0
3	9	57	40.0

Table 12.19: Special Power Up (Splash Down Jump-In Additional Height (Stealth Jump))

12.20 Splashdown - Jump-In Additional Height (Stealth Jump)

Main	Sub	AP	Effect
0	0	0	20.0
0	1	3	27.728
0	2	6	35.064
0	3	9	42.008
1	0	10	44.24
0	4	12	48.568
1	1	13	50.672
0	5	15	54.736
1	2	16	56.712
0	6	18	60.52
1	3	19	62.36
2	0	20	64.16
0	7	21	65.912
1	4	22	67.624
2	1	23	69.296
0	8	24	70.92
1	5	25	72.496
2	2	26	74.04
0	9	27	75.536
1	6	28	76.984
2	3	29	78.392
3	0	30	79.76
1	7	31	81.08
2	4	32	82.36
3	1	33	83.6
1	8	34	84.792
2	5	35	85.936
3	2	36	87.048
1	9	37	88.112
2	6	38	89.128
3	3	39	90.104
1	10	40	91.04
2	7	41	91.928
3	4	42	92.776
1	11	43	93.584
2	8	44	94.344
3	5	45	95.064
1	12	46	95.736
2	9	47	96.368
3	6	48	96.952
2	10	50	98.0
3	7	51	98.456
2	11	53	99.248
3	8	54	99.576
2	12	56	100.0
3	9	57	100.0

Table 12.20: Special Power Up (Splash Down Jump-In Additional Height (Stealth Jump))

12.21 Splashdown - Jump-In Additional Height

Main	Sub	AP	Effect
0	0	0	20.0
0	1	3	27.728
0	2	6	35.064
0	3	9	42.008
1	0	10	44.24
0	4	12	48.568
1	1	13	50.672
0	5	15	54.736
1	2	16	56.712
0	6	18	60.52
1	3	19	62.36
2	0	20	64.16
0	7	21	65.912
1	4	22	67.624
2	1	23	69.296
0	8	24	70.92
1	5	25	72.496
2	2	26	74.04
0	9	27	75.536
1	6	28	76.984
2	3	29	78.392
3	0	30	79.76
1	7	31	81.08
2	4	32	82.36
3	1	33	83.6
1	8	34	84.792
2	5	35	85.936
3	2	36	87.048
1	9	37	88.112
2	6	38	89.128
3	3	39	90.104
1	10	40	91.04
2	7	41	91.928
3	4	42	92.776
1	11	43	93.584
2	8	44	94.344
3	5	45	95.064
1	12	46	95.736
2	9	47	96.368
3	6	48	96.952
2	10	50	98.0
3	7	51	98.456
2	11	53	99.248
3	8	54	99.576
2	12	56	100.0
3	9	57	100.0

Table 12.21: Special Power Up (Splash Down Jump-In Additional Height)

12.22 Splash Down - Burst Radius Far

Main	Sub	AP	Effect
0	0	0	140.0
0	1	3	140.0
0	2	6	140.0
0	3	9	140.0
1	0	10	140.0
0	4	12	140.0
1	1	13	140.0
0	5	15	140.0
1	2	16	140.0
0	6	18	140.0
1	3	19	140.0
2	0	20	140.0
0	7	21	140.0
1	4	22	140.0
2	1	23	140.0
0	8	24	140.0
1	5	25	140.0
2	2	26	140.0
0	9	27	140.0
1	6	28	140.0
2	3	29	140.0
3	0	30	140.0
1	7	31	140.0
2	4	32	140.0
3	1	33	140.0
1	8	34	140.0
2	5	35	140.0
3	2	36	140.0
1	9	37	140.0
2	6	38	140.0
3	3	39	140.0
1	10	40	140.0
2	7	41	140.0
3	4	42	140.0
1	11	43	140.0
2	8	44	140.0
3	5	45	140.0
1	12	46	140.0
2	9	47	140.0
3	6	48	140.0
2	10	50	140.0
3	7	51	140.0
2	11	53	140.0
3	8	54	140.0
2	12	56	140.0
3	9	57	140.0

Table 12.22: Special Power Up (Splash Down Burst Radius Far)

12.23 Splash Down - Burst Radius Far (Stealth Jump)

Main	Sub	AP	Effect
0	0	0	140.0
0	1	3	140.0
0	2	6	140.0
0	3	9	140.0
1	0	10	140.0
0	4	12	140.0
1	1	13	140.0
0	5	15	140.0
1	2	16	140.0
0	6	18	140.0
1	3	19	140.0
2	0	20	140.0
0	7	21	140.0
1	4	22	140.0
2	1	23	140.0
0	8	24	140.0
1	5	25	140.0
2	2	26	140.0
0	9	27	140.0
1	6	28	140.0
2	3	29	140.0
3	0	30	140.0
1	7	31	140.0
2	4	32	140.0
3	1	33	140.0
1	8	34	140.0
2	5	35	140.0
3	2	36	140.0
1	9	37	140.0
2	6	38	140.0
3	3	39	140.0
1	10	40	140.0
2	7	41	140.0
3	4	42	140.0
1	11	43	140.0
2	8	44	140.0
3	5	45	140.0
1	12	46	140.0
2	9	47	140.0
3	6	48	140.0
2	10	50	140.0
3	7	51	140.0
2	11	53	140.0
3	8	54	140.0
2	12	56	140.0
3	9	57	140.0

Table 12.23: Special Power Up (Splash Down Burst Radius Far (Stealth Jump))

12.24 Splash Down - Burst Radius Middle

Main	Sub	AP	Effect
0	0	0	100.0
0	1	3	102.415
0	2	6	104.7075
0	3	9	106.8775
1	0	10	107.575
0	4	12	108.9275
1	1	13	109.585
0	5	15	110.855
1	2	16	111.4725
0	6	18	112.6625
1	3	19	113.2375
2	0	20	113.8
0	7	21	114.3475
1	4	22	114.8825
2	1	23	115.405
0	8	24	115.9125
1	5	25	116.405
2	2	26	116.8875
0	9	27	117.355
1	6	28	117.8075
2	3	29	118.2475
3	0	30	118.675
1	7	31	119.0875
2	4	32	119.4875
3	1	33	119.875
1	8	34	120.2475
2	5	35	120.605
3	2	36	120.9525
1	9	37	121.285
2	6	38	121.6025
3	3	39	121.9075
1	10	40	122.2
2	7	41	122.4775
3	4	42	122.7425
1	11	43	122.995
2	8	44	123.2325
3	5	45	123.4575
1	12	46	123.6675
2	9	47	123.865
3	6	48	124.0475
2	10	50	124.375
3	7	51	124.5175
2	11	53	124.765
3	8	54	124.8675
2	12	56	125.0
3	9	57	125.0

Table 12.24: Special Power Up (Splash Down Burst Radius Middle)

12.25 Splash Down - Burst Radius Midle (Stealth Jump)

Main	Sub	AP	Effect
0	0	0	112.5
0	1	3	112.5
0	2	6	112.5
0	3	9	112.5
1	0	10	112.5
0	4	12	112.5
1	1	13	112.5
0	5	15	112.5
1	2	16	112.5
0	6	18	112.5
1	3	19	112.5
2	0	20	112.5
0	7	21	112.5
1	4	22	112.5
2	1	23	112.5
0	8	24	112.5
1	5	25	112.5
2	2	26	112.5
0	9	27	112.5
1	6	28	112.5
2	3	29	112.5
3	0	30	112.5
1	7	31	112.5
2	4	32	112.5
3	1	33	112.5
1	8	34	112.5
2	5	35	112.5
3	2	36	112.5
1	9	37	112.5
2	6	38	112.5
3	3	39	112.5
1	10	40	112.5
2	7	41	112.5
3	4	42	112.5
1	11	43	112.5
2	8	44	112.5
3	5	45	112.5
1	12	46	112.5
2	9	47	112.5
3	6	48	112.5
2	10	50	112.5
3	7	51	112.5
2	11	53	112.5
3	8	54	112.5
2	12	56	112.5
3	9	57	112.5

Table 12.25: Special Power Up (Splash Down Burst Radius Midle (Stealth Jump))

12.26 Splash Down - Burst Radius Close

Main	Sub	AP	Effect
0	0	0	70.0
0	1	3	73.864
0	2	6	77.532
0	3	9	81.004
1	0	10	82.12
0	4	12	84.284
1	1	13	85.336
0	5	15	87.368
1	2	16	88.356
0	6	18	90.26
1	3	19	91.18
2	0	20	92.08
0	7	21	92.956
1	4	22	93.812
2	1	23	94.648
0	8	24	95.46
1	5	25	96.248
2	2	26	97.02
0	9	27	97.768
1	6	28	98.492
2	3	29	99.196
3	0	30	99.88
1	7	31	100.54
2	4	32	101.18
3	1	33	101.8
1	8	34	102.396
2	5	35	102.968
3	2	36	103.524
1	9	37	104.056
2	6	38	104.564
3	3	39	105.052
1	10	40	105.52
2	7	41	105.964
3	4	42	106.388
1	11	43	106.792
2	8	44	107.172
3	5	45	107.532
1	12	46	107.868
2	9	47	108.184
3	6	48	108.476
2	10	50	109.0
3	7	51	109.228
2	11	53	109.624
3	8	54	109.788
2	12	56	110.0
3	9	57	110.0


Table 12.26: Special Power Up (Splash Down Burst Radius Close)

12.27 Splash Down - Burst Radius Close (Stealth Jump)


Main	Sub	AP	Effect
0	0	0	90.0
0	1	3	90.0
0	2	6	90.0
0	3	9	90.0
1	0	10	90.0
0	4	12	90.0
1	1	13	90.0
0	5	15	90.0
1	2	16	90.0
0	6	18	90.0
1	3	19	90.0
2	0	20	90.0
0	7	21	90.0
1	4	22	90.0
2	1	23	90.0
0	8	24	90.0
1	5	25	90.0
2	2	26	90.0
0	9	27	90.0
1	6	28	90.0
2	3	29	90.0
3	0	30	90.0
1	7	31	90.0
2	4	32	90.0
3	1	33	90.0
1	8	34	90.0
2	5	35	90.0
3	2	36	90.0
1	9	37	90.0
2	6	38	90.0
3	3	39	90.0
1	10	40	90.0
2	7	41	90.0
3	4	42	90.0
1	11	43	90.0
2	8	44	90.0
3	5	45	90.0
1	12	46	90.0
2	9	47	90.0
3	6	48	90.0
2	10	50	90.0
3	7	51	90.0
2	11	53	90.0
3	8	54	90.0
2	12	56	90.0
3	9	57	90.0

Table 12.27: Special Power Up (Splash Down Burst Radius Close (Stealth Jump))


Special Power Up - Splash Down Jump-in Additional Height




Special Power Up - Splash Down Jump-In Additional Height (Stealth Jump)




Special Power Up - Splash Down Jump-in Height:




Special Power Up - Splash Down Jump-In Height (Stealth Jump)



Special Power Up - Splash Down Burst Radius Middle



Special Power Up - Splash Down Burst Radius Close



12.28 Tenta Missiles - Paint Radius

Main	Sub	AP	Effect
0	0	0	30.0
0	1	3	30.3864
0	2	6	30.7532
0	3	9	31.1004
1	0	10	31.212
0	4	12	31.4284
1	1	13	31.5336
0	5	15	31.7368
1	2	16	31.8356
0	6	18	32.026
1	3	19	32.118
2	0	20	32.208
0	7	21	32.2956
1	4	22	32.3812
2	1	23	32.4648
0	8	24	32.546
1	5	25	32.6248
2	2	26	32.702
0	9	27	32.7768
1	6	28	32.8492
2	3	29	32.9196
3	0	30	32.988
1	7	31	33.054
2	4	32	33.118
3	1	33	33.18
1	8	34	33.2396
2	5	35	33.2968
3	2	36	33.3524
1	9	37	33.4056
2	6	38	33.4564
3	3	39	33.5052
1	10	40	33.552
2	7	41	33.5964
3	4	42	33.6388
1	11	43	33.6792
2	8	44	33.7172
3	5	45	33.7532
1	12	46	33.7868
2	9	47	33.8184
3	6	48	33.8476
2	10	50	33.9
3	7	51	33.9228
2	11	53	33.9624
3	8	54	33.9788
2	12	56	34.0
3	9	57	34.0

Table 12.28: Special Power Up (Special Power Up - Tenta Missiles Paint Radius)

12.29 Tenta Missiles - Cross Paint Radius

Main	Sub	AP	Effect
0	0	0	20.0
0	1	3	20.0
0	2	6	20.0
0	3	9	20.0
1	0	10	20.0
0	4	12	20.0
1	1	13	20.0
0	5	15	20.0
1	2	16	20.0
0	6	18	20.0
1	3	19	20.0
2	0	20	20.0
0	7	21	20.0
1	4	22	20.0
2	1	23	20.0
0	8	24	20.0
1	5	25	20.0
2	2	26	20.0
0	9	27	20.0
1	6	28	20.0
2	3	29	20.0
3	0	30	20.0
1	7	31	20.0
2	4	32	20.0
3	1	33	20.0
1	8	34	20.0
2	5	35	20.0
3	2	36	20.0
1	9	37	20.0
2	6	38	20.0
3	3	39	20.0
1	10	40	20.0
2	7	41	20.0
3	4	42	20.0
1	11	43	20.0
2	8	44	20.0
3	5	45	20.0
1	12	46	20.0
2	9	47	20.0
3	6	48	20.0
2	10	50	20.0
3	7	51	20.0
2	11	53	20.0
3	8	54	20.0
2	12	56	20.0
3	9	57	20.0

Table 12.29: Special Power Up (Tenta Missiles Cross Paint Radius)

12.30 Tenta Missiles - Cross Paint Ray Length

Main	Sub	AP	Effect
0	0	0	30.0
0	1	3	30.0
0	2	6	30.0
0	3	9	30.0
1	0	10	30.0
0	4	12	30.0
1	1	13	30.0
0	5	15	30.0
1	2	16	30.0
0	6	18	30.0
1	3	19	30.0
2	0	20	30.0
0	7	21	30.0
1	4	22	30.0
2	1	23	30.0
0	8	24	30.0
1	5	25	30.0
2	2	26	30.0
0	9	27	30.0
1	6	28	30.0
2	3	29	30.0
3	0	30	30.0
1	7	31	30.0
2	4	32	30.0
3	1	33	30.0
1	8	34	30.0
2	5	35	30.0
3	2	36	30.0
1	9	37	30.0
2	6	38	30.0
3	3	39	30.0
1	10	40	30.0
2	7	41	30.0
3	4	42	30.0
1	11	43	30.0
2	8	44	30.0
3	5	45	30.0
1	12	46	30.0
2	9	47	30.0
3	6	48	30.0
2	10	50	30.0
3	7	51	30.0
2	11	53	30.0
3	8	54	30.0
2	12	56	30.0
3	9	57	30.0


Table 12.30: Special Power Up (Tenta Missiles Cross Paint Ray Length)

12.31 Tenta Missiles - Target Circle Radius


Main	Sub	AP	Effect
0	0	0	140.0
0	1	3	149.66
0	2	6	158.83
0	3	9	167.51
1	0	10	170.3
0	4	12	175.71
1	1	13	178.34
0	5	15	183.42
1	2	16	185.89
0	6	18	190.65
1	3	19	192.95
2	0	20	195.2
0	7	21	197.39
1	4	22	199.53
2	1	23	201.62
0	8	24	203.65
1	5	25	205.62
2	2	26	207.55
0	9	27	209.42
1	6	28	211.23
2	3	29	212.99
3	0	30	214.7
1	7	31	216.35
2	4	32	217.95
3	1	33	219.5
1	8	34	220.99
2	5	35	222.42
3	2	36	223.81
1	9	37	225.14
2	6	38	226.41
3	3	39	227.63
1	10	40	228.8
2	7	41	229.91
3	4	42	230.97
1	11	43	231.98
2	8	44	232.93
3	5	45	233.83
1	12	46	234.67
2	9	47	235.46
3	6	48	236.19
2	10	50	237.5
3	7	51	238.07
2	11	53	239.06
3	8	54	239.47
2	12	56	240.0
3	9	57	240.0

Table 12.31: Special Power Up (Tenta Missiles Target Circle Radius)

Special Power Up - Tenta Missiles Paint Radius



Special Power Up - Tenta Missiles Target Circle Radius




12.32 Sting Ray Duration

Main	Sub	AP	Effect
0	0	0	465.0
0	1	3	476.592
0	2	6	487.596
0	3	9	498.012
1	0	10	501.36
0	4	12	507.852
1	1	13	511.008
0	5	15	517.104
1	2	16	520.068
0	6	18	525.78
1	3	19	528.54
2	0	20	531.24
0	7	21	533.868
1	4	22	536.436
2	1	23	538.944
0	8	24	541.38
1	5	25	543.744
2	2	26	546.06
0	9	27	548.304
1	6	28	550.476
2	3	29	552.588
3	0	30	554.64
1	7	31	556.62
2	4	32	558.54
3	1	33	560.4
1	8	34	562.188
2	5	35	563.904
3	2	36	565.572
1	9	37	567.168
2	6	38	568.692
3	3	39	570.156
1	10	40	571.56
2	7	41	572.892
3	4	42	574.164
1	11	43	575.376
2	8	44	576.516
3	5	45	577.596
1	12	46	578.604
2	9	47	579.552
3	6	48	580.428
2	10	50	582.0
3	7	51	582.684
2	11	53	583.872
3	8	54	584.364
2	12	56	585.0
3	9	57	585.0

Table 12.32: Special Power Up (Sting Ray Duration)

Special Power Up - Sting Ray Duration



13 Sub Power Up

13.1 Bomb Toss Velocity Up - Normal Bombs

Main	Sub	AP	Effect
0	0	0	11.2
0	1	3	11.741
0	2	6	12.2545
0	3	9	12.7406
1	0	10	12.8968
0	4	12	13.1998
1	1	13	13.347
0	5	15	13.6315
1	2	16	13.7698
0	6	18	14.0364
1	3	19	14.1652
2	0	20	14.2912
0	7	21	14.4138
1	4	22	14.5337
2	1	23	14.6507
0	8	24	14.7644
1	5	25	14.8747
2	2	26	14.9828
0	9	27	15.0875
1	6	28	15.1889
2	3	29	15.2874
3	0	30	15.3832
1	7	31	15.4756
2	4	32	15.5652
3	1	33	15.652
1	8	34	15.7354
2	5	35	15.8155
3	2	36	15.8934
1	9	37	15.9678
2	6	38	16.039
3	3	39	16.1073
1	10	40	16.1728
2	7	41	16.235
3	4	42	16.2943
1	11	43	16.3509
2	8	44	16.4041
3	5	45	16.4545
1	12	46	16.5015
2	9	47	16.5458
3	6	48	16.5866
2	10	50	16.66
3	7	51	16.6919
2	11	53	16.7474
3	8	54	16.7703
2	12	56	16.8
3	9	57	16.8

Table 13.1: Sub Power Up (Bomb Toss Velocity Up - Normal Bombs)

13.2 Bomb Toss Velocity Up - Fizzy Bomb


Main	Sub	AP	Effect
0	0	0	13.6
0	1	3	14.0637
0	2	6	14.5038
0	3	9	14.9205
1	0	10	15.0544
0	4	12	15.3141
1	1	13	15.4403
0	5	15	15.6842
1	2	16	15.8027
0	6	18	16.0312
1	3	19	16.1416
2	0	20	16.2496
0	7	21	16.3547
1	4	22	16.4574
2	1	23	16.5578
0	8	24	16.6552
1	5	25	16.7498
2	2	26	16.8424
0	9	27	16.9322
1	6	28	17.019
2	3	29	17.1035
3	0	30	17.1856
1	7	31	17.2648
2	4	32	17.3416
3	1	33	17.416
1	8	34	17.4875
2	5	35	17.5562
3	2	36	17.6229
1	9	37	17.6867
2	6	38	17.7477
3	3	39	17.8062
1	10	40	17.8624
2	7	41	17.9157
3	4	42	17.9666
1	11	43	18.015
2	8	44	18.0606
3	5	45	18.1038
1	12	46	18.1442
2	9	47	18.1821
3	6	48	18.2171
2	10	50	18.28
3	7	51	18.3074
2	11	53	18.3549
3	8	54	18.3746
2	12	56	18.4
3	9	57	18.4


Table 13.2: Sub Power Up (Bomb Toss Velocity Up - Fizzy Bombs)

13.3 Bomb Toss Velocity Up - Point Sensors


Main	Sub	AP	Effect
0	0	0	13.6
0	1	3	14.0637
0	2	6	14.5038
0	3	9	14.9205
1	0	10	15.0544
0	4	12	15.3141
1	1	13	15.4403
0	5	15	15.6842
1	2	16	15.8027
0	6	18	16.0312
1	3	19	16.1416
2	0	20	16.2496
0	7	21	16.3547
1	4	22	16.4574
2	1	23	16.5578
0	8	24	16.6552
1	5	25	16.7498
2	2	26	16.8424
0	9	27	16.9322
1	6	28	17.019
2	3	29	17.1035
3	0	30	17.1856
1	7	31	17.2648
2	4	32	17.3416
3	1	33	17.416
1	8	34	17.4875
2	5	35	17.5562
3	2	36	17.6229
1	9	37	17.6867
2	6	38	17.7477
3	3	39	17.8062
1	10	40	17.8624
2	7	41	17.9157
3	4	42	17.9666
1	11	43	18.015
2	8	44	18.0606
3	5	45	18.1038
1	12	46	18.1442
2	9	47	18.1821
3	6	48	18.2171
2	10	50	18.28
3	7	51	18.3074
2	11	53	18.3549
3	8	54	18.3746
2	12	56	18.4
3	9	57	18.4

Table 13.3: Sub Power Up (Bomb Toss Velocity Up - Point Sensors)





Bomb Distance Up - Point Sensor



14 Bomb Defense Up

14.1 Heavy Subs

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9517
0	2	6	0.9059
0	3	9	0.8624
1	0	10	0.8485
0	4	12	0.8215
1	1	13	0.8083
0	5	15	0.7829
1	2	16	0.7706
0	6	18	0.7468
1	3	19	0.7352
2	0	20	0.724
0	7	21	0.713
1	4	22	0.7024
2	1	23	0.6919
0	8	24	0.6818
1	5	25	0.6719
2	2	26	0.6623
0	9	27	0.6529
1	6	28	0.6439
2	3	29	0.6351
3	0	30	0.6265
1	7	31	0.6182
2	4	32	0.6102
3	1	33	0.6025
1	8	34	0.5951
2	5	35	0.5879
3	2	36	0.581
1	9	37	0.5743
2	6	38	0.5679
3	3	39	0.5618
1	10	40	0.556
2	7	41	0.5504
3	4	42	0.5452
1	11	43	0.5401
2	8	44	0.5353
3	5	45	0.5309
1	12	46	0.5267
2	9	47	0.5227
3	6	48	0.5191
2	10	50	0.5125
3	7	51	0.5096
2	11	53	0.5047
3	8	54	0.5027
2	12	56	0.5
3	9	57	0.5

Table 14.1: Bomb Defense Up (Heavy Subs)

14.2 Light Subs

Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9614
0	2	6	0.9247
0	3	9	0.89
1	0	10	0.8788
0	4	12	0.8572
1	1	13	0.8466
0	5	15	0.8263
1	2	16	0.8164
0	6	18	0.7974
1	3	19	0.7882
2	0	20	0.7792
0	7	21	0.7704
1	4	22	0.7619
2	1	23	0.7535
0	8	24	0.7454
1	5	25	0.7375
2	2	26	0.7298
0	9	27	0.7223
1	6	28	0.7151
2	3	29	0.708
3	0	30	0.7012
1	7	31	0.6946
2	4	32	0.6882
3	1	33	0.682
1	8	34	0.676
2	5	35	0.6703
3	2	36	0.6648
1	9	37	0.6594
2	6	38	0.6544
3	3	39	0.6495
1	10	40	0.6448
2	7	41	0.6404
3	4	42	0.6361
1	11	43	0.6321
2	8	44	0.6283
3	5	45	0.6247
1	12	46	0.6213
2	9	47	0.6182
3	6	48	0.6152
2	10	50	0.61
3	7	51	0.6077
2	11	53	0.6038
3	8	54	0.6021
2	12	56	0.6
3	9	57	0.6


Table 14.2: Bomb Defense Up (Light Subs)

14.3 Special


Main	Sub	AP	Effect
0	0	0	1.0
0	1	3	0.9662
0	2	6	0.9341
0	3	9	0.9037
1	0	10	0.894
0	4	12	0.875
1	1	13	0.8658
0	5	15	0.848
1	2	16	0.8394
0	6	18	0.8227
1	3	19	0.8147
2	0	20	0.8068
0	7	21	0.7991
1	4	22	0.7916
2	1	23	0.7843
0	8	24	0.7772
1	5	25	0.7703
2	2	26	0.7636
0	9	27	0.757
1	6	28	0.7507
2	3	29	0.7445
3	0	30	0.7386
1	7	31	0.7328
2	4	32	0.7272
3	1	33	0.7218
1	8	34	0.7165
2	5	35	0.7115
3	2	36	0.7067
1	9	37	0.702
2	6	38	0.6976
3	3	39	0.6933
1	10	40	0.6892
2	7	41	0.6853
3	4	42	0.6816
1	11	43	0.6781
2	8	44	0.6747
3	5	45	0.6716
1	12	46	0.6687
2	9	47	0.6659
3	6	48	0.6633
2	10	50	0.6587
3	7	51	0.6568
2	11	53	0.6533
3	8	54	0.6519
2	12	56	0.65
3	9	57	0.65

Table 14.3: Bomb Defense Up (Special)

Bomb Defense - Heavy Sub



Bomb Defense - Heavy Light



Bomb Defense - Special

