## Bayes Classifier

July 7, 2023

#### Bayes Rule

• A and B are two events, then

$$P(B|A) = \frac{P(A|B)P(B)}{P(A)}$$

ullet P(A), P(B) - Proportion of times event A, B occured

- ullet P(A), P(B) Proportion of times event A, B occured
- $\bullet$  P(B|A) Given A occured, proportion of times B occured

- ullet P(A), P(B) Proportion of times event A, B occured
- ullet P(B|A) Given A occured, proportion of times B occured
- $\bullet$  P(A|B) Given B occured, proportion of times A occured

- ullet P(A), P(B) Proportion of times event A, B occured
- ullet P(B|A) Given A occured, proportion of times B occured
- ullet P(A|B) Given B occured, proportion of times A occured
- ullet P(A)P(B|A) Proportion of times both A and B occured

- ullet P(A), P(B) Proportion of times event A, B occured
- ullet P(B|A) Given A occured, proportion of times B occured
- ullet P(A|B) Given B occured, proportion of times A occured
- ullet P(A)P(B|A) Proportion of times both A and B occured
- $\bullet$  P(B)P(A|B) Proportion of times both A and B occured

- $\bullet$  P(A), P(B) Proportion of times event A, B occurred
- ullet P(B|A) Given A occured, proportion of times B occured
- $\bullet$  P(A|B) Given B occured, proportion of times A occured
- ullet P(A)P(B|A) Proportion of times both A and B occured
- $\bullet$  P(B)P(A|B) Proportion of times both A and B occured

$$\implies P(B|A)P(A) = P(A|B)P(B)$$

## Bayesian Classification

# Loan Lending Problem



Figure: Could you lend me a loan?

 Predict when a customer asks for a loan whether he will default or return? Minimize error

- Predict when a customer asks for a loan whether he will default or return? Minimize error
- What is predicton/misclassification error?

- Predict when a customer asks for a loan whether he will default or return? Minimize error
- What is predicton/misclassification error?

customer returns when we predict he will default or customer defaults when we predict he will return

- Predict when a customer asks for a loan whether he will default or return? Minimize error
- What is predicton/misclassification error?

customer returns when we predict he will default or customer defaults when we predict he will return

Known information

| P(Default) | 0.2 |
|------------|-----|
| P(Return)  | 0.8 |

Table: Prior

### **Prediction Strategies**

• Predict the customer will always 'Default'

## **Prediction Strategies**

- Predict the customer will always 'Default'
- Predict the customer will always 'Return'

### **Prediction Strategies**

- Predict the customer will always 'Default'
- Predict the customer will always 'Return'
- $\bullet$  Toss your lucky coin with bias for head p if head predict he defaults and tail predict he returns

## Prediction Error in Strategies

ullet 'Say always default' : P(error) = P(whenever return happens) = 0.8

## Prediction Error in Strategies

- $\bullet \ \ \text{`Say always default'}: \ P(\text{error}) = P(\text{whenever return happens}) = 0.8 \\$
- 'Say always return' : P(error) = P(whenever default happens) = 0.2

## Prediction Error in Strategies

- $\bullet \ \ \text{`Say always default'}: \ P(\text{error}) = P(\text{whenever return happens}) = 0.8 \\$
- $\bullet \ \ \text{`Say always return'}: \ P(\text{error}) = P(\text{whenever default happens}) = 0.2 \\$
- Mixed Strategy P(error) = p \* 0.8 + (1 p) \* 0.2 = 0.2 + 0.6p

## How to incorporate information?

• Suppose we have additional information

## How to incorporate information?

- Suppose we have additional information
- ullet We call a loan High risk H if Loan amount > 50% annual salary
- ullet We call a loan Low risk L if Loan amount < 50% annual salary
- Additional Information

| P(H D) | 2/3  |
|--------|------|
| P(H R) | 1/10 |

Table: Likelihood

## Posterior Probability Computation

$$\bullet \ P(D|H) \ \text{(posterior)} = \frac{P(H|D) \ \text{(Likelihood)} \ *P(D) \ \text{(Prior)}}{P(H) \ \text{(Evidence)}}$$

## Posterior Probability Computation

• 
$$P(D|H)$$
 (posterior) =  $\frac{P(H|D) \text{ (Likelihood)} *P(D) \text{ (Prior)}}{P(H) \text{ (Evidence)}}$   
 $P(H|D)P(D) = 2/3 * 2/10 = 4/30$   
 $P(H) = P(H|D)P(D) + P(H|R)P(R)$   
 $= 2/3 * 2/10 + 1/10 * 8/10 = 64/300$   
 $P(D|H) = 4/30 * 300/64 = 5/8 = 0.625$ 

• Similarly we can compute P(D|L) = 0.08

• How to predict with new information?

- How to predict with new information?
- $\bullet$  Since P(D|H)>P(R|H), predict default for high risk loans

- How to predict with new information?
- Since P(D|H) > P(R|H), predict default for high risk loans
- ullet Since P(R|L)>P(D|L), predict return for low risk loans

- How to predict with new information?
- Since P(D|H) > P(R|H), predict default for high risk loans
- $\bullet$  Since P(R|L) > P(D|L), predict return for low risk loans
- What is misclassification error?

- How to predict with new information?
- Since P(D|H) > P(R|H), predict default for high risk loans
- Since P(R|L) > P(D|L), predict return for low risk loans
- What is misclassification error?

$$P(\mathsf{error}) = P(\mathsf{person} \ \mathsf{defaults} \ \mathsf{and} \ \mathsf{we} \ \mathsf{predict} \ \mathsf{return}) \\ + P(\mathsf{person} \ \mathsf{returns} \ \mathsf{and} \ \mathsf{we} \ \mathsf{predict} \ \mathsf{default}) \\ = P(D)P(L|D) + P(R)P(H|R) = 0.15$$

- How to predict with new information?
- Since P(D|H) > P(R|H), predict default for high risk loans
- Since P(R|L) > P(D|L), predict return for low risk loans
- What is misclassification error?

$$\begin{split} P(\text{error}) &= P(\text{person defaults and we predict return}) \\ &+ P(\text{person returns and we predict default}) \\ &= P(D)P(L|D) + P(R)P(H|R) = 0.15 \end{split}$$

• Notice P(error) = 0.15 < 0.2 as we used more information.



• In general, there are more than one feature

- In general, there are more than one feature
- Likelihood information is given as density/distribution over features under a given class

- In general, there are more than one feature
- Likelihood information is given as density/distribution over features under a given class
- Bayes rule predicts the class which has high posterior probability given that feature

- In general, there are more than one feature
- Likelihood information is given as density/distribution over features under a given class
- Bayes rule predicts the class which has high posterior probability given that feature
- Bayes rule is optimal and achieves the least classification error

## Questions

Thank you!

#### References I

- Roberto Calandra, André Seyfarth, Jan Peters, and Marc Peter Deisenroth. 2016. Bayesian optimization for learning gaits under uncertainty. *Annals of Mathematics and Artificial Intelligence* 76, 1-2 (2016), 5–23.
- Marc Deisenroth and Carl E Rasmussen. 2011. PILCO: A model-based and data-efficient approach to policy search. In *Proceedings of the 28th International Conference on machine learning (ICML-11)*. 465–472.
- Daniel J Lizotte, Tao Wang, Michael H Bowling, and Dale Schuurmans. 2007. Automatic Gait Optimization with Gaussian Process Regression.. In *IJCAI*, Vol. 7. 944–949.
- Ruben Martinez-Cantin. 2017. Bayesian optimization with adaptive kernels for robot control. In *Robotics and Automation (ICRA), 2017 IEEE International Conference on.* IEEE, 3350–3356.
- Ruben Martinez-Cantin, Nando de Freitas, Eric Brochu, José Castellanos, and Arnaud Doucet. 2009. A Bayesian exploration-exploitation approach for optimal online sensing and planning with a visually guided mobile robot. *Autonomous Robots* 27, 2 (2009), 93–103.

#### References II

Jasper Snoek, Hugo Larochelle, and Ryan P Adams. 2012. Practical bayesian optimization of machine learning algorithms. In *Advances in neural information processing systems*. 2951–2959.

Aaron Wilson, Alan Fern, and Prasad Tadepalli. 2014. Using trajectory data to improve Bayesian optimization for reinforcement learning. *The Journal of Machine Learning Research* 15, 1 (2014), 253–282.