



Main-Title

Sub-Title

Author:

Authors Name

authors@email.com

Supervisors:

First Supervisor

Second Supervisor

A tagline for the report.

Institution1

Institution2

25th January 2019

Contents

List of Figures

List of Tables

List of Codes

1 Markdown

1.1 General

Some markdown text.

A list:

- something
- something else

A numbered list

1. something
2. something else

This is a long section of text, which we only want in a document (not a presentation) some text some more text some more text some more text some more text some more text some more text some more text

1.2 References and Citations

References to ??, ??, ?? and ??.

Referencing multiple items: ??????.

A latex citation.^[?]

A html citation.^[?]

1.3 Todo notes

an inline todo

Some text.

a todo in
the mar-
gins

2 Text Output

```
This is some printed text,  
with a nicely formatted output.
```

3 Images and Figures




Figure 3.1: A nice picture.




Figure 3.2: Horizontally aligned images.




Figure 3.3: Vertically aligned images.




Figure 3.4: Images aligned in a grid.

3.1 Displaying a plot with its code

Code 3.1: The plotting code for a matplotlib figure (??).

```
1 plt.scatter(np.random.rand(10), np.random.rand(10),  
2             label='data label')  
3 plt.ylabel(r'a y label with latex  $\alpha$ )  
4 plt.legend();
```




Figure 3.5: A matplotlib figure, with the caption set in the markdowncell above the figure.

4 Tables (with pandas)

Code 4.1: The plotting code for a pandas Dataframe table (??).

```
1 df = pd.DataFrame(np.random.rand(3,4), columns=['a', 'b', 'c', 'd'])
2 df.a = ['$\delta$', 'x', 'y']
3 df.b = ['l', 'm', 'n']
4 df.set_index(['a', 'b'])
5 df.round(3)
```

Table 4.1: An example of a table created with pandas dataframe.

	a	b	c	d
0	δ	l	0.583	0.279
1	x	m	0.914	0.021
2	y	n	0.333	0.116

5 Equations (with ipython or sympy)

$$a = b + c \quad (5.1)$$

Code 5.1: The plotting code for a sympy equation (??).

```
1 f = sym.Function('f')
2 y,n = sym.symbols('y \alpha')
3 f = y(n)-2*y(n-1/sym.pi)-5*y(n-2)
4 sym.rsolve(f,y(n),[1,4])
```

$$\left(\sqrt{5}i\right)^{\alpha}\left(\frac{1}{2}-\frac{2i}{5}\sqrt{5}\right)+\left(-\sqrt{5}i\right)^{\alpha}\left(\frac{1}{2}+\frac{2i}{5}\sqrt{5}\right) \quad (5.2)$$

6 Embed interactive HTML (like ipywidgets)

Interactive HTML was created using ipyvvolume and will render below in .html type outputs: