NOTE:
REFER TO "AC" SHEETS FOR ALL MECHANICAL EQUIPMENT. CONSULT WITH MECHANICAL ENGINEER FOR EXACT LOCATIONS AND SIZES OF DUCT OPENINGS.

NOTE:
REFER TO SHEET AC-1 FOR LEGEND, ABBREVIATIONS, GENERAL NOTES, EQUIPMENT SCHEDULE, ETC.
ALSO, SEE MECHANICAL EQUIPMENT ROOM ON BASEMENT PLAN ON THIS SHEET.

NOTE:
CHECK W/ ELECTRICAL CONTRACTOR ON NECESSITY OF DUCT TO CLEAR HIS MAIN SWITCHBOARD CABINET.

NOTE:
FIRE EXTINGUISHERS, AND THEIR CABINETS AND LOCATIONS, MUST BE APPROVED BY THE SAN MARINO FIRE CHIEF.

NOTE: IF MAPLE FLOORING IS USED, USE BASE (F) AT PLATFORM. IF VINYL-ASBESTOS TILE FLOOR, USE 4" VINYL TOP-SET BASE

NOTE: OMIT STEPS AT FRONT OF PLATFORM

18"x2¼" RISERS TYPICAL SEE DETAIL (B) AC-1 IN BRANCH

18"x2¼" RISERS (TYPICAL) EXCEPT WHERE NOTED W/ EXTRACTOR IN BRANCH

20"x6" LW RELIEF GR. IN EACH CLASSROOM (TYPICAL) W/ FIRE DAMPERS SEE DETAIL (C) 2A

20"x6" LW RELIEF GRILLE WITH FIRE DAMPER & BACK-DRAFT DAMPER. TOP OF GRILLE 7'-1/2" ABOVE FLOOR (TYPICAL)

MECHANICAL EQUIPMENT RM 1

CLASSROOM 2

CLASSROOM 3

CLASSROOM 4

ROOM 5

PASSAGE 6

DUCT SPACE

JANITOR'S CLOS. 6

MEN'S TOILET 11

WOMEN'S TOILET 10

VEST. 9

VEST. 12

STORAGE 13

STAIR HALL 12

PLATFORM

AREA

OCCUPANT LOAD:
AREA: 21.17'x 44.5'= 942 sq.ft.
AS CLASSROOM: 942 sq.ft. ÷ 15 = 63
AS ASSEMBLY: 942 sq.ft. ÷ 7 = 135

OCCUPANT LOAD:
AREA: 21.17'x 19.55'= 293 sq.ft.
AS CLASSROOM: 293 sq.ft. ÷ 15 = 20
AS ASSEMBLY: 293 sq.ft. ÷ 7 = 42

BASEMENT PLAN
SCALE: ¼"=1'-0"

LOWER PORTION OF WEST ELEVATION
SCALE: ¼"=1'-0"

PLAN AT WEST END OF PARISH HALL
SCALE: ¼"=1'-0"

PARTIAL PLAN AT SOUTH-EAST CORNER OF PARISH HALL
SCALE: ¼"=1'-0"

CAP FOR RAILINGS AT PLATFORM (A)
SCALE: 3"=1'-0"

SECT. THRU FRONT OF PLATFORM (B)
SCALE: 3"=1'-0"

VERTICAL SECTION CLASSROOM RELIEF VENTS (C)
SCALE: ¼"=1'-0"

SECT. AT REGISTERS ABOVE CLASSROOM DOORS (D)
SCALE: ¾"=1'-0"

SECT. THRU MECHANICAL EQUIPMENT ROOM (LOOKING WEST)
SCALE: ¼"=1'-0"

FLOOR PLAN OF MECHANICAL EQUIPMENT ROOM (UPPER LEVEL)
SCALE: ¼"=1'-0"

SECTION THRU MECHANICAL EQUIPMENT ROOM (LOOKING NORTH)
SCALE: ¼"=1'-0"

HEATING & VENTILATING LAYOUT AT MECHANICAL EQUIPMENT ROOM.

HORIZ. SECT. THRU ENDS

SECT. THRU LOWER RUN OF STAIRS (LOOKING WEST)
SCALE: ½"=1'-0"

PLUMBING NOTES:
1) ADJUST PIPING TO ACCOMODATE REVISED PLANS.
2) IN BASEMENT CONCEALED, MUCH OF THE PIPING POSSIBLE IN THE DOUBLE-STUDDED WALLS AT THE TOILET & EXPOSE NO PIPING IN THE TOILETS.
3) CAREFULLY PRINT THRU DUCT & CRAWL SPACES TO REACH PORTION OF BLDG. AS WAS SHOWN ON THE ORIGINAL PLANS.

REVISIONS

REVISIONS	PARISH HALL ADDITION for ST. EDMUND'S EPISCOPAL CHURCH 1175 SAN GABRIEL BLVD. SAN MARINO, CALIFORNIA	
DRAWN BY: CFW	BREO FREEMAN ARCHITECT 45 SOUTH MARENGO PASADENA 1, CALIFORNIA	JOB NO. 927
TRACED BY		SHEET NO. 2A OF 19
DATE 3-31-64		