

△ OMIT

ELEVATION
SCALE 3/8" = 1'-0"

VERT. SECT.
SCALE 3/8" = 1'-0"

A CASE IN PASSAGE 106

△ OMIT

VERT. SECTION
SCALE 3/8" = 1'-0"

JAMB SECTION
SCALE 3/8" = 1'-0"

B CASE IN VESTIBULE 9

△ OMIT

ELEVATION
SCALE 3/8" = 1'-0"

SECTION
SCALE 3/8" = 1'-0"

C SHELVING AT WEST WALL OF JANITOR'S CLOSET

△ OMIT

ELEVATION
SCALE 3/8" = 1'-0"

VERT. SECT. THRU MIRROR
SCALE 3/8" = 1'-0"

D DRESSING TABLE AT WOMEN'S TOILET 111

△ OMIT

ELEVATION
SCALE 3/8" = 1'-0"

SECTION
SCALE 3/8" = 1'-0"

E CASE IN WOMEN'S TOILET 111

ELEVATIONS
SCALE 3/8" = 1'-0"

VERT. SECTION THRU NORTH SHELVING
SCALE 3/8" = 1'-0"

VERT. SECTION THRU SOUTH SHELVING
SCALE 3/8" = 1'-0"

F SHELVING AT CLOSET 104

△ OMIT REG

ELEVATION
SCALE 3/8" = 1'-0"

SECT. @ SHELF
SCALE 3/8" = 1'-0"

G COAT CASE IN LOBBY 105

INSULATION SCHEDULE

INSULATION AS CALLED FOR IN THE SPECIFICATIONS SHALL BE INSTALLED IN THE FOLLOWING LOCATIONS:

THERMAL INSULATION:

IN DOORMAYS:

- 1) AT ENDS AND BETWEEN WINDOWS, INSULATION ON TOP OF SILLING.
- 2) BETWEEN STUDS IN TRIANGULAR SPACES AT SIDES OF WINDOW OPENINGS.
- 3) BETWEEN CEILING JOISTS ABOVE WINDOW OPENINGS.

UNDER SADDLE AT NORTH SIDE OF DOOR:

LAY INSULATION ON TOP OF SILLING.

IN ATTIC SPACE ABOVE PLATFORM:

- 1) BETWEEN CEILING JOISTS OVER ENTIRE ATTIC AREA.
- 2) OVER LIGHTING RECESSES AT CENTER.
- 3) BETWEEN STUDS AT EAST WALL OF ATTIC SPACE.

AT CLOSET 104:

BETWEEN CEILING JOISTS AND BETWEEN STUDS AT NORTH WALL OVER BASEMENT STAIRS.

- 1) BETWEEN JOISTS OR SILLING CEILING.
- 2) BETWEEN STUDS AT NORTH END OF SILLING CEILING.

AT PLAT. ROOF ON NORTH SIDE:

BETWEEN PARTIES OVER ENTIRE AREA.

AT PORTION WITHIN EXISTING BLDG. (SECT. 12/4):

- 1) BETWEEN NEW CEILING JOISTS.
- 2) BETWEEN STUDS AND HANGING STUD BEAM.

SOUND-DEADENING INSULATION

IN WALL BETWEEN TOILETS. SEE DETAIL 2/D.

AT MECHANICAL-EQUIPMENT ROOM:

- 1) FULL-THICK INSULATION BETWEEN PLATFORM JOISTS.
- 2) FULL-THICK INSULATION BETWEEN JOISTS AROUND PERIMETER OF PLATFORM, IN PORTION ABOVE TARIEN HALL FLOOR LINE.
- 3) FULL-THICK INSULATION BETWEEN JOISTS UNDER PLATFORM AND STEPS SOUTH OF PLATFORM.

CASE DETAILS & INSULATION SCHEDULE

REVISIONS	PARISH HALL ADDITION
3-3-64	For ST. EDMUND'S EPISCOPAL CHURCH, 1175 SAN GABRIEL BLVD. SAN MARINO, CALIFORNIA
DESIGNED BY	BREO FREEMAN
INCHES BY	ARCHITECT
DATE	45 SOUTH MARENGO PASADENA 1, CALIFORNIA
	JOB NO. 027
	SHEET NO. 12