

Task 2

1. IPO chart

| Tested action | GitHub Commit ID | Expected Output | Actual Output | Pass/Fail | Notes |
|------------------------------------|--|---------------------------------|---------------------------------|-----------|-------|
| Click 'Add to cart' button | 27dbb27a301930aed8d1508cc09e3fb285ead5cb | An alert pops out | An alert pops out | Pass | |
| Click on the 'home' button | ca90464bc0a03a19affad82689495bdb79a05124 | Home page is loaded | Home page is loaded | Pass | |
| Click on the 'Contact us' button | 9a4984ee83c364a3955bc9da781dea33278a09db | Contact us page is loaded | Contact us page is loaded | Pass | |
| Click on 'Products' button | e626eecd29b4b6eb54984b790873885ba76b6adc | Products page is loaded | Products page is loaded | Pass | |
| Click on the 'View product' button | b48598ee189c0831fa08ebb8419580aa50979b88 | Product page is loaded | Product page is loaded | Pass | |
| Click on 'Cart button' | 9a4984ee83c364a3955bc9da781dea33278a09db | Cart page is loaded | Cart page is loaded | Pass | |
| Validation of the contact us page | 9a4984ee83c364a3955bc9da781dea33278a09db | The form is correctly validated | The form is correctly validated | Pass | |
| Click on the 'About us' page | 8205e088ceb8a593a36cc9350e7b6ffed7ee576f | About us page is loaded | About us page is loaded | Pass | |

About us validation:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>About us</title>
  <link rel="stylesheet" href="Assets/aboutUs.css">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6ulrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwmykc2MPK8M2HN" crossorigin="anonymous">
  <script src="Assets/script.js"></script>
</head>
<body>
  <header>
    <!--Navigation menu-->
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <title>About us</title>↵
7.   <link rel="stylesheet" href="Assets/aboutUs.css">↵
8.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6ulrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwmykc2MPK8M2HN" crossorigin="anonymous">↵
9.   <script src="Assets/script.js"></script>↵
10. </head>↵
11. <body>↵
12.   <header>↵
13.     <!--Navigation menu-->↵
14.     <nav class="navbar navbar-expand-lg navbar-light bg-dark">↵
15.       <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
controls="navbarTogglerDemo01" aria-expanded="false" aria-label="Toggle navigation">↵
16.         <span class="navbar-toggler-icon"></span>↵
17.       </button>↵
18.       <div class="collapse navbar-collapse" id="navbarTogglerDemo01">↵
19.         ↵
20.         <ul class="navbar-nav ms-auto mt-2 mt-lg-0">↵
21.           <li class="nav-item">↵
22.             <a class="nav-link text-white btn-hover" href="index.html">Home</a>↵
23.           </li>↵
24.           <li class="nav-item">↵
25.             <a class="nav-link text-white btn-hover" href="products.html">Products</a>↵
26.           </li>↵
27.           <li class="nav-item">↵
28.             <a class="nav-link text-white btn-hover" href="about.html">About</a>↵
29.           </li>↵
```

Cart validation:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home</title>
  <link rel="stylesheet" href="Assets/cart.css">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-T3c6CoIi6uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous">
</head>
<body>
  <header>
    <!--Navigation menu-->
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <title>Home</title>↵
7.   <link rel="stylesheet" href="Assets/cart.css">↵
8.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous">↵
9. </head>↵
10. <body>↵
11.   <header>↵
12.     <!--Navigation menu-->↵
13.     <nav class="navbar navbar-expand-lg navbar-light bg-dark">↵
14.       <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
controls="navbarTogglerDemo01" aria-expanded="false" aria-label="Toggle navigation">↵
15.         <span class="navbar-toggler-icon"></span>↵
16.       </button>↵
17.       <div class="collapse navbar-collapse" id="navbarTogglerDemo01">↵
18.         ↵
19.         <ul class="navbar-nav ms-auto mt-2 mt-lg-0">↵
20.           <li class="nav-item">↵
21.             <a class="nav-link text-white btn-hover" href="index.html">Home</a>↵
22.           </li>↵
23.           <li class="nav-item">↵
24.             <a class="nav-link text-white btn-hover" href="products.html">Products</a>↵
25.           </li>↵
26.           <li class="nav-item">↵
27.             <a class="nav-link text-white btn-hover" href="about.html">About</a>↵
28.           </li>↵
29.         </ul>↵
30.       </div>↵
31.     </nav>↵
32.   </header>↵
33.   <div class="container">↵
34.     <div class="row">↵
35.       <div class="col">↵
36.         <div class="card">↵
37.           <div class="card-body">↵
38.             <div class="text-center">↵
39.               <h2>Cart</h2>↵
40.             </div>↵
41.             <div class="table">↵
42.               <table>↵
43.                 <thead>↵
44.                   <tr>↵
45.                     <th>Product</th>↵
46.                     <th>Price</th>↵
47.                     <th>Quantity</th>↵
48.                   </tr>↵
49.                 </thead>↵
50.                 <tbody>↵
51.                   <tr>↵
52.                     <td>Product 1</td>↵
53.                     <td>100</td>↵
54.                     <td>1</td>↵
55.                   </tr>↵
56.                   <tr>↵
57.                     <td>Product 2</td>↵
58.                     <td>200</td>↵
59.                     <td>2</td>↵
60.                   </tr>↵
61.                 </tbody>↵
62.               </table>↵
63.             </div>↵
64.           </div>↵
65.         </div>↵
66.       </div>↵
67.     </div>↵
68.   </div>↵
69. </body>↵
70. </html>↵
```

Contact validation:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Contact us</title>
  <link rel="stylesheet" href="Assets/contactStyle.css">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-T3c6CoIi6uLrA9TneNeEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous">
  <script src="Assets/Scripts/script.js"></script>
</head>
<body>
  <header>
    <!--Navigation menu-->
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <title>Contact us</title>↵
7.   <link rel="stylesheet" href="Assets/contactStyle.css">↵
8.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNeEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous">↵
9.   <script src="Assets/Scripts/script.js"></script>↵
10. </head>↵
11. <body>↵
12.   <header>↵
13.     <!--Navigation menu-->↵
14.     <nav class="navbar navbar-expand-lg navbar-light bg-dark">↵
15.       <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
controls="navbarTogglerDemo01" aria-expanded="false" aria-label="Toggle navigation">↵
16.         <span class="navbar-toggler-icon"></span>↵
17.       </button>↵
18.       <div class="collapse navbar-collapse" id="navbarTogglerDemo01">↵
19.         ↵
20.         <ul class="navbar-nav ms-auto mt-2 mt-lg-0">↵
21.           <li class="nav-item">↵
22.             <a class="nav-link text-white btn-hover" href="index.html">Home</a>↵
23.           </li>↵
24.           <li class="nav-item">↵
25.             <a class="nav-link text-white btn-hover" href="products.html">Products</a>↵
26.           </li>↵
27.           <li class="nav-item">↵
28.             <a class="nav-link text-white btn-hover" href="about.html">About</a>↵
29.         </ul>↵
```

Home validation:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home</title>
  <link rel="stylesheet" href="Assets/style.css">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-T3c6CoIi6uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous">
</head>
<body>
  <header>
    <!--Navigation menu-->
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <title>Home</title>↵
7.   <link rel="stylesheet" href="Assets/style.css">↵
8.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous">↵
9. </head>↵
10. <body>↵
11.   <header>↵
12.     <!--Navigation menu-->↵
13.     <nav class="navbar navbar-expand-lg navbar-light bg-dark">↵
14.       <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
controls="navbarTogglerDemo01" aria-expanded="false" aria-label="Toggle navigation">↵
15.         <span class="navbar-toggler-icon"></span>↵
16.       </button>↵
17.       <div class="collapse navbar-collapse" id="navbarTogglerDemo01">↵
18.         ↵
19.         <ul class="navbar-nav ms-auto mt-2 mt-lg-0">↵
20.           <li class="nav-item">↵
21.             <a class="nav-link text-white btn-hover" href="index.html">Home</a>↵
22.           </li>↵
23.           <li class="nav-item">↵
24.             <a class="nav-link text-white btn-hover" href="products.html">Products</a>↵
25.           </li>↵
26.           <li class="nav-item">↵
27.             <a class="nav-link text-white btn-hover" href="about.html">About</a>↵
28.           </li>↵
29.           <li class="nav-item">↵
```

Product 1 – 6 validation:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>RTX 4080</title>
  <link rel="stylesheet" href="Assets/product.css">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwmykc2MPK8M2HN" crossorigin="anonymous">
  <script src="Assets/Scripts/script.js"></script>
</head>
<body>
  <header>
    <!--Navigation menu-->
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
```

[Check](#)

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** Element `p1` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

[From line 48, column 11: to line 48, column 14](#)

```
<p1>The NV
```

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

Document checking completed.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <title>RTX 4080</title>↵
7.   <link rel="stylesheet" href="Assets/product.css">↵
8.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwmykc2MPK8M2HN" crossorigin="anonymous">↵
9.   <script src="Assets/Scripts/script.js"></script>↵
10. </head>↵
11. <body>↵
12.   <header>↵
13.     <!--Navigation menu-->↵
14.     <nav class="navbar navbar-expand-lg navbar-light bg-dark">↵
15.       <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
```

Products page validation:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Products</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-T3c6CoI16uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwmykc2MPK8M2HN" crossorigin="anonymous">
  <link rel="stylesheet" href="Assets/productsStyle.css">
  <script src="Assets/Scripts/script.js"></script>
</head>
<body>
  <header>
    <!--Navigation menu-->
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <title>Products</title>↵
7.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
8.   T3c6CoI16uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwmykc2MPK8M2HN" crossorigin="anonymous">↵
9.   <link rel="stylesheet" href="Assets/productsStyle.css">↵
10.  <script src="Assets/Scripts/script.js"></script>↵
11. </head>↵
12. <body>↵
13.   <header>↵
14.     <!--Navigation menu-->↵
15.     <nav class="navbar navbar-expand-lg navbar-light bg-dark">↵
16.       <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarTogglerDemo01" aria-
17.       controls="navbarTogglerDemo01" aria-expanded="false" aria-label="Toggle navigation">↵
18.         <span class="navbar-toggler-icon"></span>↵
19.       </button>↵
20.       <div class="collapse navbar-collapse" id="navbarTogglerDemo01">↵
21.         ↵
22.         <ul class="navbar-nav ms-auto mt-2 mt-lg-0">↵
23.           <li class="nav-item">↵
24.             <a class="nav-link text-white btn-hover" href="index.html">Home</a>↵
25.           </li>↵
26.           <li class="nav-item">↵
27.             <a class="nav-link text-white btn-hover" href="products.html">Products</a>↵
28.           </li>↵
29.           <li class="nav-item">↵
```

About Us css:

Jump to: [Validated CSS](#)

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in understanding what new technologies are coming out of W3C? Follow [@w3cdevs on X](#) to keep track of what the future looks like!

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```


(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {
  padding : 0;
  background-image : url(images/AboutUs.jpg);
}
```


Cart css:

The W3C CSS Validation Service
W3C CSS Validator results for TextArea (CSS level 3 + SVG)


Jump to: Validated CSS

W3C CSS Validator results for TextArea (CSS level 3 + SVG)


Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:




```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in "developing" your developer skills? In W3C's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```


(Or, you can just add the current page to your bookmarks or hotlist.)

Valid CSS information

```
body {
  padding: 0;
```

↑ TOP

Contact style css:

The W3C CSS Validation Service
W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Jump to: Validated CSS

W3C CSS Validator results for TextArea (CSS level 3 + SVG)


Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in "developing" your developer skills? In W3C's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Valid CSS information

Product 1 - 6 css:

**The W3C CSS Validation Service**
W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
.image {
  margin-left : 400px;
  margin-top : 200px;
  float : left;
}
```

Products style css:

The W3C CSS Validation Service
W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {
  background-image : url(images/Possiblebackground4products.jpg);
  background-repeat : no-repeat;
  background-size : 100% 100%;
  min-block-size : 100%;
}
```

Style css:



The W3C CSS Validation Service
W3C CSS Validator results for TextArea (CSS level 3 + SVG)


Jump to: Validated CSS

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:




```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in understanding what new technologies are coming out of W3C? Follow [@w3cdevs on X](#) to keep track of what the future looks like!

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Valid CSS information

body {