Ladder Unique ID	Date of inspection	Next inspection	Pass/Fail
INF-LAD-01	04/01/2024	04/07/2024	Pass
INF-LAD-02	04/01/2024	04/07/2024	Pass
INF-LAD-03	04/01/2024	04/07/2024	Pass
INF-LAD-04	04/01/2024	04/07/2024	Pass
INF-LAD-05	04/01/2024	04/07/2024	Pass
INF-LAD-06	04/01/2024	04/07/2024	Pass
INF-LAD-07	04/01/2024	04/07/2024	Pass
INF-LAD-08	04/01/2024	04/07/2024	Pass
INF-LAD-09	04/01/2024	04/07/2024	Pass
INF-LAD-10	04/01/2024	04/07/2024	Pass
INF-LAD-11	04/01/2024	04/07/2024	Pass
INF-LAD-12	04/01/2024	04/07/2024	Pass
INF-LAD-13	04/01/2024	04/07/2024	Pass
INF-LAD-14	04/01/2024	04/07/2024	Pass
INF-LAD-15	04/01/2024		Fail
INF-LAD-16	04/01/2024	04/07/2024	Pass
INF-LAD-17	04/01/2024	04/07/2024	Pass

Notes	Date of inspection	Next inspection	Pass/Fail
Parts enquired 26/06/2023			
Disposed			

Notes	Date of inspection	Next inspection	Pass/Fail	Notes
	·			
			-	

Date of inspection	Next inspection	Pass/Fail	Notes

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	04/07/2024
Classification	EN131 Professional
Serial	00030

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	04/07/2024
Classification	EN131 Professional
Serial	00002

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rve	
Date of Inspection	04/01/2024	
Location of Ladder	Unit 9	
Date of Next Inspection	04/07/2024	
Classification	EN131 Professional	
Serial	000.5	

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard					
Loose or bent hinge spreaders. Remove from use: repair or discard					
Broken stop on hinge spreaders. Discard: do not attempt repair					
Loose hinges. Remove from use: repair or discard					

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	04/07/2024
Classification	BS2037/1129 Class 1
Serial	49678

Itam to be absolved	5 /5 ::				
Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand).					
Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts					
Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or	1 433	None			
steps.					
Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet.					
Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or					
discard	Pass	None			
STEPLADDERS					
Wobbly or unstable.					
Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders.					
Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	04/07/2024
Classification	EN131 Professional
Serial	60630.2

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	09/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	09/07/2024
Classification	EN131 Professional
Serial No	1303-081

			1	1	<u> </u>
Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard					
Loose or bent hinge spreaders. Remove from use: repair or discard					
Broken stop on hinge spreaders. Discard: do not attempt repair					
Loose hinges. Remove from use: repair or discard					

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	UNIT 9
Date of Next Inspection	04/07/2024
Classification	EN131 Professional
Serial	60630.1

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	08/01/2024
Location of Ladder	BV66 FVL
Date of Next Inspection	08/07/2024
Classification	BS2037/1129
Serial	Brian's Ladder - 0004

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL	. 455) . 4.1	/ totton required	2,	2,	5611651115
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	09/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	09/07/2024
Classification	BS2037/1129 Class 1
Serial	3663602910206

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	BXG
Date of Next Inspection	04/07/2024
Classification	BS2037/1129 Class 1
Serial	POK1127566

Itam to be absolved	5 /5 ::				
Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand).					
Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts					
Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or	1 433	None			
steps.					
Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet.					
Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or					
discard	Pass	None			
STEPLADDERS					
Wobbly or unstable.					
Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders.					
Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	04/07/2024
Classification	BS2037/1129 Class 1
Serial	POK1127569

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	вхн
Date of Next Inspection	04/07/2024
Classification	BS2037/1129 Class 1
Serial	003

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard					
Loose or bent hinge spreaders. Remove from use: repair or discard					
Broken stop on hinge spreaders. Discard: do not attempt repair					
Loose hinges. Remove from use: repair or discard					

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	04/07/2024
Classification	EN131 Professional
Serial	1790418L

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL	. 455) . 4.1	/ totton required	2,	2,	5611651115
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	BXG
Date of Next Inspection	04/07/2024
Classification	BS2037/1129 Class 1
Serial	004

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose					
if they can be moved by hand).					
Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails,					
screws, bolts or other metal parts					
Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles.					
Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles,					
braces, steps or rungs.					
Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or					
steps.					
Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip					
feet.					
Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects).					
Remove from use: remove paint or					
discard	Pass	None			
STEPLADDERS					
Wobbly or unstable.					
Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders.					
Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders.					
Discard: do not attempt repair	Pass	None			
Loose hinges.					
Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	
Classification	EN131 Professional
Serial	005

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Fail	Scrapped	P Rye	04/01/2024	
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard					
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard					
Warped, bent or twisted stiles. Discard: do not attempt to repair					
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair					
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard					
Damaged, missing or worn non-slip feet. Remove from use: repair or discard					
Ladder painted (may hide defects). Remove from use: remove paint or discard					
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard					
Loose or bent hinge spreaders. Remove from use: repair or discard					
Broken stop on hinge spreaders. Discard: do not attempt repair					
Loose hinges. Remove from use: repair or discard					

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	Unit 9
Date of Next Inspection	04/07/2024
Classification	BS2037/1129 Class 1
Serial	006

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye				
Date of Inspection	04/01/2024				
Location of Ladder	Unit 9				
Date of Next Inspection	04/07/2024				
Classification	BS2037/1129 Class 1				
Serial	007				

				1	
Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard					
Loose or bent hinge spreaders. Remove from use: repair or discard					
Broken stop on hinge spreaders. Discard: do not attempt repair					
Loose hinges. Remove from use: repair or discard					

Person conducting Inspection	P.Rye			
Date of Inspection	04/01/2024			
Location of Ladder	Unit 9			
Date of Next Inspection	04/07/2024			
Classification	EN131 Professional			
Serial	57712120			

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or					
steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet. Remove from use: repair or discard	Pass	None			
Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard	Pass	None			
Loose or bent hinge spreaders. Remove from use: repair or discard	Pass	None			
Broken stop on hinge spreaders. Discard: do not attempt repair	Pass	None			
Loose hinges. Remove from use: repair or discard	Pass	None			

Person conducting Inspection	P.Rye
Date of Inspection	04/01/2024
Location of Ladder	CS UNIT
Date of Next Inspection	04/07/2024
Classification	EN131 Professional
Serial	008

Item to be checked	Pass/Fail	Action required	By who	By When	Concerns
GENERAL					
Suitable for work use	Pass	None			
Loose steps or rungs (consider loose if they can be moved by hand). Remove from use: Repair or discard	Pass	None			
Loose, damaged or corroded nails, screws, bolts or other metal parts Remove from use: Repair or discard	Pass	None			
Warped, bent or twisted stiles. Discard: do not attempt to repair	Pass	None			
Cracked, split or broken stiles, braces, steps or rungs. Discard: do not attempt to repair	Pass	None			
Slivers/splinters on stiles, rungs or					
steps. Remove from use: repair or discard	Pass	None			
Damaged, missing or worn non-slip feet.	Pass	News			
Remove from use: repair or discard Ladder painted (may hide defects). Remove from use: remove paint or discard	Pass	None			
STEPLADDERS					
Wobbly or unstable. Remove from use: repair or discard					
Loose or bent hinge spreaders. Remove from use: repair or discard					
Broken stop on hinge spreaders. Discard: do not attempt repair					
Loose hinges. Remove from use: repair or discard					