



UNDERSCORE_®

Features

- Acrylic
- Drop-in or undermount installation
- Molded lumbar support
- 60" (152.4 cm) x 30" (76.2 cm) x 19" (48.3 cm)


Codes/Standards Applicable

Specified model meets or exceeds the following:

- ADA
- ICC/ANSI A117.1
- ASME A112.19.7M
- ANSI Z124.1.2
- CSA B45.0
- CSA B45.5
- ASTM E162
- ASTM E662
- UL 1795



ADA



Colors/Finishes

- 0: White
- Other: Refer to Price Book for additional colors/finishes

Accessories

- 0: White
- CP: Polished Chrome
- PB: Vibrant_® Polished Brass
- Other: Refer to Price Book for additional colors/finishes

Specified Model

Model	Description		Colors/Finishes	
K-1121	Bath		□ 0	☐ Other
Required	Accessories			
K-7271	Clearflo slotted overflow brass bath drain OR	□ CF	P D PB	☐ Other
K-7272	Clearflo slotted overflow bath drain – PVC pipe	□ CF	P D PB	□ Other
Optional A	Accessories			
K-531	Undermount kit		□NA	
K-1491	Pillow	□ 0		☐ Other
	Footstop	□0		☐ Other

Product Specification

The acrylic bath shall be 60" (152.4 cm) in length, 30" (76.2 cm) in width, and 19" (48.3 cm) in height. Bath shall be for drop-in or undermount installation. Bath shall have molded lumbar support. Bath shall be Kohler Model K-1121-____.

UNDERSCORE®

Technical Information

Fixture*:				
Bathing well:				
Basin area, bottom	42-3/8" (107.6 cm) x 20" (50.8 cm)			
Basin area, top	54-3/8" (138.1 cm) x 24-5/16" (61.8 cm)			
Weight	71 lbs (32.2 kg)			
To overflow:				
Water depth	15-1/16" (38.3 cm)			
Capacity	59.8 gal (226 L)			
* Approximate measurements for comparison only.				
Drop-in cut-out	59-1/2" (151.1 cm) x 28-1/2" (72.4 cm)			


Installation Notes

Install this product according to the installation guide.


Will comply with **ADA** when installed per Section 607 Bathtubs of the Act.


Floor support under bath must provide for a minimum of 50 lbs/square foot (242 kg/square meter) loading.

Hot water supply should be 70% of capacity or greater. Installations will vary.



No change in measurement if connected with drain illustrated. (K-7272)





Product Diagram

