



TRANSTHORACIC ECHOCARDIOGRAM REPORT

Name	:		Height(m)	:	0.00
MRN	:	HUiTM0056467	Weight(kg)	:	0.00
DOB	:	1978-09-21	BSA(m2)	:	0.00
Age	:	47	BP Systolic	:	158
Procedure Date	:	2024-01-03 16:57:21	BP Diastolic	:	73
Department	:	HUiTM - Inpatient	Heart Rate	:	77.00
Requested By	:		85% THR	:	147.05
Referred Dr.	:		10% THR	:	17.3
Report No.	:	NICL-202442197			
Indication	:	Fluid overload tro heart failure			

PROCEDURE TTE - CARDIAC ASSESSMENT (MASS/THROMBUS/etc)

MACHINE PHILIPS EPIQ 7C A

FINDINGS satisfactory apical echo windows

Hr: 113bpm

Condition: supine position,
ECHO INPATIENT by bed

Left ventricular size (LVIDD: 5.5cm, LVIDS: 4cm, LVEDV: 88ml, LVESV: 46ml) with mildly impaired systolic function. Calculated LVEF is 46% (method: Biplane Simpson's).

Regional wall motion abnormality is present. Hypokinetic basal mid septal, anteroseptal, inferior
Borderline LVH (IVSd: 1.0cm, LVPWd: 0.8cm)

Grade 3 diastolic dysfunction with elevated LV filling pressure (E velocity: 108cm/s, MV DecT: 106ms, E/A ratio: 2.9 , e' medial: 7cm/s, e' lateral: 8cm/s, Average E/e': 14)

Normal right ventricular size (PLAX: 2.7cm with normal systolic function (TAPSE: 2cm, TV S': 10cm/s)
dilated left atrial size with normal right atrial size (LAd: 4.1cm, LA area: 19.1cm², LA: 69ml, RA: 21ml, RA area: 12cm²)

Morphologically normal mitral valve leaflets. Minimal MR on CFM. Single regurgitation jet. Regurgitation jet is central. Normal pulmonary venous inflow pattern.

Trileaflet aortic valve. Trivial AR on CFM. Single regurgitation jet. Regurgitation jet is central. Holodiastolic aortic flow reversal is absent at thoracic /abdominal aorta. AV VMax: 1.03m/s, meanPG: 3mmHg

Morphologically normal tricuspid valve leaflets. Minimal TR on CFM. Multiple regurgitation jet. Regurgitation jet is central. Normal hepatic venous inflow pattern. (TR Vmax: 2.48m/s, TR max PG: 25mmHg).

Morphologically normal pulmonary valve leaflets. Trivial PR on CFM. Main pulmonary artery measuring 2.2cm. Single regurgitation jet. Regurgitation jet is central. (PV AT: 90ms)

Estimated pulmonary artery systolic pressure is at least 33mmHg, assuming RAP is 8mmHg

Intact of interatrial and interventricular septum. No colour Doppler evidence of ASD or VSD.

No intracardiac mass or thrombus visualized

Normal aortic root dimension (LVOTd: 1.6cm, AVd: 2.7cm, SOV: 2.2cm, STJ: 1.3cm, Asc Ao: 2.5cm)

IVC is normal in size (1.8cm) with less than 50% collapsibility index.

pericardial effusion seen RA, LV: 0.4cm, posterior 0.2cm

Impression

1. Normal left ventricular size with mildly impaired systolic function, LVEF is 46%.
2. Hypokinetic basal mid septal, anteroseptal, inferior
3. Dilated LA
4. Estimated PASP is least 33mmHg, assuming RAP is 8mmHg
5. Located pericardia effusion seen RA, LV: 0.4cm, posterior 0.2cm

** THIS IS A PRELIMINARY ECHO REPORT ONLY UNLESS CERTIFIED BY AN AUTHORISED DOCTOR,
THANK YOU*

REPORTED BY

DATE REPORTED 2024-01-03 17:06:03