

Controls

This package includes a .inputactions file. Make sure your project is using the new input system (or both input systems) in Edit > Project Settings > Player > Active Input Handling

The bindings are made for the keyboard.

It is separate from other .inputactions files and does not need to be merged.

Input	Action
W/A/S/D	Movement
1	Num[1]
2	Num[2]
3	Num[3]
4	Num[4]
5	Num[5]
6	Num[6]
7	Num[7]
8	Num[8]
9	Num[9]
E	Ability[E]
Q	Ability[Q]
F	Ability[F]
R	Ability[R]
Z	Ability[Z]
X	Ability[X]
C	Ability[C]
V	Ability[V]
LShift	Movement[Lshift] (usually used for sprint or ability input)
LCtrl	Movement[Lctrl] (usually used for crouch input)

Left mouse	Attack[L] (usually for primary attack)
Right mouse	Attack[R] (usually for secondary attack or ability)
Mouse scroll	MouseScroll
Mouse movement	Look
space	Jump
I	Misc[I] (typically used for “inventory”)
O	Misc[O]
M	Misc[M]

InputEventCaller

Converts input option to event calls of type ActiveAbilityID. InputDict holds InputOptions.Input as key and ActiveAbilityID as value. If inputCurrentFrame at a given time matches InputOptions.Input key, it will call an event with that ActiveAbilityID

AddInput

Adds input option to inputCurrentFrame, representing that input was made.

Input: InputOption.Input

Result: simulates input

InputListener

Sends player's inputs to InputEventCaller

CameraControls

Influences positioning of player's camera and the associated aim target

BasicRigidBodyPush

Allows the character to push rigid bodies

ThirdPersonController

Supports the majority of the character's movement.

ApplyExternalForce

Applies an external force to the character outside of its normal movement. Useful for displacement features like dash and knockback

Input: Vector3 direction, float velocity

Result: force is applied to the character

Translate

Moves the position of the character, useful for teleportation or other context where the position of the character should change immediately

Input: Vector3 position

Result: position of character changed

ResetCharacterVelocity

Stops the character's movement to avoid bugs associated with applying external force

Input: n/a

Result: sets character controller's velocity to 0

Input Unit

A scriptable object that represents an input that the player makes. accommodates tapping, holding, and releasing multiple keys.