

Virginia Cyber Range Lab 2

```
Terminal - student@kali.example.com: ~
File Edit View Terminal Tabs Help
(student@kali.example.com)-[~]
$ ip addr show
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    link/ether 12:c6:c1:8d:94:2b brd ff:ff:ff:ff:ff:ff
    inet 10.1.174.252/20 brd 10.1.175.255 scope global dynamic eth0
        valid_lft 3491sec preferred_lft 3491sec
    inet6 fe80::10c6:c1ff:fe8d:942b/64 scope link proto kernel_ll
        valid_lft forever preferred_lft forever
(student@kali.example.com)-[~]
$
```

```
Terminal - student@kali.example.com: ~
File Edit View Terminal Tabs Help
(student@kali.example.com)-[~]
$ nmap -sn 10.1.174.252/20
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-03-18 05:02 UTC
Nmap scan report for ip-10-1-160-1.ec2.internal (10.1.160.1)
Host is up (0.000047s latency).
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)
Nmap scan report for ip-10-1-160-2.ec2.internal (10.1.160.2)
Host is up (0.000067s latency).
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)
Nmap scan report for ip-10-1-170-105.ec2.internal (10.1.170.105)
Host is up (0.00020s latency).
MAC Address: 12:C7:31:F6:DB:25 (Unknown)
Nmap scan report for ip-10-1-170-218.ec2.internal (10.1.170.218)
Host is up (0.00039s latency).
MAC Address: 12:FC:8B:9E:08:15 (Unknown)
Nmap scan report for ip-10-1-172-7.ec2.internal (10.1.172.7)
Host is up (0.00013s latency).
MAC Address: 12:55:71:13:BD:F1 (Unknown)
Nmap scan report for ip-10-1-174-252.ec2.internal (10.1.174.252)
Host is up.
Nmap done: 4096 IP addresses (6 hosts up) scanned in 9.58 seconds
(student@kali.example.com)-[~]
$
```

Virginia Cyber Range Lab 2

```
Terminal - root@kali.example.com: /home/student
File Edit View Terminal Tabs Help
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-03-18 05:02 UTC
Nmap scan report for ip-10-1-160-1.ec2.internal (10.1.160.1)
Host is up (0.000047s latency).
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)
Nmap scan report for ip-10-1-160-2.ec2.internal (10.1.160.2)
Host is up (0.000067s latency).
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)
Nmap scan report for ip-10-1-170-105.ec2.internal (10.1.170.105)
Host is up (0.00020s latency).
MAC Address: 12:C7:31:F6:DB:25 (Unknown)
Nmap scan report for ip-10-1-170-218.ec2.internal (10.1.170.218)
Host is up (0.00039s latency).
MAC Address: 12:FC:8B:9E:08:15 (Unknown)
Nmap scan report for ip-10-1-172-7.ec2.internal (10.1.172.7)
Host is up (0.00013s latency).
MAC Address: 12:55:71:13:BD:F1 (Unknown)
Nmap scan report for ip-10-1-174-252.ec2.internal (10.1.174.252)
Host is up.
Nmap done: 4096 IP addresses (6 hosts up) scanned in 9.58 seconds

(student@kali.example.com)-[~]
$ sudo su
(root@kali.example.com)-[/home/student]
#
```

```
Terminal - root@kali.example.com: /home/student
File Edit View Terminal Tabs Help
MAC Address: 12:FC:8B:9E:08:15 (Unknown)
Nmap scan report for ip-10-1-172-7.ec2.internal (10.1.172.7)
Host is up (0.00013s latency).
MAC Address: 12:55:71:13:BD:F1 (Unknown)
Nmap scan report for ip-10-1-174-252.ec2.internal (10.1.174.252)
Host is up.
Nmap done: 4096 IP addresses (6 hosts up) scanned in 9.58 seconds

(student@kali.example.com)-[~]
$ sudo su
(root@kali.example.com)-[/home/student]
# nmap -sS -T4 10.1.160.1
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-03-18 05:06 UTC
Nmap scan report for ip-10-1-160-1.ec2.internal (10.1.160.1)
Host is up (0.000050s latency).
All 1000 scanned ports on ip-10-1-160-1.ec2.internal (10.1.160.1) are in ignored
states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 21.25 seconds

(root@kali.example.com)-[/home/student]
#
```

Virginia Cyber Range Lab 2

```
Terminal - root@kali.example.com: /home/student
File Edit View Terminal Tabs Help
Host is up (0.000050s latency).
All 1000 scanned ports on ip-10-1-160-1.ec2.internal (10.1.160.1) are in ignored
states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 21.25 seconds

(root@kali.example.com)-[/home/student]
# nmap -sV -T4 10.1.160.1
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-03-18 05:07 UTC
Nmap scan report for ip-10-1-160-1.ec2.internal (10.1.160.1)
Host is up (0.000092s latency).
All 1000 scanned ports on ip-10-1-160-1.ec2.internal (10.1.160.1) are in ignored
states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)

Service detection performed. Please report any incorrect results at https://nmap
.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 21.60 seconds

(root@kali.example.com)-[/home/student]
#
```

```
Terminal - root@kali.example.com: /home/student
File Edit View Terminal Tabs Help
Nmap done: 1 IP address (1 host up) scanned in 21.60 seconds


(root@kali.example.com)-[/home/student]
# nmap -A -T4 10.1.160.1
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-03-18 05:08 UTC
Nmap scan report for ip-10-1-160-1.ec2.internal (10.1.160.1)
Host is up (0.00028s latency).
All 1000 scanned ports on ip-10-1-160-1.ec2.internal (10.1.160.1) are in ignored
states.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 12:F5:DF:FD:1D:A0 (Unknown)
Too many fingerprints match this host to give specific OS details
Network Distance: 1 hop

TRACEROUTE
HOP RTT ADDRESS
1 0.28 ms ip-10-1-160-1.ec2.internal (10.1.160.1)

OS and Service detection performed. Please report any incorrect results at https
://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 27.51 seconds

(root@kali.example.com)-[/home/student]
#
```

Virginia Cyber Range Lab 2



```
Terminal - student@kali.example.com: /usr/share/nmap
File Edit View Terminal Tabs Help

root@kali.example.com: /usr/share/n... x student@kali.example.com: /usr/shar... x

(student@kali.example.com)-[~]
$ cd /usr/share/nmap

(student@kali.example.com)-[/usr/share/nmap]
$ xdg-open serviceversionOS.xml

(student@kali.example.com)-[/usr/share/nmap]
$
```