

# Advanced Trade API Sandbox

Advanced Trade API offers a static sandbox environment and its use cases are:

- Users can make API requests to Advanced sandbox API without authentication.
- Users can make API requests to the sandbox and get the same formatted responses as production.
- All responses are static and pre-defined.
- Set custom request header "X-Sandbox:" to trigger pre-defined variance in some endpoints.

## Advanced Trade Sandbox Endpoints

Advanced Trade sandbox endpoint URL: `https://api-sandbox.coinbase.com/api/v3/brokerage/{resource}`

### Info

Only Accounts and Orders related endpoints are currently available in the sandbox. All responses are mocked but have the same format as production.

## Endpoints

The following table shows available Endpoints.

API	Method	Resource
List Accounts	GET	<code>/accounts</code>
Get Account	GET	<code>/accounts/{account_id}</code>
Create Order	POST	<code>/orders</code>
Cancel Orders	POST	<code>/orders/batch_cancel</code>
Edit Order	POST	<code>/orders/edit</code>
Edit Order Preview	POST	<code>/orders/edit_preview</code>
List Orders	GET	<code>/orders/historical/batch</code>
List Fills	GET	<code>/orders/historical/fills</code>
Get Order	GET	<code>/orders/historical/{order_id}</code>
Preview Order	POST	<code>/orders/preview</code>
Close Position	POST	<code>/orders/close_position</code>

The following table shows Endpoints with available request parameters.

API	Method	Resource	Request Parameters
Get	GET	<code>/accounts/{account_id}</code>	<b>account_id</b> retrieved from <a href="#">List</a>

<a href="#">Account</a>	GET	<code>/accounts/{account_id}</code>	<a href="#">Accounts</a>
<a href="#">Get Order</a>	GET	<code>/orders/historical/{order_id}</code>	<b>order_id:</b> retrieved from <a href="#">List Orders</a>
<a href="#">List Orders</a>	GET	<code>/orders/historical/batch</code>	<b>order_status:</b> CANCELLED/ OPEN


The following table shows available Endpoints returning error responses with required headers.

API	Method	Resource	Error	Header
<a href="#">Create Order</a>	POST	<code>/orders</code>	INSUFFICIENT_FUND	"X-Sandbox: PostOrder_insufficient_fun
<a href="#">Cancel Orders</a>	POST	<code>/orders/ batch_cancel</code>	UNKNOWN_CANCEL_ORDER	"X-Sandbox: CancelOrders_failure"
<a href="#">Edit Order</a>	POST	<code>/orders/ edit</code>	ORDER_NOT_FOUND	"X-Sandbox: EditOrder_failu
<a href="#">Edit Order Preview</a>	POST	<code>/orders/ edit_preview</code>	ORDER_NOT_FOUND	"X-Sandbox: PreviewEditOrder_failure"
<a href="#">Preview Order</a>	POST	<code>/orders/ preview</code>	PREVIEW_INSUFFICIENT_FUND	"X-Sandbox: PreviewOrder_insufficient_

**See Also:**

- [REST API Overview](#)

*Last updated on Sep 30, 2024*

 Need help? [Ask in our Discord](#)