



Message Implementation Guideline

D_TX_PP_UKUF1xxODVV1xxREAV1xxOSW

based on

DELVRY


Receipt (DELVRY)

Version: 1-DEV
Variant: EDIT0008394
Issue date: 14-07-2025
Author: ext.l.k.pasupuleti



Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0010	1	DELVRY	M	9999	1	

Branching Diagram of Used Segments/Groups

Tag	
St	MaxOcc
No	
Counter	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard

Segments

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0010	1	DELVRY	M	9999	1	
------	---	---------------	---	------	---	--

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
OrderN _o	OrderNumber	M A12	M A12	Map Instructions Instruction nr 1 <i>Instruction</i> map /DEA/POID (Pos: 239-273)
OrderL _{ir}	OrderLine	C A3	C A3	Map Instructions Instruction nr 1 <i>Condition</i> if data found in /DEA/POID (Pos: 239-273) <i>Instruction</i> map right 3 characters of /DEA/POPOS (Pos: 277-280) <i>Add. Info</i> Eg: 0029 -> 029 Instruction nr 2 <i>Condition</i> if instruction#1 is not executed <i>Instruction</i> pad with spaces of length 3
Compar	Company	C A2	C A2	Map Instructions Instruction nr 1 <i>Instruction</i> hardcode "UF"
Itemcod	Itemcode	C A20	C A20	Map Instructions Instruction nr 1 <i>Instruction</i> map /DEA/ARTID (Pos: 9-43)
Supplier	SupplierCode	C A10	C A10	Map Instructions Instruction nr 1 <i>Instruction</i> map /DEA_LOOP/FTX/FTX_2 (Pos: 96-165)
OrderQ _t	OrderQuantity	C A13	C A13	Map Instructions Instruction nr 1 <i>Condition</i> if data found in /DEA_LOOP/FTX/FTX_1 (Pos: 26-95) <i>Instruction</i> Pull out the value from /DEA_LOOP/FTX/FTX_1 (Pos: 26-95). Append leading zeros to the resulting value to make it 11 characters and then append 2 trailing Zeros (as the output field carries 13 characters). <i>Add. Info</i> Eg: 390 -> 0000000039000 Instruction nr 2 <i>Condition</i> if instruction#1 is not executed <i>Instruction</i> pad with spaces of length 13
Receipt _t	ReceiptQuantity	C A13	C A13	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				Map Instructions Instruction nr 1 <i>Instruction</i> Pull out the value from /DEA/DELQTY (Pos: 96-105). Append leading zeros to the resulting value to make it 11 characters and then append 2 trailing Zeros (as the output field carries 13 characters). <i>Add. Info</i> Eg: 0000000004 -> 0000000000400
Receipt1	ReceiptDate	C A8	C A8	Map Instructions Instruction nr 1 <i>Instruction</i> map first 8 characters of /DEH/ARRDTM (Pos: 12-23) in YYYYMMDD format
LineClo:	LineClosure	C A1	C A1	Map Instructions Instruction nr 1 <i>Instruction</i> hardcode "N"
Supplier	SupplierDocumentNr	C A12	C A12	Map Instructions Instruction nr 1 <i>Instruction</i> map /DEH/CONSNOTE (Pos: 38-72)
Supplier	SupplierDocumentDate	C A8	C A8	Map Instructions Instruction nr 1 <i>Instruction</i> map first 8 characters of /DEH/TRUCKID (Pos: 73-89)
Filler	Filler	C A20	C A20	
MadeIn	MadeIn	C A2	C A2	Map Instructions Instruction nr 1 <i>Instruction</i> map /DEA/PRODLOT (Pos: 119-158)

Segment Remarks:**Map Instructions****Instruction nr 1**

Condition Trigger new line for every DEA segment

Instruction nr 2

Instruction Use /DEA/POID (Pos: 239-273) as LW Primary reference and CDM filename (/DocumentMessage/Document/FileName) to LW alternate reference.

Example:

DELVR1; AAA; AA; AAAAAAAAAAAAAAAAAAAAAA; AAAAAAAAAA; AAAAAAAAAAAAAA; AAAAAAAAAAAAAA; AAAAAAAAAA; A; AAAAAAAAAAAAAA; AAAAAAAAAA; AAAAAAAAAAAAAAAAAAAAAA; AA

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Example Message

No	Tag	Example
01	DELVRY	DELVRY;AAA;AA;AAAAAAAAAAAAAAAAAAAA;AAAAAAAA;AAAAAAAAAAAA;AAAAAAAA AAA;AAAAAAAA;A;AAAAAAAAAAAA;AAAAAAAA;AAAAAAAAAAAAAAAAAAAA;AA