



Message Implementation Guideline

DSV_INSDES0100

Model: D_TX_PX_ESLIPOT940V1xxDEO0100IR
Version: 1-DEV
Variant: EDIT0002939
Issue date: 4/23/2024
Author: vijay.krishna

Structure

Occurrence	Element/Attribute
	DSV_INSDES0100
1 .. 1	xs:sequence
1 .. 1	HEAD
1 .. 1	xs:sequence
0 .. 1	Message_Id
0 .. 1	Date_Time
1 .. 1	Message_Type
1 .. 1	Message_Version
1 .. 1	Sender_Id
1 .. 1	Recipient_Id
1 .. unbounded	ODH
1 .. 1	xs:sequence
0 .. 1	Site_Id
1 .. 1	Client_Id
1 .. 1	Order_Id
0 .. 1	Priority
0 .. 1	Order_Type
0 .. 1	Order_Date
1 .. 1	Owner_Id
0 .. 1	Carrier_Id
0 .. 1	Deliver_By_Date
0 .. 1	Instructions
0 .. 1	Purchase_Order
0 .. 1	TOD
0 .. 1	COD_Amount_Currency
1 .. unbounded	ODHPTY
1 .. 1	xs:sequence
1 .. 1	Party_Role
0 .. 1	Party_Name
0 .. 1	Party_Address_1
0 .. 1	Party_Address_2
0 .. 1	Town
0 .. 1	Postcode
0 .. 1	Country_Code
0 .. 1	Contact_Phone
0 .. 1	Party_VAT_Number
0 .. unbounded	ODL
1 .. 1	xs:sequence
1 .. 1	Line_Id
1 .. 1	SKU_Id
1 .. 1	Qty_Ordered
1 .. 1	Tracking_Level
0 .. 1	Line_Value
0 .. 1	Batch_Id
0 .. 1	Condition_Id
0 .. 1	Notes
0 .. 1	Product_Price
0 .. 1	Product_Price_Currency
0 .. 1	Unit
0 .. 1	ODLUDF

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
1 .. 1	xs:sequence User_Def_Type_1 User_Def_Type_2 User_Def_Type_3 User_Def_Type_4 User_Def_Type_5
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	

Guideline

Element/Attribute	Annotation
DSV_INSDES0100	
xs:sequence	Occurrence 1 .. 1
HEAD	Occurrence 1 .. 1
xs:sequence	Occurrence 1 .. 1
Message_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 009-018 (Length - 10)
Date_Time	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Fill current date/time format CCYYMMDDHHMMSS
Message_Type	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value : "INSDES"
Message_Version	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value: "0100"
Sender_Id	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value : "ESLIPOTEC"
Recipient_Id	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value: "DSV_WMS_RP01"
ODH	Occurrence 1 .. unbounded General Notes Create a ODH-segment every <10>-segment encountered Map Instructions Instruction Nr 1 <i>Instruction</i> Create a ODH-segment every <10>-segment encountered
xs:sequence	Occurrence 1 .. 1
Site_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value : "ESSUBIRAT1"
Client_Id	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions <i>Condition</i> if Position 003-008 (Length - 6) = 000147 <i>Instruction</i> map ESLIPOTEC
— Order_Id	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 005-020 (Length - 16)
— Priority	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 121-121 (Length - 1)
— Order_Type	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 085-085 (Length - 1)
— Order_Date	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value "system date" <i>Additional Info</i> format: CCYYMMDD
— Owner_Id	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Fix Value "ESLIPOTEC"
— Carrier_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 122-127 (Length - 6)
— Deliver_By_Date	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 151-158 (Length - 8) <i>Additional Info</i> format : YYMMDD
— Instructions	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 003-062 (Length - 60)
— Purchase_Order	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 003-005 (Length - 3) = PO <i>Instruction</i> Map Position 006-022 (Length - 17)
— TOD	Occurrence 0 .. 1 Type xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 003-005 (Length - 3) = ABO <i>Instruction</i> Map Position 006-022 (Length - 17)
COD_Amount_Currency	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 065-067 (Length - 3)
ODHPTY	Occurrence 1 .. unbounded General Notes Create ODHPTY segments for <30>-<32> loop where <30>.2 = 'CN' Position 003-005 (Length - 3)
xs:sequence	Occurrence 1 .. 1
Party_Role	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value : CN
Party_Name	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 003-037 (Length - 35)
Party_Address_1	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 106-140 (Length - 35)
Party_Address_2	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 268-302 (Length - 35)
Town	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 150-184 (Length - 35)
Postcode	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 141-149 (Length - 9)
Country_Code	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 185-186 (Length - 2)
Contact_Phone	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1

Bold = Element, *Italic* = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions <i>Instruction</i> Map Position 188-212 (Length - 25)
Party_VAT_Number	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 238-257 (Length - 20)
ODL	Occurrence 0 .. unbounded General Notes Create segment for every <40> segment encountered
xs:sequence	Occurrence 1 .. 1
Line_Id	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 003-005 (Length - 3)
Sku_Id	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 006-022 (Length - 17)
Qty_Ordered	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 134-139 (Length - 6)
Tracking_Level	Occurrence 1 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value:"EACH"
Line_Value	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 021-021 (Length - 1) = L <i>Instruction</i> Map Position 006-020 (Length - 15) / 100
Batch_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 058-092 (Length - 35)
Condition_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 445-446 (Length - 2) is null <i>Instruction</i> Value : "OK1" Instruction Nr 2 <i>Condition</i> IF Position 445-446 (Length - 2) = DM <i>Instruction</i> Value:"DM1"
Notes	Occurrence 0 .. 1 Type xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 193-227 (Length - 35)
Product_Price	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 021-021 (Length - 1) = U <i>Instruction</i> Map Position 006-020 (Length - 15) / 100
Product_Price_Currency	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Value : "EUR"
Unit	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> Map Position 124-133 (Length - 10)
ODLUDF	Occurrence 0 .. 1
xs:sequence	Occurrence 1 .. 1
User_Def_Type_1	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 003-005 (Length - 3) = ABO <i>Instruction</i> Map Position 006-040 (Length - 35)
User_Def_Type_2	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 003-005 (Length - 3) = PO <i>Instruction</i> Map Position 006-040 (Length - 35)
User_Def_Type_3	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 003-005 (Length - 3) = ABO <i>Instruction</i> Map Position 041-075 (Length - 35)
User_Def_Type_4	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 003-005 (Length - 3) = SO <i>Instruction</i> Map Position 006-040 (Length - 35)
User_Def_Type_5	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF Position 003-005 (Length - 3) = PO <i>Instruction</i> Map Position 006-040 (Length - 35)

Bold = Element, Italic = Attribute, Grey = Group