



Message Implementation Guideline

DSV_WMS_ReceiptNotification

Model: D_TX_XX_GFOS_PREADV_IN
Version: 1-DEV
Variant: RITM0907296
Issue date: 2025/02/19
Author: ext.a.hussain.moham

Structure

Occurrence	Element/Attribute
	DSV_WMS_ReceiptNotification
1 .. 1	xs:sequence
0 .. 1	HEAD
1 .. 1	xs:sequence
0 .. 1	Message_Id
0 .. 1	Date_Time
0 .. 1	Message_Type
0 .. 1	Message_Version
0 .. 1	Sender_Id
0 .. 1	Sender_Company
0 .. 1	Recipient_Id
0 .. 1	Recipient_Company
0 .. 1	ReceiptNotification
1 .. 1	xs:sequence
0 .. unbounded	Receipt
1 .. 1	xs:sequence
0 .. 1	Site_Id
0 .. 1	Client_Id
0 .. 1	Pre_Advice_Id
0 .. 1	Pre_Advice_Type
0 .. 1	Consignment
0 .. 1	Carrier_Name
0 .. 1	Terms_Of_Delivery
0 .. 1	Terms_Of_Delivery_Place
0 .. 1	Mode_of_Transport
0 .. 1	Supplier_Reference
0 .. 1	Dates
1 .. 1	xs:sequence
0 .. unbounded	DTM
	Type
1 .. 1	xs:sequence
0 .. 1	DateTime
0 .. unbounded	ReceiptParty
1 .. 1	xs:sequence
0 .. 1	Party_Name
0 .. 1	Party_Address_1
0 .. 1	Party_Address_2
0 .. 1	Town
0 .. 1	County
0 .. 1	Postcode
0 .. unbounded	ReceiptLine
1 .. 1	xs:sequence
0 .. 1	Line_Id
0 .. 1	Skus_Id
0 .. 1	Qty_Due
0 .. 1	Host_Pre_Advice_Id
0 .. 1	Host_Line_Id
0 .. 1	ReceiptLineUDF
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	└ User_Def_Type_1
0 .. 1	└ User_Def_Type_2
0 .. 1	└ User_Def_Type_3

Guideline

Element/Attribute	Annotation
DSV_WMS_ReceiptNotification	Map Instructions Instruction Nr 1 <i>Instruction</i> LW Ref: map /Message/InboundShipmentSection/ HeaderSection/OrderReferenceID1
xs:sequence	Occurrence 1 .. 1
HEAD	Occurrence 0 .. 1 Type sharedElements:HEAD
xs:sequence	Occurrence 1 .. 1
Message_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map WFID
Date_Time	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map CurrentDateTime
Message_Type	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/MessageTypeSection/ MessageType="ORDERS" then <i>Instruction</i> map "PREADV"
Message_Version	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/MessageTypeSection/ MessageType="ORDERS" then <i>Instruction</i> map "0100"
Sender_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map "AUGRFOS"
Sender_Company	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map "GRUNDFOS"
Recipient_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map "DSV_WMS_RP01"
Recipient_Company	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1

Bold = Element, *Italic* = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions
	<i>Instruction</i> map "DSV"
ReceiptNotification	Occurrence 0 .. 1
	Type sharedelements:ReceiptNotification
xs:sequence	Occurrence 1 .. 1
Receipt	Occurrence 0 .. unbounded
	Type sharedelements:Receipt
xs:sequence	Occurrence 1 .. 1
Site_Id	Occurrence 0 .. 1
	Type xs:string
	Map Instructions
	Instruction Nr 1
	<i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/DetailSection/Plant="GPAS" then
	<i>Instruction</i> map "AUHPK01"
	Instruction Nr 2
	<i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/DetailSection/Plant="GPAP" then
	<i>Instruction</i> map "AUPER01"
	Instruction Nr 3
	<i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/DetailSection/Plant="GPAB" then
	<i>Instruction</i> map "AUBNE01"
	Instruction Nr 4
	<i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/DetailSection/Plant="GPAA" then
	<i>Instruction</i> map "AUADL01"
Client_Id	Occurrence 0 .. 1
	Type xs:string
	Map Instructions
	Instruction Nr 1
	<i>Instruction</i> map "AUGRUNDFOS"
Pre_Advice_Id	Occurrence 0 .. 1
	Type xs:string
	Map Instructions
	Instruction Nr 1
	<i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/OrderReferenceID1
Pre_Advice_Type	Occurrence 0 .. 1
	Type xs:string
	Map Instructions
	Instruction Nr 1
	<i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/HeaderPriorityCode
Consignment	Occurrence 0 .. 1
	Type xs:string
	Map Instructions
	Instruction Nr 1
	<i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/OrderReferenceID2
Carrier_Name	Occurrence 0 .. 1
	Type xs:string
	Map Instructions
	Instruction Nr 1
	<i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/

Bold = Element, *Italic* = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions <i>Instruction</i> AddressSection/AddressTag = "SU" then map /Message/InboundShipmentSection/ HeaderSection/AddressSection/Name1
Terms_Of_Delivery	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/TermsOfDelivery
Terms_Of_Delivery_Place	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/TermsOfDeliveryPlace
Mode_of_Transport	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/ShippingMode
Supplier_Reference	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/ExternalRelationID
Dates	Occurrence 0 .. 1 Type shardelements:Dates
xs:sequence	Occurrence 1 .. 1
DTM	Occurrence 0 .. unbounded Type shardelements:DateTimePeriod
Type	Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/ DetailSection/ExpectedDeliveryDate != "" then <i>Instruction</i> map "Due_Date"
xs:sequence	Occurrence 1 .. 1
DateTime	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/ DetailSection/ExpectedDeliveryDate != "" then <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/ExpectedDeliveryDate format YYYY-MM-DDTHH:mm:ss Additional Info
ReceiptParty	Occurrence 0 .. unbounded Type shardelements:PartyList
xs:sequence	Occurrence 1 .. 1
Party_Name	Occurrence 0 .. 1 Type xs:string

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/AddressSection/AddressTag = "SU" then <i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/AddressSection/Name1
Party_Address_1	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/AddressSection/AddressTag = "SU" then <i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/AddressSection/Address1
Party_Address_2	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/AddressSection/AddressTag = "SU" then <i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/AddressSection/Address2
Town	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/AddressSection/AddressTag = "SU" then <i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/AddressSection/CityName
County	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/AddressSection/AddressTag = "SU" then <i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/AddressSection/CountryCode
Postcode	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Condition</i> IF /Message/InboundShipmentSection/HeaderSection/AddressSection/AddressTag = "SU" then <i>Instruction</i> map /Message/InboundShipmentSection/HeaderSection/AddressSection/ZipCode
ReceiptLine	Occurrence 0 .. unbounded Type shardelements:ReceiptLine
xs:sequence	Occurrence 1 .. 1
Line_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map sequence no like 1,2,3, etc
Sku_Id	Occurrence 0 .. 1 Type xs:string

Bold = Element, *Italic* = Attribute, Grey = Group

Element/Attribute	Annotation
	Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/ArticleID
Qty_Due	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/ExpectedQuantity
Host_Pre_Advice_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/PurchaseOrderID
Host_Line_Id	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/DetailLineCounter
ReceiptLineUDF	Occurrence 0 .. 1 Type sharedElements:UDFList
xs:sequence	Occurrence 1 .. 1
User_Def_Type_1	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/UnitOfMeasurement
User_Def_Type_2	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/SpecialStockNumber
User_Def_Type_3	Occurrence 0 .. 1 Type xs:string Map Instructions Instruction Nr 1 <i>Instruction</i> map /Message/InboundShipmentSection/ HeaderSection/DetailSection/ContainerID

Bold = Element, Italic = Attribute, Grey = Group