

Verslag HTML deel 3

- 1) Lossy compression: bij het verkleinen van een afbeelding, wordt een deel van de gegevens weg genomen om zo een kleiner bestand over te houden.

Lossless compression: is het decoderen van een bestand om het kleiner te maken zonder verlies van gegevens.


Jpeg: lossy compression

Png: lossless compression

Gif: lossless compression

Wanneer een afbeelding herhaaldelijk bewerkt wordt met lossy compression zal er steeds mee kwaliteit verloren gaan.

- 2) De tijger wordt minder scherp als de kwaliteit verminderd wordt.
De bestandsgrootte start bij 26 kb, gaat dan naar 227 kb en eindigt op 62 kb.



- 3) Personal homepage:

- Error** Element `h2` not allowed as child of element `hgroup` in this context.
(Suppressing further errors from this subtree.)
 From line 11, column 16; to line 11, column 19

```
<p><h2>Ik ste
```


 Content model for element `hgroup`:
 Zero or more `p` elements, followed by one `h1`, `h2`, `h3`, `h4`, `h5`, or `h6` element, followed by zero or more `p` elements, optionally intermixed with [script-supporting elements](#).
- Error** No `p` element in scope but a `p` end tag seen.
 From line 11, column 47; to line 11, column 50

```
voor</h2></p>
```

Contact information:

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://leenpinket.github.io/Labo4/opdracht3/ContactInformationNaValideren.html>

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by address ▼

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** The `border` attribute on the `table` element is obsolete. [Use CSS instead.](#)
 From line 9, column 1; to line 9, column 21

```
us?</h2><table border="1 px"> <th
```

Opleidingsaanbod:

1. **Error** Text not allowed in element `hgroup` in this context.

From line 9, column 13; to line 9, column 28

```
<hgroup>Hogeschool VIVES</hgro
```

Content model for element `hgroup`:

Zero or more `p` elements, followed by one `h1`, `h2`, `h3`, `h4`, `h5`, or `h6` element, followed by zero or more `p` elements, optionally intermixed with [script-supporting elements](#).

2. **Error** Element `hgroup` is missing a required instance of one or more of the following child elements: `h1`, `h2`, `h3`, `h4`, `h5`, `h6`.

From line 9, column 29; to line 9, column 37

```
hool VIVES</hgroup></h
```

Content model for element `hgroup`:

Zero or more `p` elements, followed by one `h1`, `h2`, `h3`, `h4`, `h5`, or `h6` element, followed by zero or more `p` elements, optionally intermixed with [script-supporting elements](#).

3. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 12, column 5; to line 12, column 13

```
main><section>
```

4. **Error** Element `p` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 26, column 7; to line 26, column 9

```
ul><p><li>To
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `ul`:

Zero or more `li` and [script-supporting elements](#).

4) Site staat online