

# Expression PTT - Config File

---

## OPTIONS

---

### Debugging Options

#### Debug (string)

- TRUE
- FALSE

**Default : FALSE**

#### VideoInstruction (string)

- TRUE
- FALSE

**Default : FALSE**

#### VideoLink (string)

- Ex : <https://www.youtube.com/...>

### Income Related

#### Endowment (int | array)

- Same for all. Ex : 3
- Different between Subjects. Ex : [3, 5] **Default : 3**

## TargetIncome (int | array)

- Same for all. Ex : 10
- Different between Subjects. Ex : 15 **Default : 10**

## Scale (int | array)

- Same for all. Ex : 1
- Different between Subjects. Ex : [2, 1] **Default : 1**

## Treatment

### Treatment (string)

- 'Directed Message' "DM" (default)
- 'No Message' "NM"
- 'Free Message' "FM"
- 'Readers' (soon to be called 'Third Party') "TP" **Default : "DM"**

## Group (array)

Groups of two or three subject ID numbers.

- Group of two integers. Ex : [5, 7] (default)
- Group of three integers. Ex : [3, 1, 8]

*Property : one ID does not repeat in one or other groups*

**Default : [1,2]**

## Role (array)

- Group of two integers. Ex : ["T", "P"] (default)
- Group of three integers. Ex : ["R", "T", "P"]

*Property : Role does not repeat within group*

**Default : ["T", "P"]**

## **Method (string)**

- 'BDM\_CONT\_WTP' (default)
- 'BDM\_LIST\_WTP'
- 'BDM\_CONT\_WTA'
- 'BDM\_LIST\_WTA'
- 'SOP\_WTP'
- 'SOP\_WTA'

**Default : "BDM\_CONT\_WTP"**

## **MethodParams (array | int)**

- For 'BDM' : [lowerbound, upperbound(, numberofsteps)] (default : [0, Endowment, 11])
- For 'SOP' : price

**Default : 'BDM' -> [0, 3(, 11)]; 'SOP' -> 0.50**

## **Emotion Questionnaire**

### **Questionnaire (string)**

- 'Batson'
- 'Bosman'

**Default : 'Batson'**

### **EmotionRange (array | int)**

- Batson -> Both emotions add to value. Ex : 10, both emotions add up to 10.
- Bosman -> Range for emotion. Ex : [0,9], slider goes from 0 to 9

**Default : Batson -> 10; Bosman -> 7**

## **EmotionList (array)**

- Batson -> Array of pairs. Ex : [['happy', 'sad'], ['inspired', 'uninspired']]
- Bosman -> Array of strings. Ex : ['interested', 'excited']

**Default : 'there are in the code'**