## A Template for Academic Presentations

Adam Smith<sup>a, c</sup> Janet Smith<sup>b, c</sup> Jeremiah Smith<sup>a</sup>

- <sup>a</sup> University of Bonn, Germany
- <sup>b</sup> University of Cologne, Germany
- <sup>c</sup> Collaborative Research Center Transregio 224

Name of the Inviting Institution/Seminar Series

January 3, 2019

## **Outline**

- 1 Introduction
- 2 Study Design
- 3 Results
- **4** Discussion
- **5** References

# Introduction

## **Introduction 1**

## Background

- Temporal discounting is key concept in economics.
- Normative model: exponential discounting. However, observed decisions are hard to explain (e.g., Dohmen et al., 2012).
- One alternative: the "focusing model" by Köszegi and Szeidl (2013).

## **Research Question**

- The composition of latex and of typical rubbers is given below.
- Is it true that trees are regularly tapped and the coagulated latex which exudes is collected and worked up into rubber?

## **Introduction 2**

## **Preview of the Results**

- There is no feasible method at present known of preventing the inclusion of the resin of the latex with the rubber during coagulation.
- ⇒ Although the separation of the resin from the solid caoutchouc by means of solvents is possible, it is not practicable or profitable commercially.

# **Study Design**

## Study Design 1: Design of the Study

Great Minds Discuss Ideas. Average Minds Discuss Events. Small Minds Discuss People.

-https://quoteinvestigator.com/2014/11/18/great-minds/

- The latex of the best rubber plants furnishes from 20% to 50% of rubber.
- As the removal of the impurities of the latex is one of the essential points to be aimed at, it
  was thought that the use of a centrifugal machine to separate the caoutchouc as a cream from
  the watery part of the latex would prove to be a satisfactory process.

## Study Design 2: Design of the Study

The watery portion of the latex soaks into the trunk, and the soft spongy rubber which remains is kneaded and pressed into lumps or balls:

 $BAL_{1:1}^{I}$ ,  $BAL_{1:1}^{II}$ : Each payment transferred on single day.

**UNBAL** $_{1:n}^{I}$ : Earlier payoff concentrated, while later payoff dispersed over n=2,4, or 8 dates.

**UNBAL**<sub>n:1</sub>: Earlier payoff dispersed over n = 2, 4, or 8 dates, while later payoff concentrated.

## **Study Design 3: Control Experiment**

- · Control for alternative explanations.
- Many of the example sentences were taken from http://sentence.yourdictionary.com/latex.

## Study Design 4: An Example enumerate List

- 1. First item in a list
  - a. First item in a list
    - i. First item in a list
    - ii. Second item in a list
    - iii. Third item in a list
    - iv. Fourth item in a list
  - **b.** Second item in a list
  - c. Third item in a list
  - **d.** Fourth item in a list
- 2. Second item in a list
- 3. Third item in a list
- 4. Fourth item in a list

## Study Design 5: An Example itemize List

- · First item in a list
  - First item in a list
    - ► First item in a list
    - Second item in a list
    - ► Third item in a list
    - Fourth item in a list
  - Second item in a list
  - Third item in a list
  - Fourth item in a list
- Second item in a list
- Third item in a list
- Fourth item in a list

## **Study Design 6: Some Example Text**

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place.  $\sin^2(\alpha) + \cos^2(\beta) = 1$ . If you read this text, you will get no information  $E = mc^2$ . Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look.  $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$ . This text should contain all letters of the alphabet and it should be written in of the original language.  $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$ . There is no need for special content, but the length of words should match the language.  $a\sqrt[n]{b} = \sqrt[n]{a^nb}$ .

## **Study Design 7: Some Example Formulas**

$$p(R,\phi) \sim \int_{-\infty}^{\infty} \frac{\tilde{W}_n(\gamma) \exp\left[iR/a\left(\sqrt{k^2a^2 - \gamma^2}\cos\phi\right)\right]}{(k^2a^2 - \gamma^2)^{3/4}H_n'^{(1)}\left(\sqrt{k^2a^2 - \gamma^2}\right)} d\gamma$$
$$\int_a^b f(x) dx = F(b) - F(a)$$

## **Study Design 8: Additional Example Formulas**

Only variables are set in italics according to ISO style—hence, we use upright "d," "e," and " $\pi$ " (\mathup{d}, \mathup{e}, and \mathup{\pi}, respectively).

## Theorem (Simplest form of the Central Limit Theorem)

Let  $X_1, X_2, \cdots$  be a sequence of i.i.d. random variables with mean 0 and variance 1 on a probability space  $(\Omega, \mathcal{F}, \mathbb{P})$ . Then

$$\mathbb{P}\left(\frac{X_1 + \dots + X_n}{\sqrt{n}} \le y\right) \to \mathfrak{N}(y) := \int_{-\infty}^{y} \frac{e^{-v^2/2}}{\sqrt{2\pi}} dv \quad as \quad n \to \infty,$$

or, equivalently, letting  $S_n := \sum_{1}^{n} X_k$ ,

$$\mathbb{E} f\left(S_n/\sqrt{n}\right) \to \int_{-\infty}^{\infty} f(v) \frac{\mathrm{e}^{-v^2/2}}{\sqrt{2\pi}} \, \mathrm{d}v \quad \text{as } n \to \infty, \text{ for every } f \in \mathrm{b}\mathscr{C}(\mathbb{R}).$$

# Results


## **Results 1: Overview**


- 1. As a secondary function we may recognize the power of closing wounds, which results from the rapid coagulation of exuded latex in contact with the air:
  - a. In some cases (Allium, Convolvulaceae, etc.) rows of cells with latex-like contents occur.
  - **b.** However, the walls separating the individual cells do not break down.
- **2.** The rows of cells from which the laticiferous vessels are formed can be distinguished (6.3 p.p. vs. 2.6 p.p.; p < 0.01).

## **Results 2: Our Main Results**

The charts are taken from Dertwinkel-Kalt et al. (2017).


- (A) Difference between treatment and control condition.
- (B) Heterogeneity.





## **Results 3: Main vs. Control Experiment**

Rule out some alternative explanations.



# **Discussion**

## Discussion 1

- The latex exhibits a neutral, acid, or alkaline reaction, depending on the plant from which it was obtained.
- The latex is therefore usually allowed to coagulate on the tree (Kőszegi and Szeidl, 2013).
  - ⇒ The latex, which is usually coagulated by standing or by heating, is obtained from incisions.
- See also Bordalo, Gennaioli, and Shleifer (2013).

## **Discussion 2: Conclusion**

- When exposed to air, the latex gradually undergoes putrefactive changes accompanied by coagulation.
- The addition of a small quantity of ammonia or of formalin to some latices has the effect of preserving them.
- There is, however, reason to believe the following.
- The coagulation of latex into rubber is not mainly of this character.

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 1—Angle: 30.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 2—Angle: 60.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 3—Angle: 90.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 4—Angle: 120.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 5—Angle: 150.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 6—Angle: 180.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 7—Angle: 210.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 8—Angle: 240.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 9—Angle: 270.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 10—Angle: 300.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 11—Angle: 330.0°

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, January 3, 2019) not available in macOS Preview, Skim, and SumatraPDF.



Figure: Step 12-Angle: 360.0°

# References

### References

- Bordalo, Pedro, Nicola Gennaioli, and Andrei Shleifer. 2013. "Salience and Consumer Choice." Journal of Political Economy, 121(5): 803–843. DOI: 10.1086/673885.
- Dertwinkel-Kalt, Markus, Holger Gerhardt, Gerhard Riener, Frederik Schwerter, and Louis Strang. 2017. "Concentration Bias in Intertemporal Choice." University of Bonn et al., working paper, Bonn, Germany, et al. URL: https://www.dropbox.com/s/dv20mcu0qkygmjz/Concentration\_Bias\_in\_Intertemporal\_Choice.pdf.
- Dohmen, Thomas, Armin Falk, David Huffman, and Uwe Sunde. 2012. "Interpreting Time Horizon Effects in Inter-Temporal Choice." Maastricht University et al., IZA Discussion Paper 6385. URL: http://ftp.iza.org/dp6385.pdf.
- Kőszegi, Botond, and Adam Szeidl. 2013. "A Model of Focusing in Economic Choice." *Quarterly Journal of Economics*, 128(1): 53–104. DOI: 10.1093/qje/qjs049.

# **Appendix**

Backup Slides

## **Appendix: Modeling Concentration Bias**

Subjects consider a sequences of consequences c from choice set c.

• Standard discounted utility: Suppose that the instantaneous utility function u satisfies u' > 0 and  $u'' \le 0$ , and that earlier consequences are preferred over later consequences of the same magnitude, i.e.,  $D(t) \le 1$ :

$$U(c) := \sum_{t=1}^{T} D(t) u(c_t)$$
, where, e.g.,  $D(t) = \delta^t$  or  $D(t) = \frac{1}{1+kt}$ .

Focusing model (Kőszegi and Szeidl, 2013):

$$\begin{split} \tilde{\textit{U}}(\textit{\textbf{c}},\textit{\textbf{C}}) &:= \sum_{t=1}^{T} g_t \, \textit{\textbf{D}}(t) \, \textit{\textbf{u}}(\textit{\textbf{c}}_t), \quad \text{where} \\ g_t &\equiv g[\max_{c' \in \textit{\textbf{C}}} \textit{\textbf{u}}(\textit{\textbf{c}}_t') - \min_{c' \in \textit{\textbf{C}}} \textit{\textbf{u}}(\textit{\textbf{c}}_t')] \end{split}$$

- Weighting function  $g[\cdot]$  increases in difference of maximum and minimum possible utility at a point in time.
- Subjects overweight intertemporal consequences with a greater range.