

Participant ID number:

Assessor:

(Corrected) Age:

♂ / ♀

Assessment date:



Supine

Assessment of supine items

- A ☐ assessed, go to item 1
NA ☐ not assessed, go to item 22

1. Control of head movements ☐ P

- 1 ☐ cannot control head movements
2 ☐ can control head movements to a limited extent
3 ☐ can control head movements

2. Variation in head movements ☐ V

- 1 ☐ insufficient variation
2 ☐ sufficient variation

3. Adaptability of head movements ☐ A

- majority of movements:
1 ☐ no adaptive selection
2 ☐ adaptive selection

4. Position of head, prevailing head position to one side ☐ S

- 1 ☐ strongly prevailing head position to the ☐ R / ☐ L
2 ☐ moderately prevailing head position to the ☐ R / ☐ L
3 ☐ no or mildly prevailing head position to one side

5. Posture, presence of ATNR ☐ V

- 1 ☐ frequently occurring or obligatory ATNR
2 ☐ no ATNR or occasionally non-obligatory ATNR

6. Posture, presence of hyperextension of neck and trunk ☐ V

- 1 ☐ frequently occurring or persistent hyperextension
2 ☐ no or rarely hyperextension

7. Manipulative behaviour of hands and fingers ☐ P

- 1 ☐ no manipulative behaviour
2 ☐ manipulates clothes; with hands in midline, on knees or feet; plays with hands at mouth

8. Variation in arm movements ☐ V

- 1 ☐ insufficient variation
2 ☐ sufficient variation

9. Variation in finger movements ☐ V

- 1 ☐ insufficient variation
2 ☐ sufficient variation

10. Tilting of pelvis ☐ P

- 1 ☐ no tilting of pelvis
2 ☐ tilts pelvis, but not in such a way that hands may be able to touch knees
3 ☐ tilts pelvis in such a way that hands may be able to touch knees
4 ☐ hands play with feet

11. Variation in leg movements ☐ V

- 1 ☐ insufficient variation
2 ☐ sufficient variation

12. Variation in toe movements ☐ V

- 1 ☐ insufficient variation
2 ☐ sufficient variation

13. Rolling from the supine into the prone position ☐ P

- 1 ☐ no turning or rolling attempts
2 ☐ makes 'wiggling' movements with the pelvis, but does not roll to side
3 ☐ rolls to side, unilaterally ☐ R / ☐ L
4 ☐ rolls to side, bilaterally
5 ☐ turns unilaterally into prone ☐ R / ☐ L
6 ☐ turns bilaterally into prone

14. Reaching, grasping, and manipulation of objects ☐ P

- 1 ☐ does not reach, does not show prereaching movements
2 ☐ does not reach, but shows prereaching movements
3 ☐ reaches towards object but does not grasp it
4 ☐ reaches towards, grasps and holds object, but does not manipulate object
5 ☐ reaches towards, holds and manipulates 1 object
6 ☐ reaches towards, holds and manipulates 2 objects
7 ☐ reaches towards and holds ≥ 3 objects

15. Reaching, grasping, and manipulating objects: presence of asymmetry ☐ S

- 0 ☐ no prereaching or reaching movements (item 14, score 1)
1 ☐ strong asymmetry, ☐ R / ☐ L worst side
2 ☐ moderate asymmetry, ☐ R / ☐ L worst side
3 ☐ no or mild asymmetry



16. Variation in reaching movements of the arms ☒ V

- 0 ☐ no reaching movements
(item 14, score 1 or 2)
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

17. Adaptability of reaching movements of the arms ☒ A

- 0 ☐ no reaching movements present
(item 14, score 1 or 2)
- majority of movements:
- 1 ☐ no adaptive selection
- 2 ☐ adaptive selection

18. Variation in hand movements while reaching, grasping, and manipulating ☒ V

- 0 ☐ no reaching movements present
(item 14, score 1 or 2)
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

19. Adaptability of hand movements while reaching, grasping, and manipulating ☒ A

- 0 ☐ no reaching movements present
(item 14, score 1 or 2)
- majority of movements:
- 1 ☐ no adaptive selection
- 2 ☐ adaptive selection

20. Tremor during prereaching and reaching ☒ F

- 0 ☐ no prereaching or reaching movements
(item 14, score 1)
- 1 ☐ frequently present, describe type:
.....
- 2 ☐ not or occasionally tremor present

21. Fluency of motor behaviour while supine ☒ F

- majority of movements:
- 1 ☐ non-fluent:
stiff, jerky, floppy/sluggish, otherwise:
.....
- 2 ☐ fluent



22. Head lift in prone [P]

- 1 ☐ does not lift or turn head
- 2 ☐ does turn head to side position with a minimal lift of the head
- 3 ☐ lifts head for a few seconds but no longer
- 4 ☐ maintains head lifted for at least 10 seconds, but has some difficulty in looking around
- 5 ☐ maintains head lifted and looks around

23. Position of the head, presence of prevailing head position to one side [S]

- 0 ☐ does not lift and rotate head into a side position (item 22, score 1)
- 1 ☐ strongly prevailing head position to the ☐ R / ☐ L
- 2 ☐ moderately prevailing head position to the ☐ R / ☐ L
- 3 ☐ no or mildly prevailing head position to one side

24. Variation in head movements [V]

- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

25. Adaptability of head movements [A]

- majority of movements:
- 1 ☐ no adaptive selection
 - 2 ☐ adaptive selection

26. Functional ability of shoulder girdle while prone [P]

- 1 ☐ does not use arms and hands to move head and thorax up
- 2 ☐ uses arms and hands to move head and thorax up, but does not succeed in active elbow and lower arm support
- 3 ☐ is supported by elbows and lower arms
- 4 ☐ lifts upper part of thorax by 'standing' on hands and extended arms

27. Functional ability of arms and hands while prone [P]

- 1 ☐ has difficulties in using arms and hands for postural control and does not use hands for other activities
- 2 ☐ uses one or two arms and hands for postural control, and does not use hands for other activities
- 3 ☐ uses one or two arms for postural control while hands show some play activity
- 4 ☐ uses one arm for postural support, uses contralateral arm and hand for reaching and manipulation

28. Posture and movements of arms and hands during activity while prone: presence of asymmetry [S]

- 0 ☐ both arms remain in position imposed by examiner (item 26, score 1)
- 1 ☐ strong asymmetry, ☐ R / ☐ L worst side
- 2 ☐ moderate asymmetry, ☐ R / ☐ L worst side
- 3 ☐ no or mild asymmetry

29. Progression while prone: development of crawling [P]

- 1 ☐ does not show pivoting or crawling
- 2 ☐ pivoting
- 3 ☐ abdominal crawling, uses arms and/or legs
- 4 ☐ crawls on hands and knees, abdomen free from support surface

30. Variation in pre-crawling movements of the legs [V]

- 0 ☐ shows progression in prone (item 29, score 3 or 4)
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

31. Rolling from prone to supine [P]

- 0 ☐ does not show rolling as the infant prefers to change position in space by means of crawling (item 29, score 3 or 4), bottom shuffling or walking
- 1 ☐ no turning or rolling attempts, while not able to change position with the help of sitting or crawling
- 2 ☐ rolls to side, unilaterally ☐ R / ☐ L
- 3 ☐ rolls to side, bilaterally
- 4 ☐ turns unilaterally into supine ☐ R / ☐ L
- 5 ☐ turns bilaterally into supine

32. Variation in crawling [V]

- 0 ☐ does not show progression in prone (item 29, score 1 or 2)
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

33. Adaptability of crawling [A]

- 0 ☐ does not show progression in prone (item 29, score 1 or 2)
- majority of movements:
- 1 ☐ no adaptive selection
- 2 ☐ adaptive selection



34. Control of head movements **P**

- 1 ☐ cannot control head movements
- 2 ☐ can control head movements to a limited extent
- 3 ☐ can control head movements

35. Position of head while sitting: presence of prevailing head position to one side **S**

- 1 ☐ strongly prevailing head position to the ☐ R / ☐ L
- 2 ☐ moderately prevailing head position to the ☐ R / ☐ L
- 3 ☐ no or mildly prevailing head position to one side

36. Sitting ability **P**

- 1 ☐ cannot sit independently
- 2 ☐ sits with extreme pelvis anteflexion (belly touching upper legs), with arms in propped position; cannot sit upright
- 3 ☐ sits independently for more than 5 seconds; cannot shift weight
- 4 ☐ sits independently, is able to shift weight, but shows no or minor trunk rotation
- 5 ☐ sits independently and is able to shift weight and rotate trunk

37. Posture of trunk while sitting independently **P**

- 0 ☐ cannot sit independently (item 36, score 1 or 2)
- 1 ☐ round back
- 2 ☐ straight back

38. Posture of trunk and legs **S** while sitting: presence of asymmetry

- 0 ☐ cannot sit independently (item 36, score 1 or 2)
- 1 ☐ strong asymmetry, collapses to ☐ R / ☐ L worst side
- 2 ☐ moderate asymmetry, collapses to ☐ R / ☐ L worst side
- 3 ☐ no or mild asymmetry

39. Posture and movements of upper extremities during sitting or supported sitting: presence of asymmetry **S**

- 0 ☐ can sit independently to a limited extent (item 36 score 2 or 3)
- 1 ☐ strong asymmetry, ☐ R / ☐ L worst side
- 2 ☐ moderate asymmetry, ☐ R / ☐ L worst side
- 3 ☐ no or mild asymmetry

40. Uses arms for voluntary activities **P**

- 0 ☐ cannot sit independently (item 36, score 1 or 2)
- 1 ☐ uses one or two arms for postural support, does not use arms for voluntary activity
- 2 ☐ uses one arm for postural support, uses other arm for voluntary activity
- 3 ☐ uses both arms for voluntary activity, does not use arms for postural support

41. Variation in sitting movements **V**

- 0 ☐ cannot sit independently (item 36, score 1 or 2)
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

42. Adaptability of sitting movements **A**

- 0 ☐ cannot sit independently (item 36, score 1 or 2)
- majority of movements:
- 1 ☐ no adaptive selection
- 2 ☐ adaptive selection

43. Getting into sitting position **P**

- 1 ☐ does not sit up or sit down independently
- 2 ☐ does sit up or sit down independently

44. Variation in getting into a sitting position **V**

- 0 ☐ did not show or only once showed sitting up or sitting down movements
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

45. Adaptability of getting into a sitting position **A**

- 0 ☐ did not show or only once showed sitting up or sitting down movements
- majority of movements:
- 1 ☐ no adaptive selection
- 2 ☐ adaptive selection

46. Bottom shuffling **V**

- 0 ☐ cannot sit independently (item 36, score 1, 2 or 3)
- 1 ☐ bottom shuffling, apart from walking, is only strategy to move around
- 2 ☐ no bottom shuffling present or bottom shuffling present as one of strategies to move around



Standing and walking

47. Standing ability **P**

- ☐ 1 cannot stand
- ☐ 2 stands with help
- ☐ 3 stands independently for a few seconds
- ☐ 4 stands independently for more than 10 seconds, but rotates trunk to a minimal extent only
- ☐ 5 stands independently and is able to rotate trunk

48. Standing up **P**

- ☐ 1 cannot stand up
- ☐ 2 gets on knees
- ☐ 3 stands up independently with the use of e.g. furniture
- ☐ 4 stands up independently without using furniture

49. Variation in standing-up behaviour **V**

- ☐ 0 did not stand up or only stood up once

- ☐ 1 insufficient variation
- ☐ 2 sufficient variation

50. Adaptability of standing-up behaviour **A**

- ☐ 0 did not stand up or only stood up once

- majority of movements:
- ☐ 1 no adaptive selection
 - ☐ 2 adaptive selection

51. Walking **P**

- ☐ 1 cannot walk
- ☐ 2 walks when receiving support by two hands
- ☐ 3 walks when receiving support by one hand
- ☐ 4 walks independently

52. Balance while walking independently **P**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

- ☐ 1 poor balancing capacities
- ☐ 2 moderate balancing capacities
- ☐ 3 good balancing capacities

53. Arm posture and movements while walking independently **P**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

- ☐ 1 high or semi-high guard
- ☐ 2 arbitrary arm posture

54. Posture and movements of upper extremities while walking independently: presence of asymmetry **S**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

- ☐ 1 strong asymmetry,
☐ R / ☐ L worst side
- ☐ 2 moderate asymmetry,
☐ R / ☐ L worst side
- ☐ 3 no or mild asymmetry

55. Variation in movements of arms and hands while walking independently **V**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3) or walks with high / semi-high guard (item 53, score 1)

- ☐ 1 insufficient variation
- ☐ 2 sufficient variation

56. Adaptability of movements of arms and hands while walking independently **A**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3) or walks with high / semi-high guard (item 53, score 1)

majority of movements:

- ☐ 1 no adaptive selection
- ☐ 2 adaptive selection

57. Variation in trunk movements while standing and walking independently **V**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

- ☐ 1 insufficient variation
- ☐ 2 sufficient variation

58. Adaptability of trunk movements while standing and walking independently **A**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

majority of movements:

- ☐ 1 no adaptive selection
- ☐ 2 adaptive selection

59. Leg posture and movements while walking independently: presence of asymmetry **S**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

- ☐ 1 strong asymmetry,
☐ R / ☐ L worst side
- ☐ 2 moderate asymmetry,
☐ R / ☐ L worst side
- ☐ 3 no or mild asymmetry

60. Variation in leg movements while walking independently **V**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

- ☐ 1 insufficient variation
- ☐ 2 sufficient variation

61. Adaptability of leg movements while walking independently **A**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

majority of movements:

- ☐ 1 no adaptive selection
- ☐ 2 adaptive selection

62. Heel-toe gait while walking independently **P**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

- ☐ 1 no or only occasionally heel-toe gait
- ☐ 2 predominantly heel-toe gait

63. Variation in foot movements while walking independently **V**

- ☐ 0 cannot walk independently (item 51, score 1, 2, or 3)

- ☐ 1 insufficient variation
- ☐ 2 sufficient variation

64. Adaptability of foot movements while walking independently **A**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

majority of movements:

- ☐ 1 no adaptive selection
- ☐ 2 adaptive selection

65. Fluency of movements while walking independently **F**

- ☐ 0 cannot walk independently (item 51, score 1, 2 or 3)

majority of walking movements:

- ☐ 1 non-fluent:
stiff, jerky, floppy/sluggish, other:

.....

- ☐ 2 large majority fluent



66. Reaching, grasping, and manipulation of objects **P**

- 1 ☐ does not reach, does not show prereaching movements
- 2 ☐ does not reach, but shows prereaching movements
- 3 ☐ reaches towards object but does not grasp it
- 4 ☐ reaches towards, grasps and holds object, but does not manipulate object
- 5 ☐ reaches towards, holds and manipulates 1 object
- 6 ☐ reaches towards, holds and manipulates 2 objects
- 7 ☐ reaches towards and holds ≥ 3 objects

67. Prereaching, reaching, grasping, and manipulating objects: presence of asymmetry **S**

- 0 ☐ does not show prereaching or reaching movements (item 66, score 1)
- 1 ☐ strong asymmetry,
 - ☐ R / ☐ L worst side
- 2 ☐ moderate asymmetry,
 - ☐ R / ☐ L worst side
- 3 ☐ no or mild asymmetry

68. Variation in reaching movements of the arms **V**

- 0 ☐ no reaching movements (item 66, score 1 or 2)
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

69. Adaptability of reaching movements of the arms **A**

- 0 ☐ no reaching movements present (item 66, score 1 or 2)
- majority of movements:
- 1 ☐ no adaptive selection
- 2 ☐ adaptive selection

70. Type of grasping during sitting **P**

- 0 ☐ does not grasp object (item 66, score 1, 2, or 3)
- 1 ☐ palmar grasp
- 2 ☐ radial-palmar or scissor grasp
- 3 ☐ inferior pincer grasp
- 4 ☐ pincer grasp

71. Variation in hand movements while reaching, grasping, and manipulating **V**

- 0 ☐ no reaching movements present (item 66, score 1 or 2)
- 1 ☐ insufficient variation
- 2 ☐ sufficient variation

72. Adaptability of hand movements while reaching, grasping, and manipulating **A**

- 0 ☐ no reaching movements present (item 66, score 1 or 2)
- majority of movements:
- 1 ☐ no adaptive selection
- 2 ☐ adaptive selection

73. Tremor during prereaching and reaching **F**

- 0 ☐ does not show prereaching or reaching movements (item 66, score 1)
- 1 ☐ frequently present, describe type:
 -
- 2 ☐ not or occasionally tremor present

74. Fluency of movements during prereaching and reaching **F**

- 0 ☐ does not show prereaching or reaching movements (item 66, score 1)
- majority of movements:
- 1 ☐ non-fluent:
 - stiff, jerky, floppy/sluggish, otherwise:
 -
- 2 ☐ large majority fluent



General

75. Variation in facial expression **V**

- 1 ☐ insufficient variation
2 ☐ sufficient variation

76. Adaptability of facial expression **A**

majority of movements:

- 1 ☐ no adaptive selection
2 ☐ adaptive selection

77. Drooling **V**

- 1 ☐ marked drooling
2 ☐ no or little drooling

78. Presence of stereotyped tongue protrusion **V**

- 1 ☐ yes
2 ☐ no

79. Tremor **F**

- 1 ☐ frequently present, describe type:

.....

- 2 ☐ not or occasionally tremor present

80. Fluency of motor behaviour **F**

majority of movements:

- 1 ☐ non-fluent::
stiff, jerky, floppy/sluggish, otherwise

.....

- 2 ☐ fluent



Remarks on

Quantity of movements

☐+ | ☐++ | ☐+++

Behavioural state

.....
.....
.....
.....
.....
.....
.....
.....
.....

Health condition

.....
.....
.....
.....
.....
.....
.....
.....
.....

Other

.....
.....
.....
.....
.....
.....
.....
.....
.....