

# Ops Dash — Google Ads API Tool Documentation

Read-only reporting integration · Basic Access application · July 2026

---

|                        |                                                                           |
|------------------------|---------------------------------------------------------------------------|
| Company                | Legacy Sales Engineering                                                  |
| Product                | Ops Dash — agency SEO & marketing reporting platform                      |
| Website                | <a href="https://ops.legacybuilder.app">https://ops.legacybuilder.app</a> |
| Manager (MCC) account  | Google Ads Manager account operated by Legacy Sales Engineering           |
| Requested access level | Basic Access                                                              |
| API interaction        | Read-only reporting (search queries only — no mutate operations)          |

## 1. Tool overview

Ops Dash is a web-based reporting dashboard used by our agency and by agencies we partner with to give their local-business clients a single view of their marketing performance. It already reports on organic search (Google Search Console), local presence (Google Business Profile), technical SEO, and rankings. This integration adds **Google Ads performance reporting** so a client's paid-search results appear alongside their organic and local data in one place.

The Google Ads integration is **strictly read-only**. Ops Dash retrieves reporting metrics and displays them. It does not create, edit, pause, or delete campaigns, ad groups, keywords, budgets, or any other entity, and it does not manage billing or account structure.

## 2. How accounts are accessed (OAuth 2.0)

Each advertiser authorizes Ops Dash to read their own Google Ads account through Google's standard OAuth 2.0 consent flow (multi-user authentication workflow). The user clicks “Connect Google Ads,” signs in with the Google account that has access to their advertising account, and grants the <https://www.googleapis.com/auth/adwords> scope. Ops Dash never receives or stores the user's Google password. The user can revoke access at any time from their Google Account permissions.

- One OAuth client and one developer token serve all connected advertisers (multi-user workflow).
- Only accounts a user explicitly authorizes are accessed; the user selects the specific ad account to report on.
- Refresh tokens are stored server-side with service-role-restricted access and are never exposed to the browser.

## 3. Google Ads API services and resources used

All calls are read-only. The tool uses exactly two services:

| Service / method                          | Purpose                                                                                                     |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| CustomerService — listAccessibleCustomers | List the ad accounts the authenticated user has granted access to, so they can pick which one to report on. |
| GoogleAdsService — SearchStream (GAQL)    | Run read-only GAQL report queries against the selected customer to retrieve performance metrics.            |

The report queries (GAQL) retrieve the following resources over a rolling 30-day window:

| Resource (FROM clause) | Reported data                                                                                       |
|------------------------|-----------------------------------------------------------------------------------------------------|
| customer               | Account-level daily cost, impressions, clicks, conversions, conversion value (trend chart).         |
| campaign               | Per-campaign spend, clicks, CTR, avg. CPC, conversions, cost/conv., ROAS, impression share, budget. |
| keyword_view           | Per-keyword spend, clicks, avg. CPC, conversions, match type, and quality score.                    |
| search_term_view       | Actual search queries that triggered ads, with spend/clicks/conversions (top 300 by spend).         |
| recommendation         | Google's own optimization suggestions for the account (types listed only).                          |
| customer_client        | One-level expansion of a manager account to list its child ad accounts for selection.               |

## 4. Representative request

A typical read-only report call (campaign performance):

```
POST https://googleads.googleapis.com/v18/customers/{customerId}/googleAds:searchStream
Headers: Authorization: Bearer <token> · developer-token: <token> · login-customer-id:
<mcc, if applicable>

SELECT campaign.name, campaign.status, metrics.cost_micros, metrics.impressions,
       metrics.clicks, metrics.conversions, metrics.conversions_value
FROM campaign WHERE segments.date DURING LAST_30_DAYS AND campaign.status != 'REMOVED'
```

## 5. Data handling and security

- Retrieved metrics are stored in a Postgres database (Supabase) and shown only to authorized users of that client's account.
- Only aggregated advertising performance data and entity names (campaigns, keywords, search terms) are stored — no end-user personal data is collected.
- OAuth tokens and the developer token are held in service-role-restricted storage, never sent to the browser, and can be rotated.
- Access is governed by row-level security so one client's users cannot see another client's data.
- Users can disconnect at any time, which deletes the stored connection and report data.

## 6. Estimated API usage

Ops Dash performs read-only reporting only. A full refresh for one account issues roughly 5–8 SearchStream requests (daily series, campaigns, keywords, search terms, recommendations), run on a daily schedule and on manual refresh. Expected volume is well within Basic Access limits (15,000 operations/day). No account mutations, no bulk operations, and no planning-tool or billing calls are made.

---

Prepared for the Google Ads API Basic Access application. Contact: Legacy Sales Engineering · [shawn@liftinglegacies.com](mailto:shawn@liftinglegacies.com) · <https://ops.legacybuilder.app>