

PART 1 - GENERAL

1.1 SUMMARY

This Section provides the minimum procedures to prevent, prepare for, notify, and respond to any spills during the Project when it involves fuels, oils, paints, chemicals, regulated substances, or other hazardous materials.

1.2 DEFINITIONS

- A. Oil or Oil Products: Oil in any kind or in any form, including but not limited to: fats, oils; greases of animal, fish or marine mammal origin; vegetable oils, including oils from seeds, nuts, fruits or kernels; and other oils and greases, including petroleum, fuel oil, sludge, synthetic oils, mineral oils, oil refuse, or oil mixed with wastes other than dredged spoil.
- B. Oil Spills: Quantities that may be harmful to public health. These include the following types of discharges:
 - 1. Violate applicable water quality standards.
 - 2. Cause film or "sheen" upon, or discoloration of the surface of the water or adjoining shorelines.
 - 3. Cause a sludge or emulsion to be deposited beneath the surface of the water or upon adjoining shorelines.
- C. Spill: Any release or discharge from designated/designed containers. Includes, but is not limited to, spilling, leaking, pumping, pouring, emitting, emptying, or dumping of fuels, oils, hazardous materials, air pollutants and/or hazardous waste unless the emission is covered by an applicable permit.

1.3 SUBMITTALS

The Contractor shall submit to the Owner's Authorized Representative (OAR) the following:

- A. A Spill Response Plan (SRP) to be reviewed and approved by the Airport Environmental Affairs Department (EAD) prior to obtaining a building permit.
- B. For spills exceeding the reportable quantity for the material, submit a report with the information identified in subsection 2.1(C) within 48 hours of the event.
- C. For spills exceeding the reportable quantity for the material, submit a written report with the information identified in subsection 2.2(B) within 25 Calendar Days of the event.

1.4 SPILL RESPONSE PLAN

- A. The Spill Response Plan form can be located at:
https://www.dfairport.com/cs/groups/webcontent/documents/webasset/p1_021796.doc
- B. An SRP shall be provided when the construction of the Project requires the use or storage of fuels, oils, paints, chemicals, and any other material in quantities that may pose a threat to human health or the environment.

SPILL RESPONSE

Section: 01 57 19.13

- C. The Contractor shall review the SRP on a regular basis, and update when any of the following occurs:
 - 1. Applicable regulations are revised.
 - 2. The SRP fails in an emergency.
 - 3. The Project site changes in design, construction, operation, maintenance or other circumstances that materially increase potential for fires, explosions, release of hazardous waste or hazardous waste constituents, or changes response necessary in an emergency.
 - 4. Change in list of emergency coordinators.
 - 5. Change in list of emergency equipment.

PART 2 – PRODUCTS

Not Used.

PART 3 – EXECUTION

3.1 SPILL EVENTS

- A. The Contractor shall report all spills immediately by phone to Airport Operations Center (AOC) at 972-973-3112 and activate the SRP immediately upon discovery of a spill event.
- B. For spills that exceed the reportable quantity for that material, the EAD will notify the Texas Commission on Environmental Quality (TCEQ) and/or National Response Center (NRC) within 24 hours of the event. Provide EAD, through the OAR, the following information as soon as possible:
 - 1. The name, address, and telephone number of the person reporting and the responsible person.
 - 2. The date, time, and location of the spill or discharge.
 - 3. A specific description of the material discharged or spilled.
 - 4. An estimate of the quantity discharged or spilled.
 - 5. The duration of the incident.
 - 6. The name of the surface water or a description of the waters affected or threatened by the discharge or spill.
 - 7. The source of the discharge or spill.
 - 8. A description of the extent of actual or potential water pollution or harmful impacts to the environment and an identification of any environmentally sensitive areas or natural resources at risk.
 - 9. Any known or anticipated health risks.
 - 10. The identity of any governmental representative responding to the discharge or spill.
 - 11. Any other information that may be significant to the response action.

SPILL RESPONSE

Section: 01 57 19.13

- C. For spills that exceed the reportable quantity for that material, provide a written report of the information requested in 2.1 (C) to the OAR, within 48-hours of the spill. The EAD will review the report.
- D. Manage all waste in accordance with Section 01 74 19.
- E. All Contractor caused spills shall be cleaned by the Contractor at his sole expense.

3.2 POST-SPILL ACTIVITIES

- A. EAD will determine adequacy of the Contractor's cleanup activities. If the Contractor fails to cleanup spill to the satisfaction of the EAD, the Owner will separately contract a response crew to clean up the spill and the cost will be deducted from Contract Amount.
- B. For spills that exceed the reportable quantity for that material, the Contractor shall provide a written report to the OAR within 25 Calendar Days of the event. The written report shall include the following:
 - 1. A statement that the discharge or spill response action has been completed.
 - 2. A description of how the response action was conducted.
 - 3. The statement shall include the information detailed in subsection 2.1 (C).
- C. Additional information as requested by the Owner.

PART 4 – MEASUREMENT AND PAYMENT

Not Used.

– END OF SECTION –